



RECEIVED

2005 AUG 18 PM 3:10

BellSouth Telecommunications, Inc  
333 Commerce Street  
Suite 2101  
Nashville, TN 37201-3300

guy.hicks@bellsouth.com

T.R.A. DOCKET ROOM

Guy M. Hicks  
General Counsel  
615 214 6301  
Fax 615 214 7406

August 18, 2005

VIA HAND DELIVERY

Hon Ron Jones  
Chairman  
Tennessee Regulatory Authority  
460 James Robertson Parkway  
Nashville, Tennessee 37243-0505

Re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc and U-Dial of Tennessee, Inc Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*  
Docket No D5-00cr36

Dear Chairman Jones:

Pursuant to Section 252(e) of the Telecommunications Act of 1996, U-Dial of Tennessee, Inc. and BellSouth Telecommunications, Inc are hereby submitting to the Tennessee Regulatory Authority the original and fourteen copies of the attached Petition for Approval of the Amendment to the Interconnection Agreement dated February 5, 2003. The Amendment relates to the FCC's Order on Remand

Thank you for your attention to this matter.

Sincerely yours,

Guy M. Hicks

cc: Ellis Falkoff, U-Dial of Tennessee, Inc +

BEFORE THE TENNESSEE REGULATORY AUTHORITY  
Nashville, Tennessee

In re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc and U-Dial of Tennessee, Inc Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No. \_\_\_\_\_

**PETITION FOR APPROVAL OF THE  
AMENDMENT TO THE INTERCONNECTION AGREEMENT  
NEGOTIATED BETWEEN BELLSOUTH TELECOMMUNICATIONS, INC.  
AND U-DIAL OF TENNESSEE, INC.**  
**PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996**

COME NOW, U-Dial of Tennessee, Inc. ("U-Dial") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Amendment to the Interconnection Agreement dated February 5, 2003 (the "Amendment") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, U-Dial and BellSouth state the following:

1. U-Dial and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to U-Dial.
2. The parties have recently negotiated an Amendment to the Agreement which relates to the FCC's Order on Remand. A copy of the Amendment is attached hereto and incorporated herein by reference.
3. Pursuant to Section 252(e) of the Telecommunications Act of 1996, U-Dial and BellSouth are submitting their Amendment to the TRA for its consideration and approval. The Amendment provides that either or both of the parties is authorized to submit this Amendment to the TRA for approval.

4. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Amendment between BellSouth and U-Dial within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

5. U-Dial and BellSouth aver that the Amendment is consistent with the standards for approval.

6. Pursuant to 47 USC Section 252(1) and 47 C.F.R. Section 51.809, BellSouth shall make available the entire Interconnection Agreement approved pursuant to 47 USC Section 252.

U-Dial and BellSouth respectfully request that the TRA approve the Amendment negotiated between the parties.

This 18 day of August, 2005.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC

By: 

Guy M. Hicks

333 Commerce Street, Suite 2101

Nashville, Tennessee 37201-3300

(615) 214-6301

Attorney for BellSouth

#### CERTIFICATE OF SERVICE

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Amendment to the Interconnection Agreement on the following via United States Mail on the 18 day of August, 2005:

Ellis Falkoff  
U-Dial of Tennessee, Inc.  
345 Harrison Street  
Union City, TN 38261

  
Guy M. Hicks

**Amendment to the Agreement  
Between  
U-Dial, Inc., U-Dial of Kentucky, Inc. & U-Dial of Tennessee, In  
and  
BellSouth Telecommunications, Inc.  
Dated February 5, 2003**

Pursuant to this Amendment, (the "Amendment"), U-Dial, Inc , U-Dial of Kentucky, Inc & U-Dial of Tennessee, In ("U-Dial"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated February 5, 2003 ("Agreement") to be effective 30 (thirty) days after the date of the last signature executing the Amendment ("Effective Date")

WHEREAS, BellSouth and U-Dial entered into the Agreement on February 5, 2003, and,

WHEREAS, BellSouth and U-Dial desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No 04-313, released February 4, 2005 and effective March 11, 2005,

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties,

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows.

- 1 The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment
- 2 The Parties agree to add Sections 10 and 11 to Attachment 3 as follows:

**10 BASIC 911 AND E911 INTERCONNECTION**

- 10.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911
- 10.2 Basic 911 Interconnection. BellSouth will provide to U-Dial a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. U-Dial will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten

(10) digit directory number as stated on the list provided by BellSouth U-Dial will be required to route that call to the appropriate PSAP When a municipality converts to E911 service, U-Dial will be required to begin using E911 procedures

- 10 3      E911 Interconnection U-Dial shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1 544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, U-Dial shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. U-Dial will be required to provide BellSouth daily updates to the E911 database. U-Dial will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, U-Dial will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. U-Dial shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.
- 10 4      Trunks and facilities for 911 Interconnection may be ordered by U-Dial from BellSouth pursuant to the terms and conditions set forth in this Attachment.
- 10 5      The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

## 11            **SS7 Network Interconnection**

- 11 1      SS7 Network Interconnection is the interconnection of U-Dial local signaling transfer point switches or U-Dial local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, U-Dial local or tandem

- switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network
- 11.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and U-Dial or other third-party switching systems with A-link access to the BellSouth SS7 network
- 11.3 If traffic is routed based on dialed or translated digits between a U-Dial Local Switching system and a BellSouth or other third-party Local Switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the U-Dial local signaling transfer point switches and BellSouth or other third-party local switch
- 11.4 SS7 Network Interconnection shall provide
- 11.4.1 Signaling Data Link functions, as specified in ANSI T1 111.2,
  - 11.4.2 Signaling Link functions, as specified in ANSI T1 111.3, and
  - 11.4.3 Signaling Network Management functions, as specified in ANSI T1 111.4
- 11.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1 112. This includes GTT and SCCP Management procedures as specified in ANSI T1 112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a U-Dial local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of U-Dial local STPs and shall not include SCCP Subsystem Management of the destination
- 11.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1 113
- 11.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114

- 11 8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP
- 11 9 Interface Requirements The following SS7 Network Interconnection interface options are available to connect U-Dial or U-Dial-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network
- 11 9 1 A-link interface from U-Dial local or tandem switching systems, and
- 11 9 2 B-link interface from U-Dial STPs.
- 11 9 3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface
- 11 9 4 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP
- 11 9 5 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 11 9 6 BellSouth shall set message screening parameters to accept messages from U-Dial local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the U-Dial switching system has a valid signaling relationship

- 3 The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment
- 4 The Parties agree to add Section 3 8 to Attachment 6 as follows

- 3 8 If U-Dial modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by U-Dial in accordance with FCC No 1 Tariff, Section 5

- 5 All of the other provisions of the Agreement dated February 5, 2003 shall remain unchanged and in full force and effect.
- 6 Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

## Signature Page

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below

**BellSouth Telecommunications, Inc.**By Kristen E. RoweName Kristen RoweTitle Director

Date:

8/3/05**U-Dial, Inc., U-Dial of Kentucky, Inc.  
& U-Dial of Tennessee, Inc.**By Ellis FalkoffName: Ellis FalkoffTitle: PresidentDate: 8/3/05Version TRRO Amendment  
03/15/05

[CCCS Amendment 6 of 376]

[CCCS Amendment 6 of 376]

## **Attachment 2**

### **Network Elements and Other Services**

## TABLE OF CONTENTS

<b>1</b>	<b>Introduction .....</b>	<b>3</b>
<b>2</b>	<b>Loops .....</b>	<b>7</b>
<b>3</b>	<b>Line Splitting.....</b>	<b>29</b>
<b>4</b>	<b>Local Switching.....</b>	<b>31</b>
<b>5</b>	<b>Unbundled Network Element Combinations .....</b>	<b>40</b>
<b>6</b>	<b>Dedicated Transport and Dark Fiber Transport.....</b>	<b>46</b>
<b>7</b>	<b>Call Related Databases and Signaling.....</b>	<b>55</b>
<b>8</b>	<b>Automatic Location Identification/Data Management System (ALI/DMS).....</b>	<b>64</b>
<b>9</b>	<b>White Page Listings .....</b>	<b>67</b>
<b>Rates .....</b>		<b>Exhibit A</b>
<b>Rates .....</b>		<b>Exhibit B</b>

## ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

### 1      **Introduction**

- 1.1     This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to U-Dial for U-Dial's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to U-Dial (Other Services). Additionally, the provision of a particular Network Element or Other Service may require U-Dial to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2     The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If U-Dial purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3     U-Dial may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C F R § 51.309.
- 1.4     The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5     U-Dial shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6     Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to U-Dial pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to U-Dial pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from U-Dial.

A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between U-Dial and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1 13.1 and 1 13.2 below.

- 1 7 Except to the extent expressly provided otherwise in this Attachment, U-Dial may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that U-Dial has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide U-Dial with thirty (30) days written notice to disconnect or convert such Arrangements. If U-Dial fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 1 7 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1 8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, U-Dial shall undertake a reasonably diligent inquiry to determine whether U-Dial is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, U-Dial self-certifies that to the best of U-Dial's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon U-Dial's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill U-Dial the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, U-Dial shall submit a spreadsheet identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.

- 1.9 U-Dial may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C F R § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from U-Dial, BellSouth shall perform the RNM.
- 1.11 Commingling of Services
- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that U-Dial has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. U-Dial must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.

- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act
- 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A
- 1.13 Ordering Guidelines and Processes
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, U-Dial should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is <http://www.interconnection.bellsouth.com/>.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address <http://www.interconnection.bellsouth.com/guides/html/unes.html>.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to U-Dial's Collocation Space will require cross-connects within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with U-Dial's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.
- 1.13.4 Testing/Trouble Reporting
- 1.13.4.1 U-Dial will be responsible for testing and isolating troubles on Network Elements. U-Dial must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, U-Dial will be required to provide the results of the U-Dial test which indicate a problem on the BellSouth network.
- 1.13.4.2 Once U-Dial has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.

- 1 13 4 3 If U-Dial reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge U-Dial a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No 1 Tariff, Section 13 3 1
- 1 13 4 4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by U-Dial (e.g , incomplete address, incorrect contact name/number, etc.), BellSouth will bill U-Dial for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No 1 Tariff, Section 13 3.1.

## 2 Loops

2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth U-Dial shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2 1 1 The Loop does not include any packet switched features, functions or capabilities
- 2 1 2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises

- 2.1 2 1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.
- 2 1 2 2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to U-Dial on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities
- 2 1 2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by U-Dial. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- 2.1 3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide U-Dial with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises
- 2 1 4 Transition for DS1 and DS3 Loops
- 2.1.4.1 For purposes of this Section 2, the Transition Period for the Embedded Base of DS1 and DS3 Loops and for the Excess DS1 and DS3 Loops (defined in 2.1.4.3) is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006
- 2.1 4 2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for U-Dial as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Section 2.1 4 5 1 or 2 1 4.5.2. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2 1.4 3 Excess DS1 and DS3 Loops are those U-Dial DS1 and DS3 Loops in service as of March 10, 2005, in excess of the caps set forth in Sections 2.3 6 2 and 2.3.12, respectively. Subsequent disconnects or loss of End Users shall be removed from Excess DS1 and DS3 Loops

- 2.1.4.4 For purposes of this Section 2, a Business Line is defined in 47 C F R § 51.5
- 2.1.4.5 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 2.1.4.12, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for U-Dial's Embedded Base during the Transition Period:
- 2.1.4.5.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators
- 2.1.4.5.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators
- 2.1.4.6 A list of wire centers meeting the criteria set forth in Sections 2.1.4.5.1 and 2.1.4.5.2 above as of March 10, 2005 (Initial Wire Center List), is available on BellSouth's Interconnection Services Web site at [www.interconnection.bellsouth.com](http://www.interconnection.bellsouth.com)
- 2.1.4.7 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for U-Dial's Embedded Base of DS1 and DS3 Loops and U-Dial's Excess DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B
- 2.1.4.8 The Transition Period shall apply only to (1) U-Dial's Embedded Base and (2) U-Dial's Excess DS1 and DS3 Loops. U-Dial shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement, except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment and as set forth in Section 2.1.4.12 below
- 2.1.4.9 Once a wire center exceeds both of the thresholds set forth in Sections 2.1.4.5.1 and 2.1.4.5.2, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.10 Once a wire center exceeds both of the thresholds set forth in Sections 2.1.4.5.1 and 2.1.4.5.2, no future DS3 Loop unbundling will be required in that wire center
- 2.1.4.11 No later than December 9, 2005 U-Dial shall submit spreadsheet(s) identifying all of the Embedded Base of circuits and Excess DS1 and DS3 Loops to be either disconnected or converted to other BellSouth services pursuant to Section 1.6. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base and Excess DS1 and DS3 Loops.
- 2.1.4.11.1 If U-Dial fails to submit the spreadsheet(s) specified in Section 2.1.4.11 above for all of its Embedded Base and Excess DS1 and DS3 Loops prior to December 9, 2005, BellSouth will identify U-Dial's remaining Embedded Base and Excess DS1 and DS3 Loops, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth

pursuant to this Section 2.1.4.11.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs

- 2.1.4.11.2 For Embedded Base circuits and Excess DS1 and DS3 Loops converted pursuant to Section 2.1.4.11 or transitioned pursuant to 2.1.4.11.1, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006
- 2.1.4.12 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 2.1.4.12.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.5, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL) Each such list of additional wire centers shall be considered a "Subsequent Wire Center List"
- 2.1.4.12.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment
- 2.1.4.12.3 For purposes of Section 2.1.4.12, BellSouth shall make available DS1 and DS3 Loops that were in service for U-Dial in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10<sup>th</sup>) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period)
- 2.1.4.12.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base
- 2.1.4.12.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period
- 2.1.4.12.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, U-Dial shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 2.1.4.12.6.1 If U-Dial fails to submit the spreadsheet(s) specified in Section 2.1.4.12.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will

identify U-Dial's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 2.1.4.12.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.12.6 or transitioned pursuant to Section 2.1.4.12.6.1, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval
- 2.1.6 The Loop shall be provided to U-Dial in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered
- 2.1.8 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If U-Dial wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), U-Dial may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.8.1 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), U-Dial shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.9 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2.1.9.1 OC allows BellSouth and U-Dial to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as

an option, to U-Dial's facilities to limit End User service outage OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date OC shall be provided in accordance with the chart set forth below

- 2192 OC-TS allows U-Dial to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate U-Dial's specific conversion time request. However, BellSouth reserves the right to negotiate with U-Dial a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. U-Dial may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If U-Dial specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1 10

	<b>Order Coordination (OC)</b>	<b>Order Coordination – Time Specific (OC-TS)</b>	<b>Test Points</b>	<b>DLR</b>	<b>Charge for Dispatch and Testing if No Trouble Found</b>
<b>SL-1 (Non-Designed)</b>	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
<b>UCL-ND (Non-Designed)</b>	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
<b>Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)</b>	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
<b>Unbundled Digital Loop (Designed)</b>	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
<b>Unbundled Copper Loop (Designed)</b>	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, U-Dial must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.11        CLEC to CLEC Conversions for Unbundled Loops

- 2.1.11.1      The CLEC to CLEC conversion process for Loops may be used by U-Dial when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in U-Dial's Interconnection Agreement before requesting a conversion

2.1 11 2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision

2 1 11 3 The Loops converted to U-Dial pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type

2 1.12 Bulk Migration

2.1.12.1 BellSouth will make available to U-Dial a Bulk Migration process pursuant to which U-Dial may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L) The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs), and (2) located in the same Central Office The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time The CLEC Information Package is located at [www.interconnection.bellsouth.com/guides/html/unes.html](http://www.interconnection.bellsouth.com/guides/html/unes.html). The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A Additionally, Operations Support Systems (OSS) charges will also apply Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2 6 below

2 1 12 2 Should U-Dial request migration for two (2) or more EATNs containing fifteen (15) or more circuits, U-Dial must use the Bulk Migration process referenced in 2 1 11 1 above

2 2 Unbundled Voice Loops (UVLs)

2.2.1 BellSouth shall make available the following UVLs:

2 2 1 1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2 2 1 2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2 2 1 3 4-wire Analog Voice Grade Loop (Designed)

2 2 2 UVL may be provisioned using any type of facility that will support voice grade services This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that U-Dial will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3     Unbundled Voice Loop - SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by U-Dial, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. U-Dial may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4     For an additional charge BellSouth will make available Loop Testing so that U-Dial may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A
- 2.2.5     Unbundled Voice Loop – SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to U-Dial. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow U-Dial to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours
- 2.3        Unbundled Digital Loops
- 2.3.1      BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2      BellSouth shall make available the following UDLs, subject to restrictions set forth herein
- 2.3.2.1     2-wire Unbundled ISDN Digital Loop

- 2.3 2 2      2-wire Unbundled ADSL Compatible Loop
- 2 3 2 3      2-wire Unbundled HDSL Compatible Loop
- 2 3 2 4      4-wire Unbundled HDSL Compatible Loop
- 2 3 2.5      4-wire Unbundled DS1 Digital Loop
- 2 3 2 6      4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
- 2.3 2 7      DS3 Loop
- 2.3.2 8      STS-1 Loop
- 2.3 3      2-wire Unbundled ISDN Digital Loops These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. U-Dial will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2 3 4      2-wire ADSL-Compatible Loop This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2 3.5      2-wire or 4-wire HDSL-Compatible Loop This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2 3 6      4-wire Unbundled DS1 Digital Loop
- 2.3 6 1      This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2 1 4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops
- 2 3 6 2      BellSouth shall not provide more than ten (10) unbundled DS1 Loops to U-Dial at any single building in which DS1 Loops are available as unbundled Loops.

- 2 3 7      4-wire Unbundled Digital/DS0 Loop These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR
- 2 3 8      DS3 Loop DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44 736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface
- 2 3.9      STS-1 Loop STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51 84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface
- 2 3 10      Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3 11      DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services
- 2.3 12      U-Dial may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops
- 2 4      Unbundled Copper Loops (UCL)
- 2 4 1      BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types - Designed and Non-Designed
- 2 4 2      Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters)
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by U-Dial.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by U-Dial to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire
- 2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, U-Dial can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that U-Dial may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by U-Dial to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 U-Dial may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serve no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than eighteen thousand (18,000) feet in length.
- 2.5.3 For any copper loop being ordered by U-Dial which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from U-Dial, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to U-Dial. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 U-Dial may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.

- 2 5 6      BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e g , voice grade, ADSL, etc ) being ordered
- 2 5 7      If U-Dial requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified U-Dial will not be charged for ULM if a different Loop is provisioned For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned
- 2.5 8      U-Dial shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that U-Dial desires BellSouth to condition
- 2.5 9      When requesting ULM for a Loop that BellSouth has previously provisioned for U-Dial, U-Dial will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by U-Dial is available at the location for which the ULM was requested, U-Dial will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM In the event that BellSouth changes the Loop facility in lieu of providing ULM, U-Dial will not be charged for ULM but will only be charged the service order charges for submitting an order
- 2.6            Loop Provisioning Involving IDLC
- 2.6.1          Where U-Dial has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to U-Dial. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for U-Dial (e g , hairpinning).
- 1      Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises
  - 2      Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3      If capacity exists, provide "side-door" porting through the switch
  - 4      If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch)
- 2 6 2          Arrangements 3 and 4 above require the use of a designed circuit Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases

- 2 6 3 If no alternate facility is available, and upon request from U-Dial, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. U-Dial will then have the option of paying the one-time SC rates to place the Loop
- 2 7 Network Interface Device
- 2 7 1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2 7 2 BellSouth shall permit U-Dial to connect U-Dial's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.
- 2 7 3 Access to NID
- 2 7 3 1 U-Dial may access the End User's premises wiring by any of the following means and U-Dial shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID.
- 2.7.3.1.1 BellSouth shall allow U-Dial to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7 3 1 2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3 1 3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2 7 3 1.4 U-Dial may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.

- 2 7 3 2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be U-Dial's responsibility to ensure there is no safety hazard, and U-Dial will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2 7 3 3 U-Dial shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors
- 2.7.3 4 U-Dial shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3 5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with U-Dial to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question
- 2 7 4 Technical Requirements
- 2 7 4 1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground
- 2 7 4 2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to U-Dial's NID.
- 2.7.4 3 Existing BellSouth NIDs will be operational and provided in "as is" condition. U-Dial may request BellSouth to do additional work to the NID on a time and material basis. When U-Dial deploys its own local loops in a multiple-line termination device, U-Dial shall specify the quantity of NID connections that it requires within such device
- 2 8 Subloop Elements
- 2.8 1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.

- 2.8.2      Unbundled Subloop Distribution (USLD)
- 2.8.2.1     The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist
- USLD – Voice Grade (USLD-VG)  
Unbundled Copper Subloop (UCSL)  
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))
- 2.8.2.2     USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils
- 2.8.2.3     UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box
- 2.8.2.3.1    If U-Dial requests a UCSL and it is not available, U-Dial may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4     USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises
- 2.8.2.4.1    Upon request for USLD-INC from U-Dial, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for U-Dial's use on this cross-connect panel. U-Dial will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s)
- 2.8.2.5     For access to Voice Grade USLD and UCSL, U-Dial shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation

for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. U-Dial's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.

- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by U-Dial is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet U-Dial's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address <http://www.interconnection.bellsouth.com/products/html/unes.html>
- 2.8.2.7 The site set-up must be completed before U-Dial can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice U-Dial's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, U-Dial will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when U-Dial requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by U-Dial for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and U-Dial does own or control such wiring, U-Dial will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to U-Dial.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate U-Dial for each pair activated commensurate to the price specified in U-Dial's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with

removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed

- 2 8 3 3 8      The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form
- 2 8 3 3.9      If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s)
- 2 8 3.3.10      If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal
- 2 8 3 3 11      If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2 8 4      Dark Fiber Loop
- 2 8.4.1      Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for U-Dial to utilize Dark Fiber Loops
- 2.8.4.2      Transition for Dark Fiber Loop

- 2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006
- 2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for U-Dial as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base
- 2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for U-Dial at the terms and conditions set forth in this Attachment
- 2.8.4.4 Notwithstanding the Effective Date of this Agreement, the rates for U-Dial's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A
- 2.8.4.5 The Transition Period shall apply only to U-Dial's Embedded Base and U-Dial shall not add new Dark Fiber Loops pursuant to this Agreement
- 2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement
- 2.8.4.7 No later than June 10, 2006 U-Dial shall submit spreadsheet(s) identifying all of the Embedded Base of circuits to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base
- 2.8.4.7.1 If U-Dial fails to submit the spreadsheet(s) specified in Section 2.8.4.7 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify U-Dial's remaining Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2.8.4.7.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs
- 2.8.4.7.2 For Embedded Base circuits converted pursuant to Section 2.8.4.7 or transitioned pursuant to 2.8.4.7.1, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.
- 2.9 Loop Makeup
- 2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to U-Dial LMU information with respect to Loops that are required to be unbundled under this Agreement so that U-Dial can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment U-Dial intends to install and the services U-Dial wishes to provide. LMU is a preordering transaction, distinct from U-Dial ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide U-Dial LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to U-Dial as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 U-Dial may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by U-Dial and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee U-Dial's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by U-Dial or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. U-Dial is fully responsible for any

of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered

- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R. § 52.325(a) requirements, or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify U-Dial, according to the applicable network disclosure requirements. It will be U-Dial's responsibility to move any service it may provide over such facilities to alternative facilities. If U-Dial fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.
- 2.9.2 Submitting LMUSI
- 2.9.2.1 U-Dial may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address [www.interconnection.bellsouth.com/guides/html/unes.html](http://www.interconnection.bellsouth.com/guides/html/unes.html). After obtaining the Loop information from the mechanized LMU process, if U-Dial needs further Loop information in order to determine Loop service capability, U-Dial may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. U-Dial will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, U-Dial does not reserve facilities upon an initial LMUSI, U-Dial's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where U-Dial has reserved multiple Loop facilities on a single reservation, U-Dial may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to U-Dial, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by U-Dial.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 3 Line Splitting**
- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End

Users over the same Loop The Voice CLEC and Data LEC may be the same or different carriers

- 3.2 Line Splitting – UNE-L In the event U-Dial provides its own switching or obtains switching from a third party, U-Dial may engage in line splitting arrangements with another CLEC using a splitter, provided by U-Dial, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent
- 3.3 Line Splitting –Loop and UNE Port (UNE-P)
- 3.3.1 To the extent U-Dial is purchasing UNE-P pursuant to this Agreement, BellSouth will permit U-Dial to replace UNE-P with Line Splitting. The UNE-P arrangement will be converted to a stand-alone Loop, a Network Element switch port, two (2) collocation cross-connects and the high frequency spectrum line activation. The resulting arrangement shall continue to be included in U-Dial's Embedded Base as described in Section 5.4 3 2
- 3.3.2 U-Dial shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if U-Dial will not provide voice and data services.
- 3.3.3 Line Splitting arrangements in service pursuant to this Section 3.3 must be disconnected or provisioned pursuant to Section 3 2 on or before March 10, 2006
- 3.4 Provisioning Line Splitting and Splitter Space – UNE-P
- 3.4.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When U-Dial or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location, a collocation cross-connection connecting the Loop to the collocation space, a second collocation cross-connection from the collocation space connected to a voice port, the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port
- 3.4.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs
- 3.4.3 The foregoing procedures are applicable to migration from a UNE-P arrangement to Line Splitting Service
- 3.5 Provisioning Line Splitting and Splitter Space – UNE-L

- 3.5.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When U-Dial owns the splitter, Line Splitting requires the following: a Loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 3.6 CLEC Provided Splitter – Line Splitting UNE-P and UNE-L
- 3.6.1 To order High Frequency Spectrum on a particular Loop, U-Dial must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.6.2 U-Dial may purchase, install and maintain central office POTS splitters in its collocation arrangements. U-Dial may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.6.3 Any splitters installed by U-Dial in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. U-Dial may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.7 Maintenance – Line Splitting – UNE-P and UNE-L
- 3.7.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 3.7.2 U-Dial shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.
- 4 Local Switching**
- 4.1 Notwithstanding anything to the contrary in this Agreement, the services offered pursuant to this Section 4 are limited to DS0 level Local Switching and BellSouth is not required to provide Local Switching pursuant to this Agreement except as set forth in Section 4.2.
- 4.1.1 BellSouth shall not be required to unbundle local circuit switching for U-Dial for a particular End User when U-Dial: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC;

Nashville, TN, and New Orleans, LA, or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that U-Dial is serving any End User as described above as of the Effective Date of this Agreement, such End User's arrangement may not remain in place and such Arrangement must be terminated by U-Dial or transitioned by U-Dial, or BellSouth shall disconnect such Arrangements upon thirty (30) days notice.

- 4.2 Transition for Local Switching
- 4.2.1 For purposes of this Section 4, the Transition Period for the Embedded Base of Local Switching is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006
- 4.2.2 For the purposes of this Section 4, Embedded Base shall mean Local Switching and any additional elements that are required to be provided in conjunction therewith that were in service for U-Dial as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 4.2.3 During the Transition Period only, BellSouth shall make Local Switching available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with Local Switching, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to U-Dial's Embedded Base and U-Dial shall not place new orders for Local Switching pursuant to this Agreement
- 4.2.4 Notwithstanding the Effective Date of this Agreement, the rates for U-Dial's Embedded Base of Local Switching during the Transition Period shall be as set forth in Exhibit A
- 4.2.5 U-Dial must submit orders, to disconnect or convert all of its Embedded Base of Local Switching to other BellSouth services as Conversions pursuant to Section 1.6 by October 1, 2005.
- 4.2.5.1 If U-Dial fails to submit orders to disconnect or convert all of its Embedded Base of Local Switching as specified in Section 4.2.5 above prior to October 1, 2005, BellSouth will identify U-Dial's remaining Embedded Base of Local Switching and will disconnect such Local Switching. Those circuits identified and disconnected by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement
- 4.2.6 Effective March 11, 2006, Local Switching will no longer be made available pursuant to this Agreement
- 4.3 Local Switching Capability, including Tandem Switching Capability

- 4.3.1 Local Switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local Switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.3.2 Unbundled local switching consists of three separate components: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.3.3 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to U-Dial's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.3.4 Provided that U-Dial has unbundled Local Switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a U-Dial local End User, or originated by a BellSouth local End User and terminated to a U-Dial local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge U-Dial the Network Elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and U-Dial shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Web site:  
<http://interconnection.bellsouth.com/products/docs/FLOWSPPT.pdf>
- 4.3.5 Where U-Dial has unbundled Local Switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a U-Dial End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge U-Dial the Network Elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and U-Dial shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.3.6 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill U-Dial the Network Elements for the BellSouth facilities utilized. Each Party may

- bill the toll provider originating or terminating switched access charges as appropriate
- 4.3.7 Unbundled Ports may or may not include individual features. Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates
- 4.3.8 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR Process as set forth in Attachment 11.
- 4.3.9 BellSouth will provide to U-Dial selective routing of calls to a requested Operator System platform pursuant to this Agreement. Any other routing requests by U-Dial will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.
- 4.3.10 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule
- 4.3.11 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner
- 4.3.12 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.3.13 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to U-Dial all Advanced Intelligent Network (AIN) triggers in connection with its Service Creation Environment and Service Management System (SCE/SMS) offering.
- 4.3.14 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by U-Dial
- 4.3.15 BellSouth shall provide the following Local Switching interfaces:
- 4.3.15.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.3.15.2 Coin phone signaling;

- 4.3.15.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements,
- 4.3.15.4 2-wire analog interface to PBX,
- 4.3.15.5 4-wire analog interface to PBX, and
- 4.3.15.6 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.3.16 U-Dial shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 ALI Database.
- 4.3.17 U-Dial will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the U-Dial's End Users
- 4.4 Common (Shared) Transport
- 4.4.1 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport
- 4.4.2 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing Local Switching to U-Dial
- 4.4.3 Technical Requirements of Common (Shared) Transport
- 4.4.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards
- 4.4.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 4.4.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 4.5 Tandem Switching

- 4 5 1      The Tandem Switching capability Network Element is defined as (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross-connect panel and switch trunk card, (ii) the basic switch trunk function of connecting trunks to trunks, and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4 5 2      Where U-Dial utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Local Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.
- 4.5 3      Technical Requirements
- 4 5 3 1      Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following
- 4 5.3.1.1      Tandem Switching shall provide signaling to establish a tandem connection;
- 4.5.3.1.2      Tandem Switching will provide screening as jointly agreed to by U-Dial and BellSouth;
- 4.5.3.1.3      Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.5.3.1.4      Where applicable, Tandem Switching shall provide access to Toll Free number database;

- 4 5 3 1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911, and
- 4 5 3 1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers
- 4 5 3 2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to U-Dial
- 4.5.3 3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.5 3 4 Tandem Switching shall process originating toll free traffic received from U-Dial's local switch
- 4 5 3.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability
- 4.5.4 Upon U-Dial's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for U-Dial's traffic overflowing from direct end office high usage trunk groups
- 4.6 Remote Call Forwarding (URCF)
- 4.6.1 As an option, BellSouth shall make available to U-Dial an unbundled port with Remote Call Forwarding capability. URCF service combines the functionality of unbundled Local Switching, Tandem Switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. U-Dial must ensure that the following conditions are satisfied:
- 4.6.1.1 the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User),
- 4.6.1.2 the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service,
- 4.6.1.3 the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.6.1.4 the forward-to number (service) is not a public safety number (e.g., 911, fire or police number).

- 4.6.2 In addition to the charge for the URDF service port, BellSouth shall charge U-Dial the rates set forth in Exhibit A for unbundled Local Switching, Tandem Switching, and Common Transport, including all associated usage incurred for calls from the URDF service telephone number (the number dialed by the calling party) to the forward-to number (service)
- 4.7 AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers
- 4.7.1 Where BellSouth provides Local Switching to U-Dial, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of U-Dial. AIN SCR will provide U-Dial with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations
- 4.7.2 U-Dial shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis
- 4.7.3 AIN SCR is not available in DMS 10 switches.
- 4.7.4 Where AIN SCR is utilized by U-Dial, the routing of U-Dial's End User calls shall be pursuant to information provided by U-Dial and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established
- 4.7.5 Upon ordering AIN SCR Regional Service, U-Dial shall remit to BellSouth the nonrecurring Regional Service Order charge set forth in Exhibit A. There shall be a nonrecurring End Office Establishment Charge as set forth in Exhibit A, per office, due at the addition of each central office where AIN SCR will be utilized. For each U-Dial End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A. U-Dial shall pay the AIN SCR Per Query Charge set forth in Exhibit A.
- 4.7.6 This nonrecurring Regional Service Order charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including Regional SCR Order Request-Form A, Central Office AIN SCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) days to respond to U-Dial's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to U-Dial, BellSouth considers that the delivery schedule of this service commences. The remaining half of the nonrecurring Regional

Service Order payment must be paid when at least ninety percent (90%) of the Central Offices listed on the original order have been turned up for the service

- 4.7.7 The nonrecurring End Office Establishment charge will be billed to U-Dial following BellSouth's normal monthly billing cycle for this type of order
- 4.7.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End Office Establishment charges will be billed to U-Dial following BellSouth's normal monthly billing cycle for this type of order.
- 4.7.9 Additionally, the AIN SCR Per Query Charge will be billed to U-Dial following the normal billing cycle for per query charges
- 4.7.10 All other network components needed, (i.e., unbundled switching, unbundled local transport, etc ) will be billed per contracted rates
- 4.8 Selective Call Routing Using Line Class Codes (SCR-LCC)
- 4.8.1 Where U-Dial has purchased unbundled Local Switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route U-Dial's End User calls to that provider through Selective Call Routing
- 4.8.2 SCR-LCC provides the capability for U-Dial to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if capacity is available in the requested BellSouth end office switches.
- 4.8.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4.8.4 Where available, U-Dial specific and unique LCCs are programmed in each BellSouth end office switch where U-Dial intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify U-Dial's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and U-Dial intends to provide U-Dial - branded OCP/DA to its End Users in these multiple rate areas.
- 4.8.5 SCR-LCC supporting Custom Branding and Self Branding require U-Dial to order dedicated trunking from each BellSouth end office identified by U-Dial, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or

to the U-Dial Operator Service Provider for Self Branding Separate trunk groups are required for Operator Services and for DA Rates for trunks are set forth in applicable BellSouth's FCC No 1 Tariff

- 4 8 6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by U-Dial to the BellSouth TOPS
- 4 8 7 The Rates for SCR-LCC are as set forth in Exhibit A There is a NRC for the establishment of each LCC in each BellSouth central office Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations

## **5 Unbundled Network Element Combinations**

- 5 1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by U-Dial are in fact already combined by BellSouth in the BellSouth network References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by U-Dial are not already combined by BellSouth in the location requested by U-Dial but are elements that are typically combined in BellSouth's network References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by U-Dial are not elements that BellSouth combines for its use in its network
- 5 1 1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network
- 5 1.2 To the extent U-Dial requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.
- 5 2 Rates

- 5.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A
- 5.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A
- 5.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of U-Dial
- 5.3 Enhanced Extended Links (EELs)
- 5.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide U-Dial with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C F R § 51.318(b)
- 5.3.3 By placing an order for a high-capacity EEL, U-Dial thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit U-Dial's high-capacity EELs as specified below.
- 5.3.4 Service Eligibility Criteria
- 5.3.4.1 High capacity EELs must comply with the following service eligibility requirements. U-Dial must certify for each high-capacity EEL that all of the following service eligibility criteria are met
- 5.3.4.1.1 U-Dial has received state certification to provide local voice service in the area being served,

- 5 3 4 2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL
- 5 3 4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit,
- 5 3 4 2 2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it,
- 5 3 4 2 3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit,
- 5 3 4 2 4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C F R. § 51.318(c),
- 5 3 4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which U-Dial will transmit the calling party's number in connection with calls exchanged over the trunk,
- 5 3 4 2 6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, U-Dial will have at least one (1) active DS1 local service interconnection trunk over which U-Dial will transnut the calling party's number in connection with calls exchanged over the trunk, and
- 5.3 4 2 7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic
- 5.3 4 3 BellSouth may, on an annual basis, audit U-Dial's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that U-Dial failed to comply with the service eligibility criteria, U-Dial must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that U-Dial did not comply in any material respect with the service eligibility criteria, U-Dial shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that U-Dial did comply in all material respects with the service eligibility criteria, BellSouth will reimburse U-Dial for its reasonable and demonstrable costs associated with the audit. U-Dial will maintain appropriate documentation to support its certifications

- 5.3.4.4 In the event U-Dial converts special access services to UNEs, U-Dial shall be subject to the termination liability provisions in the applicable special access tariffs, if any
- 5.4 UNE-P
- 5.4.1 DS0 Local Switching, as defined in Section 4, in combination with a Loop and Common (Shared) Transport as defined in Section 4.4 (UNE-P) provides local exchange service for the origination or termination of calls. UNE-P supports the same local calling and feature requirements as described in the Local Switching section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service
- 5.4.2 Notwithstanding anything to the contrary in this Agreement, BellSouth is not required to provide UNE-P pursuant to this Agreement except as set forth in this Section 5.4
- 5.4.3 Transition Period for UNE-P
- 5.4.3.1 For purposes of this Section 5.4, the Transition Period for UNE-P is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006
- 5.4.3.2 For the purposes of this Section 5.4, Embedded Base shall mean UNE-P and any additional elements that are required to be provided in conjunction therewith that were in service for U-Dial as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base
- 5.4.3.3 During the Transition Period only, BellSouth shall make UNE-P available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with UNE-P, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to U-Dial's Embedded Base and U-Dial shall not place new orders for UNE-P pursuant to this Agreement.
- 5.4.3.4 Notwithstanding the Effective Date of this Agreement, the rates for U-Dial's Embedded Base of UNE-P during the Transition Period shall be as set forth in Exhibit A
- 5.4.3.5 U-Dial must submit orders, or spreadsheets if converting to UNE Loops through the Bulk Migration process, outlined in Section 2.1.10, to either disconnect or convert all of its Embedded Base of UNE-P to other BellSouth services as Conversions pursuant to Section 1.6 by October 1, 2005
- 5.4.3.5.1 If U-Dial fails to submit orders or spreadsheets converting all of the Embedded Base of UNE-P as specified in Section 5.4.3.5 above prior to October 1, 2005, BellSouth will identify U-Dial's remaining Embedded Base of UNE-P and will transition such UNE-P to resold BellSouth telecommunication services, as set

forth in Attachment 1 Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of such BellSouth services as set forth in BellSouth's tariffs

5 4 3 5 2 For Embedded Base UNE-P converted pursuant to Section 5 4 3 5 or transitioned pursuant to Section 5.4 3 5 1, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006

5.4.3 6 Effective March 11, 2006, UNE-P will no longer be made available pursuant to this Agreement.

5 4 4 BellSouth shall make 911 updates in the BellSouth 911 database for U-Dial's UNE-P BellSouth will not bill U-Dial for 911 surcharges. U-Dial is responsible for paying all 911 surcharges to the applicable governmental agency

5 5 Intercarrier Compensation

5.5.1 Intercarrier compensation for seven (7) or ten (10) digit dialed calls originated by U-Dial utilizing Local Switching shall apply as follows.

5 5.2 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge U-Dial for End Office Switching as set forth in Exhibit A at the terminating end office

5.5 3 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge U-Dial for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching as set forth in Exhibit A at the terminating end office

5.5.3.1 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, U-Dial is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network If U-Dial does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by U-Dial, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option,

5 5.3 1 1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to U-Dial for each such call, or

- 5.5.3.1.2 pay such charges as billed by the third party carrier and U-Dial will reimburse the full amount of such charges within thirty (30) days of BellSouth's request for reimbursement
- 5.5.3.2 Intercarrier compensation for seven (7) or ten (10) digit dialed calls terminating to U-Dial utilizing Local Switching shall apply as follows
- 5.5.3.2.1 For calls originated by a BellSouth End User or by an End User served by resold BellSouth services, BellSouth shall not charge U-Dial for End Office Switching at the terminating end office for use of the network component; therefore, U-Dial shall not charge BellSouth intercarrier compensation or any other charges for termination of such calls
- 5.5.3.2.2 For calls originated by a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall not charge U-Dial for End Office Switching at the terminating end office for use of the network component, therefore, U-Dial shall not charge the originating CLEC or BellSouth intercarrier compensation or any other charges for termination of such calls
- 5.5.3.2.3 For calls originated by third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, U-Dial is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. U-Dial may bill the third parties according to such agreements and shall not bill BellSouth for the exchange of traffic through BellSouth's network
- 5.5.3.3 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls originated by U-Dial utilizing Local Switching where U-Dial uses BellSouth's CIC for its End User's LPIC.
- 5.5.3.3.1 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge U-Dial for End Office Switching as set forth in Exhibit A at the terminating end office
- 5.5.3.3.2 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge U-Dial for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching at the terminating end office. In the event that BellSouth is charged termination charges by the CLEC, BellSouth may pay such charges and U-Dial will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement

- 5 5 3 3 3 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, U-Dial is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If U-Dial does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by U-Dial, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
- 5 5.3.3 3 1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to U-Dial for each such call, or
- 5 5.3 3.3.2 pay such charges as billed by the third party carrier and U-Dial will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement
- 5.5 3 4 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls terminating to U-Dial utilizing Local Switching where the originating carrier uses BellSouth's CIC for its End User's LPIC
- 5.5.3 4.1 For calls originated by a BellSouth End User or by an End User served by BellSouth resold service, BellSouth shall charge U-Dial for End Office Switching as set forth in Exhibit A at the terminating end office for use of the End Office Switching network component in terminating such calls. U-Dial may charge BellSouth for intercarrier compensation at the End Office Switching as set forth in Exhibit A in this Agreement for such calls. U-Dial shall not charge originating or terminating switched access rates to BellSouth for termination of such calls
- 5 5.3.5 For calls originated by or terminating to interexchange carriers through a switched access arrangement, U-Dial may bill the interexchange carrier in accordance with U-Dial's tariff and will not bill BellSouth any charges for such call. U-Dial shall pay BellSouth applicable charges for the use of BellSouth's network in accordance with the rates set forth in Exhibit A for originating and terminating such calls
- 6 Dedicated Transport and Dark Fiber Transport**
- 6.1 Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by U-Dial, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to U-Dial. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 6.2 below, BellSouth shall not be required to provide to U-Dial unbundled access to interoffice transmission facilities that do

not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").

- 6.2 Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities
- 6.2.1 For purposes of this Section 6.2, the Transition Period for the Embedded Base of DS1 and DS3 Dedicated Transport, Embedded Base Entrance Facilities and for Excess DS1 and DS3 Dedicated Transport, is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006
- 6.2.2 For purposes of this Section 6.2, Embedded Base means DS1 and DS3 Dedicated Transport that were in service for U-Dial as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Section 6.2.6.1 or 6.2.6.2. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.2.3 For purposes of this Section 6, Embedded Base Entrance Facilities means Entrance Facilities that were in service for U-Dial as of March 10, 2005. Subsequent disconnects or loss of customers shall be removed from the Embedded Base
- 6.2.4 For purposes of this Section 6, Excess DS1 and DS3 Dedicated Transport means those U-Dial DS1 and DS3 Dedicated Transport facilities in service as of March 10, 2005, in excess of the caps set forth in Section 6.6. Subsequent disconnects and loss of End Users shall be removed from Excess DS1 and DS3 Loops.
- 6.2.5 For purposes of this Section 6.2, a Business Line is as defined in 47 C F R § 51.5
- 6.2.6 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 6.2 only for U-Dial's Embedded Base during the Transition Period:
- 6.2.6.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 or more Business Lines or four (4) or more fiber-based collocators
- 6.2.6.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 6.2.6.3 A list of wire centers meeting the criteria set forth in Section 6.2.6.1 or 6.2.6.2 above as of March 10, 2005, is available on BellSouth's Interconnection Services Web site at [www.interconnection.bellsouth.com](http://www.interconnection.bellsouth.com), as (Initial Wire Center List)
- 6.2.6.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Entrance Facilities only for U-Dial's Embedded Base Entrance Facilities and only during the Transition Period

- 6.2.6.5 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for U-Dial's Embedded Base of DS1 and DS3 Dedicated Transport and for U-Dial's Excess DS1 and DS3 Dedicated Transport, as described in this Section 6.2, shall be as set forth in Exhibit B, and the rates for U-Dial's Embedded Base Entrance Facilities as described in this Section 6.2 shall be as set forth in Exhibit A
- 6.2.6.6 The Transition Period shall apply only to (1) U-Dial's Embedded Base and Embedded Base Entrance Facilities, and (2) U-Dial's Excess DS1 and DS3 Dedicated Transport. U-Dial shall not add new Entrance Facilities pursuant to this Agreement. Further, U-Dial shall not add new DS1 or DS3 Dedicated Transport as described in this Section 6.2 pursuant to this Agreement, except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment and as set forth in Section 6.2.6.10 below
- 6.2.6.7 Once a wire center exceeds either of the thresholds set forth in this Section 6.2.6.1 or 6.2.6.2, no future DS1 Dedicated Transport unbundling will be required in that wire center
- 6.2.6.8 Once a wire center exceeds either of the thresholds set forth in Section 6.2.6.1 or 6.2.6.2, no future DS3 Dedicated Transport will be required in that wire center
- 6.2.6.9 No later than December 9, 2005 U-Dial shall submit spreadsheet(s) identifying all of the Embedded Base of circuits, Embedded Base Entrance Facilities, and Excess DS1 and DS3 Dedicated Transport to be either disconnected or converted to other BellSouth services pursuant to Section 1.6. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport
- 6.2.6.9.1 If U-Dial fails to submit the spreadsheet(s) specified in Section 6.2.6.9 above for all of its Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport prior to December 9, 2005, BellSouth will identify U-Dial's remaining Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.2.6.9.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs
- 6.2.6.9.2 For Embedded Base circuits, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport converted pursuant to Section 6.2.6.9 or transitioned pursuant to 6.2.6.9.1, the applicable recurring tariff charge shall apply

- to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006
- 6.2.6.10 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 6.2.6.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 6.2.6.1 or 6.2.6.2, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List
- 6.2.6.10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment
- 6.2.6.10.3 For purposes of Section 6.2.6.10, BellSouth shall make available DS1 and DS3 Dedicated Transport that was in service for U-Dial in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10<sup>th</sup>) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.2.6.10.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 6.2.6.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period
- 6.2.6.10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List U-Dial shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base
- 6.2.6.10.6.1 If U-Dial fails to submit the spreadsheet(s) specified in Section 6.2.6.10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify U-Dial's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges

- for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs
- 6.2.6.10.7 For Subsequent Embedded Base circuits converted pursuant to Section 6.2.6.10.6 or transitioned pursuant to Section 6.2.6.10.6.1, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period
- 6.3 BellSouth shall
- 6.3.1 Provide U-Dial exclusive use of Dedicated Transport to a particular customer or carrier;
- 6.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section,
- 6.3.3 Permit, to the extent technically feasible, U-Dial to connect Dedicated Transport to equipment designated by U-Dial, including but not limited to, U-Dial's collocated facilities, and
- 6.3.4 Permit, to the extent technically feasible, U-Dial to obtain the functionality provided by BellSouth's digital cross-connect systems
- 6.4 BellSouth shall offer Dedicated Transport
- 6.4.1 As capacity on a shared facility, and
- 6.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to U-Dial
- 6.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.6 U-Dial may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 6.7 Technical Requirements

- 6.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards
- 6.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport
- 6.7.2.1 DS0 Equivalent;
- 6.7.2.2 DS1;
- 6.7.2.3 DS3,
- 6.7.2.4 STS-1, and
- 6.7.2.5 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704
- 6.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. U-Dial shall specify the termination points for Dedicated Transport
- 6.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References,
- 6.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986
- 6.7.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995
- 6.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 6.8 Unbundled Channelization (Multiplexing)
- 6.8.1 To the extent U-Dial is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, U-Dial may request channel activation on a channelized

facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

- 6.8.2 BellSouth shall make available the following channelization systems and interfaces.
- 6.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 6.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.3 Technical Requirements: In order to assure proper operation with BellSouth provided central office multiplexing functionality, U-Dial's channelization equipment must adhere strictly to form and protocol standards. U-Dial must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.9 Dark Fiber Transport: Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 6.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 6.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities
- 6.9.1.1 For purposes of this Section 6.9, the Transition Period for the Embedded Base of Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 6.9.1.2 For purposes of this Section 6.9, Embedded Base means Dark Fiber Transport that was in service for U-Dial as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in 6.9.1.4.1. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.9.1.3 For purposes of this Section 6.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.9.1.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 6.9 only for U-Dial's Embedded Base during the Transition Period.

- 6.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators
- 6.9.1.5 A list of wire centers meeting the criteria set forth in Section 6.9.1.4 above as of March 10, 2005, ("Initial List") is available on BellSouth's Interconnection Services Web site at [www.interconnection.bellsouth.com](http://www.interconnection.bellsouth.com)
- 6.9.1.6 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for U-Dial's Embedded Base of Dark Fiber Transport as described in Section 6.9.1.2 shall be as set forth in Exhibit B and the rates for U-Dial's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 6.9.1 shall be as set forth in Exhibit A.
- 6.9.1.7 The Transition Period shall apply only to U-Dial's Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities. U-Dial shall not add new Dark Fiber Transport as described in this Section 6.9 except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment and as set forth in Section 6.9.1.10 below. Further, U-Dial shall not add new Dark Fiber Entrance Facilities pursuant to this Agreement.
- 6.9.1.8 Once a wire center exceeds either of the thresholds set forth in this Section 6.9.1.4, no future Dark Fiber Transport unbundling will be required in that wire center.
- 6.9.1.9 No later than June 10, 2006 U-Dial shall submit spreadsheet(s) identifying all of the Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.
- 6.9.1.9.1 If U-Dial fails to submit the spreadsheet(s) specified in Section 6.9.1.9 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify U-Dial's remaining Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.9.1.9.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.9.1.9.2 For Embedded Base circuits converted pursuant to Section 6.9.1.9 or transitioned pursuant to 6.9.1.9.1, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.

- 6.9.1.10 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 6.9.1.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 6.9.1.4.1, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 6.9.1.10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 6.9.1.10.3 For purposes of Section 6.9.1.10, BellSouth shall make available DS1 and DS3 Loops that were in service for U-Dial in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.9.1.10.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 6.9.1.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 6.9.1.10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List U-Dial shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 6.9.1.10.6.1 If U-Dial fails to submit the spreadsheet(s) specified in Section 6.9.1.10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify U-Dial's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.9.1.10.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 6.9.1.10.6 or transitioned pursuant to Section 6.9.1.10.6.1, the applicable recurring tariff

charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period

- 6 10            Rearrangements
- 6 10 1        A request to move a working U-Dial CFA to another U-Dial CFA, where both CFAs terminate in the same BellSouth Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 6 10.2        Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply
- 6.10 3        Upon request of U-Dial, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 6 10 1 and 6 10 2 above and U-Dial may request OC-TS for such orders
- 6 10.4        BellSouth shall accept a Letter of Authorization (LOA) between U-Dial and another carrier that will allow U-Dial to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

7            **Call Related Databases and Signaling**

- 7.1        Call Related Databases are the databases other than OSS, that are used in signaling networks, for billing and collection, or the transmission, routing or other provision of a Telecommunications Service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to call related databases and signaling including but not limited to, BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, STP, SS7 AIN Access, Service Control Point(SCP)\Databases, Local Number Portability (LNP) Databases and Calling Name (CNAM) Database Service pursuant to this Agreement where BellSouth is required to provide and is providing Local Switching or UNE-P to U-Dial pursuant to this Agreement

7 2        BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service

- 7.2 1        The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem.

The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At U-Dial's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by U-Dial.

7.2.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol

7.3 LIDB

7.3.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, U-Dial must purchase appropriate signaling links pursuant to Section 7.3 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

7.3.2 Technical Requirements

7.3.2.1 BellSouth will offer to U-Dial any additional capabilities that are developed for LIDB during the life of this Agreement.

7.3.2.2 BellSouth shall process U-Dial's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to U-Dial what additional functions (if any) are performed by LIDB in the BellSouth network.

7.3.2.3 Within two (2) weeks after a request by U-Dial, BellSouth shall provide U-Dial with a list of the customer data items, which U-Dial would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

7.3.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.

7.3.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.

- 7.3.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year
- 7.3.2.7 All additions, updates and deletions of U-Dial data to the LIDB shall be solely at the direction of U-Dial. Such direction from U-Dial will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 7.3.2.8 BellSouth shall provide priority updates to LIDB for U-Dial data upon U-Dial's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 7.3.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of U-Dial customer records will be missing from LIDB, as measured by U-Dial audits. BellSouth will audit U-Dial records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated U-Dial contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to U-Dial within one (1) business day of audit. Once reconciled records are received back from U-Dial, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00 p.m. Central Time. If more than 500 records are received, BellSouth will contact U-Dial to negotiate a time frame for the updates, not to exceed three (3) business days.
- 7.3.2.10 BellSouth shall perform backup and recovery of all of U-Dial's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 7.3.2.11 BellSouth shall provide U-Dial with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between U-Dial and BellSouth.
- 7.3.2.12 BellSouth shall prevent any access to or use of U-Dial data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by U-Dial in writing.
- 7.3.2.13 BellSouth shall provide U-Dial performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by U-Dial at least at parity with BellSouth Customer Data. BellSouth shall obtain from U-Dial the

screening information associated with LIDB Data Screening of U-Dial data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to U-Dial under the BFR/NBR Process as set forth in Attachment 11.

- 7.3.2.14 BellSouth shall accept queries to LIDB associated with U-Dial customer records and shall return responses in accordance with industry standards
- 7.3.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards
- 7.3.2.16 BellSouth shall provide processing time at the LIDB within 1 second for ninety-nine percent (99%) of all messages under normal conditions as defined in industry standards.
- 7.3.3 Interface Requirements
- 7.3.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 7.3.3.2 The interface to LIDB shall be in accordance with the technical references contained within
- 7.3.3.3 The CCS interface to LIDB shall be the standard interface described herein
- 7.3.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 7.3.3.5 The application of the LIDB rates contained in Exhibit A will be based on a Percent CLEC LIDB Usage (PCLU) factor. U-Dial shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. U-Dial shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.4 Signaling. BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, STPs and SCPs. Signaling functionality will be available with both A-link and B-link connectivity.

- 7.4.1      **Signaling Link Transport.** Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between U-Dial designated SPOI that provide appropriate physical diversity
- 7.4.1.1     **Technical Requirements**
- 7.4.1.1.1    Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways
- 7.4.1.1.1.1   As an “A-link” Signaling Link Transport is a connection between a switch or SCP and a home STP switch pair, and
- 7.4.1.1.1.2   As a “B-link” Signaling Link Transport is a connection between two (2) STP switch pairs in different company networks (e.g., between two (2) STP switch pairs for two (2) CLECs).
- 7.4.1.2     Signaling Link Transport shall consist of two (2) or more signaling link layers as follows
- 7.4.1.2.1    An A-link layer shall consist of two (2) links, and
- 7.4.1.2.2    A B-link layer shall consist of four (4) links
- 7.4.1.3     A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that
- 7.4.1.3.1    No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 7.4.1.3.2    No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three (3) separate physical paths end-to-end).
- 7.4.2      **Interface Requirements.** There shall be a DS1 (1 544 Mbps) interface at U-Dial’s designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 7.4.3      **STP.** An STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches
- 7.4.3.1     **Technical Requirements**

- 7.4.3.1.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth SCPs/Databases connected to BellSouth SS7 network STPs also provide access to third party local or tandem switching and third party provided STPs
- 7.4.3.1.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages) When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message Rates for ISDNUP and TCAP messages are as set forth in Exhibit A
- 7.4.3.1.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a U-Dial local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between U-Dial local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs
- 7.4.3.1.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4 Where the destination signaling point is a U-Dial or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination If BellSouth performs final GTT to a U-Dial database, then U-Dial agrees to provide BellSouth with the Destination Point Code for U-Dial database.
- 7.4.3.1.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 7.4.3.1.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a U-Dial or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform

MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

7.4.4 SS7

- 7.4.4.1 When technically feasible and upon request by U-Dial, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0/1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with U-Dial's SS7 network to exchange TCAP queries and responses with a U-Dial SCP.
- 7.4.4.2 SS7 AIN Access shall provide U-Dial SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and U-Dial SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the U-Dial SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 7.4.4.3 Interface Requirements
- 7.4.4.3.1 BellSouth shall provide the following STP options to connect U-Dial or U-Dial-designated Local Switching systems to the BellSouth SS7 network
- 7.4.4.3.1.1 An A-link interface from U-Dial Local Switching systems, and
- 7.4.4.3.1.2 A B-link interface from U-Dial local STPs
- 7.4.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 7.4.4.3.3 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 7.4.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 7.4.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 7.4.4.4 Message Screening

- 7.4.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from U-Dial local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the U-Dial switching system has a valid signaling relationship
- 7.4.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from U-Dial local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the U-Dial switching system has a valid signaling relationship
- 7.4.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from U-Dial from any signaling point or network interconnected through BellSouth's SS7 network where the U-Dial SCP has a valid signaling relationship
- 7.4.5 SCP/Databases
- 7.4.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases LNP, LIDB, Toll Free Number Database, ALI/DMS, and CNAM Database. BellSouth also provides access to SCE/SMS application databases and DA.
- 7.4.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMS provides operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 7.4.5.3 Technical Requirements for SCPs/Databases
- 7.4.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol
- 7.4.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g., SS7, ISDN and X.25)
- 7.4.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.
- 7.5 LNP Database. The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive

7.6 CNAM Database Service

- 7.6.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides U-Dial the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 7.6.2 U-Dial shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) days prior to U-Dial's access to BellSouth's CNAM Database Services and shall be addressed to U-Dial's Local Contract Manager.
- 7.6.2.1 U-Dial's End Users' names and numbers related to UNE-P Services and shall be stored in the BellSouth CNAM database, and shall be available, on a per query basis only, to all entities that launch queries to the BellSouth CNAM database. BellSouth, at its sole discretion, may opt to interconnect with and query other calling name databases. In the event BellSouth does not query a third party calling name database that stores the calling party's information, BellSouth cannot deliver the calling party's information to a called End User. In addition, BellSouth cannot deliver the calling party's information where the calling party subscribes to any service that would block or otherwise cause the information to be unavailable.
- 7.6.2.2 For each U-Dial End User that subscribes to a switch based vertical feature providing calling name information to that End User for calls received, BellSouth will launch a query on a per call basis to the BellSouth CNAM database, or, subject to Section 7.6.2.1 above, to a third party calling name database, to provide calling name information, if available, to U-Dial's End User. U-Dial shall pay the rates set forth in Exhibit A, on a per query basis, for each query to the BellSouth CNAM database made on behalf of an U-Dial End User that subscribes to the appropriate vertical features that support Caller ID or a variation thereof. In addition, U-Dial shall reimburse BellSouth for any charges BellSouth pays to third party calling name database providers for queries launched to such database providers for the benefit of U-Dial's End Users.
- 7.6.3 BellSouth currently does not have a billing mechanism for CNAM queries. Until a mechanized billing solution is available for CNAM queries, BellSouth shall bill U-Dial at the applicable rates set forth in Exhibit A based on a surrogate of two hundred and fifty-six (256) database queries per month per U-Dial's End Users with the Caller ID feature.

7.7 SCE/SMS AIN Access

- 7.7.1 BellSouth's SCE/SMS AIN Access shall provide U-Dial the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP
- 7.7.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to U-Dial. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application
- 7.7.3 BellSouth SCP shall partition and protect U-Dial service logic and data from unauthorized access.
- 7.7.4 When U-Dial selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable U-Dial to use BellSouth's SCE/SMS AIN Access to create and administer applications
- 7.7.5 U-Dial access will be provided via remote data connection (e.g., dial-in, ISDN)
- 7.7.6 BellSouth shall allow U-Dial to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

**8 Automatic Location Identification/Data Management System (ALI/DMS)**

**8.1 911 and E911 Databases**

8.1.1 BellSouth shall provide U-Dial with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C F R § 51.319 (f).

8.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. U-Dial will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 8.2.1.

**8.2 Technical Requirements**

8.2.1 BellSouth's 911 database vendor shall provide U-Dial the capability of providing updates to the ALI/DMS database through a specified electronic interface. U-Dial shall contact BellSouth's 911 database vendor directly to request interface. U-Dial shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of U-Dial and BellSouth shall not be liable for the transactions between U-Dial and BellSouth's 911 database vendor.

- 8.2.2 It is U-Dial's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site
- 8.2.3 U-Dial shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at <http://www.interconnection.bellsouth.com/guides>
- 8.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to U-Dial, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for U-Dial to assume responsibility for such records
- 8.2.5 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to U-Dial that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. U-Dial shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to U-Dial within two (2) months following the date of the Stranded Unlock report provided by BellSouth. U-Dial shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of U-Dial's records
- 8.3 911 PBX Locate Service®. 911 PBX Locate Service is comprised of a database capability and a separate transport component
- 8.3.1 Description of Product. The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem
- 8.3.1.1 The database capability allows U-Dial to offer an E911 service to its PBX End Users that identifies to the Public Safety Answering Point (PSAP) the physical location of the U-Dial PBX 911 End User station telephone number for the 911 call that is placed by the End User
- 8.3.2 U-Dial may order either the database capability or the transport component as desired or U-Dial may order both components of the service
- 8.3.3 911 PBX Locate Database Capability. U-Dial's End User or U-Dial's End User's database management agent (DMA) must provide the End User PBX station telephone numbers and corresponding address and location data to BellSouth's

- 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database
- 8.3.4 Ordering, provisioning, testing and maintenance shall be provided by U-Dial pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site
- 8.3.5 U-Dial's End User, or U-Dial's End User database management agent must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of U-Dial to ensure that the End User or DMA maintain the data pertaining to each End User's extension managed by the 911 PBX Locate Service product. U-Dial should not submit telephone number updates for specific PBX station telephone numbers that are submitted by U-Dial's End User, or U-Dial's End User DMA under the terms of 911 PBX Locate product
- 8.3.5.1 U-Dial must provision all PBX station numbers in the same LATA as the E911 tandem
- 8.3.6 U-Dial agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by U-Dial's End User or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by U-Dial or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. U-Dial is responsible for assuring that its authorized End Users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to U-Dial's End User or DMA pursuant to these terms. Specifically, U-Dial's End User or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product
- 8.3.7 U-Dial may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for U-Dial's End Users' telephone numbers for which it has direct management authority

- 8.3.8      911 PBX Locate Transport Component The 911 PBX Locate Service transport component requires U-Dial to order a CAMA type dedicated trunk from U-Dial's End User premise to the appropriate BellSouth 911 tandem pursuant to the following provisions
- 8.3.8.1      Except as otherwise set forth below, a minimum of two (2) End User specific, dedicated 911 trunks are required between the U-Dial's End User premise and the BellSouth 911 tandem as described in BellSouth's Technical Reference (TR) 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. U-Dial is responsible for connectivity between the End User's PBX and U-Dial's switch or POP location. U-Dial will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a U-Dial purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). U-Dial is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component
- 8.3.9      Ordering and Provisioning U-Dial will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) End User specific 911 trunks from its switch or POP location to the BellSouth 911 tandem
- 8.3.9.1      Testing and maintenance shall be provided by U-Dial pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site
- 8.3.10      Rates Rates for the 911 PBX Locate Service database component are set forth in Exhibit A of Attachment 2. Trunks and facilities for 911 PBX Locate transport component may be ordered by U-Dial pursuant to the terms and conditions set forth in Attachment 3
- 9            White Page Listings**
- 9.1      BellSouth shall provide U-Dial and its End Users access to white pages directory listings under the following terms:
- 9.1.1      Listings U-Dial shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include U-Dial residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between U-Dial and BellSouth End

Users U-Dial shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.

- 9.1.2 Unlisted/Non-Published End Users U-Dial will be required to provide to BellSouth the names, addresses and telephone numbers of all U-Dial End Users who wish to be omitted from directories Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff (GSST) and shall not be subject to wholesale discount.
- 9.1.3 Inclusion of U-Dial End Users in Directory Assistance Database. BellSouth will include and maintain U-Dial End User listings in BellSouth's Directory Assistance databases. U-Dial shall provide such Directory Assistance listings to BellSouth at no charge
- 9.1.4 Listing Information Confidentiality. BellSouth will afford U-Dial's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 9.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the GSST and shall not be subject to the wholesale discount
- 9.1.6 Rates. So long as U-Dial provides listing information to BellSouth as set forth in Section 9.1.1 above, BellSouth shall provide to U-Dial one (1) basic White Pages directory listing per U-Dial End User at no charge other than applicable service order charges as set forth in BellSouth's tariffs Except in the case of a local service request (LSR) submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement
- 9.2 Directories. BellSouth or its agent shall make available White Pages directories to U-Dial End User at no charge or as specified in a separate agreement between U-Dial and BellSouth's agent
- 9.3 Procedures for submitting U-Dial Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site

- 9.3.1 U-Dial authorizes BellSouth to release all U-Dial SLI provided to BellSouth by U-Dial to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), as the same may be amended from time to time. Such U-Dial SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- 9.3.2 No compensation shall be paid to U-Dial for BellSouth's receipt of U-Dial SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of U-Dial's SLI, or costs on an ongoing basis to administer the release of U-Dial SLI, U-Dial shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of U-Dial's SLI, U-Dial will be notified. If U-Dial does not wish to pay its proportionate share of these reasonable costs, U-Dial may instruct BellSouth that it does not wish to release its SLI to independent publishers, and U-Dial shall amend this Agreement accordingly. U-Dial will be liable for all costs incurred until the effective date of the agreement.
- 9.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by U-Dial under this Agreement. U-Dial shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate U-Dial listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to U-Dial any complaints received by BellSouth relating to the accuracy or quality of U-Dial listings.
- 9.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Ex A																					
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l 1st	Incremental Charge - Manual Svc Order vs Electronic- Add'l	OSS Rates (\$)	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN													
	Rec	Nonrecurring	Nonrecurring Disconnect				First Add'l	First																							
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Diverged UNE Zones To view Geographically Diverged UNE Zones refer to internet Website <a href="http://www.interconnection.bellsouth.com/become_a_clechml/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clechml/interconnection.htm</a>																															
OPERATIONAL SUPPORT SYSTEMS (OSS) - REGIONAL RATES*																															
NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																															
NOTE (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth																															
OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only							SOMAN																								
OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only																															
UNE SERVICE DATE ADVANCEMENT CHARGE																															
NOTE The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable																															
UNE Expedite Charge per Circuit or Line Assignable USOC per Day																															
UNBUNDLED EXCHANGE ACCESS LOOP																															
2-WIRE ANALOG VOICE GRADE LOOP																															
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL	UEA12	12.58																											
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL	UEA12	21.05																											
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL	UEA12	34.34																											
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL	UEASL	12.58																											
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL	UEASL	21.05																											
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL	UEASL	34.34																											
Unbundled Miscellaneous Rate Element Tag Loop at End User Premise		UEANL	URETL	8.33																											
Loop Testing - Basic 1st Half Hour		UEANL	URET1	34.16																											
Loop Testing - Basic Additional Half Hour		UEANL	URET2	19.85																											

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Attachment 2 Ex A			
					Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic - Disc 1st	Charge - Manual Svc Order vs Electronic - Disc 1st	Incremental Charge - Manual Svc Order vs Electronic - Disc 1st
<b>UNBUNDLED NETWORK ELEMENTS - Alabama</b>												
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)		UEANL	UREWO		15.78	8.94					
	Unbundled Voice Loop Non-Design Voice Loop billing for BST providing make-up (Engineering Information - E1)		UEANL	UEANM		13.44						
	Manual Order Coordination for UVL-SL1's (per loop)		UEANL	UEAMC		8.15	8.15					
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		UEANL	OCOSL		18.09						
	<b>2-WIRE UNBUNDLED COPPER LOOP</b>											
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15			
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15			
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15			
	Unbundled Miscellaneous Rate Element I, Tag Loop at End User Premises		UEQ	URETL		8.33	0.83					
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	USBMC		8.15						
	Unbundled Copper Loop - Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E1)		UEQ	UEOMU		13.44						
	Loop Testing - Basic 1st Half Hour		UEQ	URET1		34.16	34.16					
	Loop Testing - Basic Additional Half Hour		UEQ	URETA		19.85	19.85					
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)		UEQ	UREWO		14.27	7.43					
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>											
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>											
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30			
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30			
	2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30			
	2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30			
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30			
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30			
	<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>											
	<b>2-WIRE ANALOG VOICE GRADE LOOP</b>											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44			
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		18.09						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44			
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		18.09						
	Loop Tagging - Service Level 2 (SL2)		UEA	UREWO		87.72	36.36					
	<b>4-WIRE ANALOG VOICE GRADE LOOP</b>											
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEA4	25.34	131.97	94.51	59.14	14.50			
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEA4	38.58	131.97	94.51	59.14	14.50			
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEA4	60.02	131.97	94.51	59.14	14.50			
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		18.09						
	CLEC to CLEC Conversion Charge without outside dispatch		UEA	UREWO		87.72	36.36					







CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			OSS Rates (\$)	Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	SOMAN	SOMAN	SOMAN	SOMAN	
					Rec	First Add'l	Nonrecurring First										
					UAL, UCL, UDC, UDL, UDN, UEA, UHL, USL, UNECN	0.00	0.00										
	Unbundled Contact Name Provisioning Only - no rate				UEA, UDN, UCL, UDC, USBFQ	0.00	0.00										
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate				UEA, USL, UCL, UDL, USBFR	0.00	0.00										
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate				USL, COOSF	0.00	0.00										
	Unbundled DS1 Loop - Superframe Format Option - no rate				USL, CCOEF	0.00	0.00										
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate				UE3	1L5ND	8.38										
<b>HIGH CAPACITY UNBUNDLED LOCAL LOOP</b>					UE3	UESPX	308.98	519.248	303.531	137.4135	96.117						
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month				UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop - DS3 - Facility				UDLSX	UDLS1	319.83	519.248	303.531	137.4135	96.117						
	Termination per month				UMK	UMKLW		20.00	20.00								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month				UMK	UMKLP		21.00	21.00								
	High Capacity Unbundled Local Loop - STS-1 - Facility				UMK	UMKMQ		0.59	0.59								
<b>LOOP MAKE-UP</b>					Loop Makeup - Preorderring Without Reservation, per working or spare facility queued (Manual)												
	Loop Makeup - Preorderring With Reservation, per spare facility queued (Manual)				Loop Makeup - With or Without Reservation, per working or spare facility queued (Mechanized)												
<b>LINE SPLITTING</b>																	
<b>END USER ORDERING-CENTRAL OFFICE BASED</b>					Line Splitting - per line activation DTEC owned splitter	UEPSUUEPSS	UREOS	0.61									
					Line Splitting - per line activation BSS owned - physical	UEPSUUEPSS	UREBP	0.61	37.01	21.19	20.02	9.83					
					Line Splitting - per line activation BSS owned - virtual	UEPSUUEPSS	UREBV	0.61	37.01	21.19	20.02	9.83					
<b>MAINTENANCE OF SERVICE</b>					NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 13.3 as applicable												
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00									
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00									
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00									
<b>UNBUNDLED DEDICATED TRANSPORT</b>																	
<b>INTEROFFICE CHANNEL - DEDICATED TRANSPORT</b>					Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month	U1TVX	1L5XX	0.008838									
					Interoffice Channel - Dedicated Transport-2-Wire Voice Grade - Facility Termination	U1TVX	UT1V2	21.13	40.54	27.41	16.74	6.90					
					Interoffice Channel - Dedicated Transport 1-2-Wire Voice Grade Rev Bat - Per Mile per month	U1TVX	1L5XX	0.008838									
					Interoffice Channel - Dedicated Transport-2-Wire VG Rev Bat - Facility Termination	U1TVX	UT1R2	21.13	40.54	27.41	16.74	6.90					
					Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month	U1TVX	1L5XX	0.008838									
					Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination	U1TVX	UT1V4	18.73	40.54	27.41	16.74	6.90					
					Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	U1TDX	1L5XX	0.008838									
					Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination	U1TDX	UT1D5	15.12	40.54	27.41	16.74	6.90					
					Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month	U1TDX	1L5XX	0.008838									
					Interoffice Channel - Dedicated Transport1 - 64 kbps - Facility Termination	U1TDX	UT1D6	15.12	40.54	27.41	16.74	6.90					

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Attachment 2 Ex A		
					Rec	First Add'l	Nonrecurring Disconnect	Svc Order Submitted Manually per LSR Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic Ad'd'l	Incremental Charge - Manual Svc Order vs Electronic Ad'd'l
					First	Add'l	OSS Rates (\$)	SOMECA	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		U1TD1	1L5XX	0.18					
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination		U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	4.09					
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	4.09					
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		U1TS1	U1TS1	701.37	278.75	162.76	60.20	28.46	
<b>DARK FIBER</b>	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF	UDFCX	1L5DC	69.37				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel		UDF	UDFCX	1L5DF	23.29				
	NRC Dark Fiber - Interoffice Channel		UDF	UDFCX	UDF14		639.09	137.87	37.06	19.66
	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF	UDFCX	1L5DL	69.37				
	<b>8XX ACCESS TEN DIGIT SCREENING</b>									
	8XX Access Ten Digit Screening, Per Call					0.000565				
	8XX Access Ten Digit Screening, w/ 8FL No Delivery					0.000565				
	8XX Access Ten Digit Screening w/ POTS No Delivery					0.000565				
	<b>LINE INFORMATION DATA BASE ACCESS (LIDB)</b>									
	LIDB Common Transport Per Query					0.00002				
<b>SELECTIVE ROUTING</b>	LIDB Validation Per Query					0.012002	34.32		42.08	
	LIDB Originating Point Code Establishment or Change		OCU			NRPBX				
	<b>CALLING NAME (CNAM) SERVICE</b>					0.000902				
	CNAM for DB Owners, Per Query					0.000902				
	CNAM for Non DB Owners, Per Query					0.000902				
	<b>LNP Query Service</b>					0.000757				
	LNP Change Per query						12.52		11.51	
	LNP Service Establishment Manual						593.49	303.20	268.93	19.74
	LNP Service Provisioning with Point Code Establishment									
	<b>SELECTIVE ROUTING</b>									
<b>AIN SELECTIVE CARRIER ROUTING</b>	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.70	84.70	14.11	14.11
	<b>VIRTUAL COLLOCATION</b>									
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR	UEPSB	VE1LS	0.03	12.30	11.80	6.03
	<b>PHYSICAL COLLOCATION</b>									
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR	UEPSB	PE1LS	0.03	12.30	11.80	6.03
	<b>AIN - BELL SOUTH AIN SMS ACCESS SERVICE</b>									
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup	A1N		CAMSE			39.44	39.44	40.69	40.69
	AIN SMS Access Service - Port Connection - Dial/Shared Access	A1N		CMDP			7.83	7.83	9.09	9.09
	AIN SMS Access Service - Port Connection - ISDN Access	A1N		CAM1P			7.83	7.83	9.09	9.09
	AIN SMS Access Service - User Identification Codes - Per User ID Code	A1N		CAMAU			35.00	35.00	27.06	27.06
<b>AIN - BELL SOUTH AIN SMS ACCESS SERVICE</b>	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement	A1N		CAMRC			41.88	41.88	11.71	11.71
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			0.002188						

CATEGORY	RATE ELEMENTS	Internum	Zone	BCS	USOC	RATES (\$)			Attachment 2 Ex A		
						Rec	Nonrecurring Add'l	Nonrecurring Disconnect	Svc Order Submitted Manually per LSR Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
	AIN SMS Access Service - Session, Per Minute					0.59	First				
	AIN SMS Access Service - Company Performed Session, Per Minute					0.73					
SIGNALLING (CCS7)	CCS7 Signaling Usage, Per TCAP Message					0.0000569					
	CCS7 Signaling Usage, Per ISUP Message					0.0000142					
ENHANCED EXTENDED LINK (EELs)	<b>NOTE:</b> The monthly recurring and non-recurring charges below will apply and the Switch-A's is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements										
2-WIRE GRADE LOOP FOR USE IN A COMBINATION	NOTE: The monthly recurring and the Switch-A's is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements										
2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX		UEAL2	14.38	88.00	55.00	47.24	7.44		
2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX		UEAL2	22.85	88.00	55.00	47.24	7.44		
2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX		UEAL2	36.14	88.00	55.00	47.24	7.44		
Voice Grade COCI - Per Month		UNCVX		1D1VG	0.53	6.58	4.72				
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION											
4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX		UEAL4	25.34	131.97	94.51	59.14	14.50		
4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX		UEAL4	38.58	131.97	94.51	59.14	14.50		
4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX		UEAL4	60.02	131.97	94.51	59.14	14.50		
Voice Grade COCI in combination - per month		UNCVX		1D1VG	0.53	6.58	4.72				
4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION											
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX		UDL56	26.09	126.27	88.80	59.14	14.50		
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX		UDL56	35.95	126.27	88.80	59.14	14.50		
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX		UDL56	37.88	126.27	88.80	59.14	14.50		
OCL-DP COCI (data) per month (2.4G4kbs)		UNCDX		UD1DD	1.12	6.58	4.72				
4-WIRE DIGITAL LOOP FOR USE IN A COMBINATION											
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX		UDL64	26.09	126.27	88.80	59.14	14.50		
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX		UDL64	35.95	126.27	88.80	59.14	14.50		
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX		UDL64	37.88	126.27	88.80	59.14	14.50		
OCL-DP COCI (data) in combination - per month (2.4G4kbs)		UNCDX		UD1DD	1.12	6.58	4.72				
2-WIRE ISDN LOOP FOR USE IN A COMBINATION											
2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX		U1L2X	21.88	117.24	79.77	52.88	10.54		
2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX		U1L2X	32.85	117.24	79.77	52.88	10.54		
2-Wire ISDN COCI(BRTE) - in combination - per month	3	UNCNX		U1L2X	48.55	117.24	79.77	52.88	10.54		
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION											
4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNCIX		USLXX	82.55	252.47	157.54	44.70	11.71		
4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNCIX		USLXX	154.18	252.47	157.54	44.70	11.71		
4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNCIX		USLXX	314.52	252.47	157.54	44.70	11.71		
DS1 COCI in combination per month		UNCIX		UD1D1	12.70	6.58	4.72				
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION											
Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.009838							
Interoffice Transport - 2-wire VG - Dedicated - Facility		UNCVX	U1T12	21.13	40.54	27.41	16.74	6.90			
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION											
Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.009838							
Interoffice Transport - 4-wire VG - Dedicated - Facility		UNCVX	U1TF1	60.16	89.27	81.81	16.35	14.44			
DS1 INTEROFFICE TRANSPORT FOR COMBINATION											
Interoffice Transport - Dedicated - DS1 combination - Per Month		UNCVX	1L5XX	4.09							
Interoffice Transport - Dedicated - DS3 combination - Per Month		UNCVX	U1TF3	703.52	278.75	162.76	60.20	58.46			

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A			Attachment 2 Ex B		
							Rec	Nonrecurring Add'l	Nonrecurring Disconnect	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
<b>UNBUNDLED NETWORK ELEMENTS - Alabama</b>												
							Rec	First	93.97	33.26	31.83	
							UD3	166.13	178.14			
	<b>31 Channel System in combination per month</b>											
	<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>											
Per Month	Interoffice Transport - Dedicated - STS-1 combination - Per Mile						1L5XX	4.09				
	Interoffice Transport - Dedicated - STS-1 combination - Facility						U1TFS	701.37	278.75	162.76	60.20	58.46
	Termination per month						UD3	166.13	178.14	93.97	33.26	31.83
	<b>31 Channel System in combination per month</b>											
	<b>4-WIRE 56 Kbps DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>											
	4-wire 56 kbps Local Loop in combination - Zone 1						UNCDX	UDL64	26.09	126.27	88.80	59.14
	4-wire 56 kbps Local Loop in combination - Zone 2						UNCDX	UDL64	35.95	126.27	88.80	59.14
	4-wire 56 kbps Local Loop in combination - Zone 3						UNCDX	UDL64	37.88	126.27	88.80	59.14
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month						1L5XX	0.008838				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month						U1TDS	15.12	40.54	27.41	16.74	6.90
	<b>4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>											
	4-wire 64 kbps Local Loop in Combination - Zone 1						UNCDX	UDL64	26.09	126.27	88.80	59.14
	4-wire 64 kbps Local Loop in Combination - Zone 2						UNCDX	UDL64	35.95	126.27	88.80	59.14
	4-wire 64 kbps Local Loop in Combination - Zone 3						UNCDX	UDL64	37.88	126.27	88.80	59.14
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month						1L5XX	0.008838				
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month						U1TDS	15.12	40.54	27.41	16.74	6.90
	<b>4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>											
	4-wire 56 kbps Local Loop in combination - Zone 1						UNCDX	UDL64	26.09	126.27	88.80	59.14
	4-wire 56 kbps Local Loop in combination - Zone 2						UNCDX	UDL64	35.95	126.27	88.80	59.14
	4-wire 56 kbps Local Loop in combination - Zone 3						UNCDX	UDL64	37.88	126.27	88.80	59.14
	4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month						1L5XX	0.008838				
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month						UNCDX	UDL64	26.09	126.27	88.80	59.14
	<b>4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>											
	4-wire 64 kbps Local Loop in combination - Zone 1						UNCDX	UDL64	26.09	126.27	88.80	59.14
	4-wire 64 kbps Local Loop in combination - Zone 2						UNCDX	UDL64	35.95	126.27	88.80	59.14
	4-wire 64 kbps Local Loop in combination - Zone 3						UNCDX	UDL64	37.88	126.27	88.80	59.14
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month						1L5XX	0.008838				
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month						UNCDX	UDL64	26.09	126.27	88.80	59.14
	<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>											
	4-Wire DS1 Digital Loop in Combination - Zone 1						UNCIX	USLXX	82.55	252.47	157.54	44.70
	4-Wire DS1 Digital Loop in Combination - Zone 2						UNCIX	USLXX	154.18	252.47	157.54	44.70
	4-Wire DS1 Digital Loop in Combination - Zone 3						UNCIX	USLXX	314.52	252.47	157.54	44.70
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month						1L5XX	0.18				
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month						UNCIX	U1TF1	60.16	89.27	81.61	16.35
	<b>DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>											
	DS3 Local Loop in combination - Per mile per month						1L5ND	9.637				
	DS3 Local Loop in combination - Facility Termination per month						UNCX	UE3PX	355.327	519.248	303.531	137.4135
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month						UNCX	1L5XX	4.09			
	<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>						UNCX	U1TF3	703.52	278.75	162.76	60.20
	STS-1 Local Loop in combination - Per mile per month						1L5ND	9.637				
	STS-1 Local Loop in combination - Facility Termination per month						UNCX	UDLS1	367.8045	519.248	303.531	137.4135

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Ex A											
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l			Incremental Charge - Manual Svc Order vs Electronic-Add'l			Incremental Charge - Manual Svc Order vs Electronic-Add'l			
	First	Nonrecurring Add'l	Nonrecurring First				SOMECA	SOMAN	SOMAN			SOMECA	SOMAN	SOMAN	SOMECA	SOMAN	SOMAN	SOMECA	SOMAN	SOMAN	
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1LXX	4.09															
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month,			UNCSX	U1TFS	701.37	278.75	162.76	60.20	56.46											
<b>ADDITIONAL NETWORK ELEMENTS</b>																					
When used as a part of a currently combined facility, the non-recurring charges do not apply, but As Is charge does apply																					
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not apply																					
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																					
UNCC																					
Optional Features & Functions																					
Clear Channel Capability Extended Frame Option - per DS1																					
I																					
ULDD1, UNC1X																					
CCOEF																					
0.00																					
Clear Channel Capability Super FramedOption - per DS1																					
I																					
ULD1, UNC1X																					
CCOSF																					
0.00																					
Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1																					
I																					
ULD3, ULDD3																					
NRCCC																					
184.85																					
UE3, UNC3X																					
219.13																					
MULTIPLIERS																					
DS1 to DS0 Channel System per month																					
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-54kbs) used for a Local Loop																					
UDL																					
101.06																					
62.57																					
97.79																					
UDN																					
2.41																					
UCICA																					
6.58																					
U1TUD																					
1.12																					
6.58																					
U1TUC																					
0.53																					
UNCC3																					
166.13																					
178.14																					
93.97																					
33.26																					
31.83																					
U1T1A																					
12.70																					
6.58																					
U1TD1																					
12.70																					
6.58																					
U1DD1																					
12.70																					
6.58																					

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	OSS Rates (\$)
					Rec	Nonrecurring Add'l	Nonrecurring First				
	Exchange Ports - 2-Wire Analog Line Port - Res		UEPSR	UEPRL	2.38	2.38	2.27	1.42	1.33		
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	2.38	2.38	2.27	1.42	1.33		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2.38	2.38	2.27	1.42	1.33		
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing Party Port with Caller ID - Res		UEPSR	UEPAR	2.38	2.38	2.27	1.42	1.33		
	Exchange Ports - 2-Wire VG unbundled res low usage line port with Caller ID (LUM)		UEPSR	UEPAP	2.38	2.38	2.27	1.42	1.33		
	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan without Caller Id		UEPSR	UEPWA	2.38	2.38	2.27	1.42	1.33		
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		UEPSR	UEPRT	2.38	2.38	2.27	1.42	1.33		
	Subsequent Activity		UEPSR	UESAC	0.00	0.00	0.00				
<b>FEATURES</b>											
	All Available Vertical Features		UEPSR	UEPVF	1.98	0.00	0.00				
<b>2-WIRE VOICE GRADE LINE PORT RATES (BUS)</b>											
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2.38	2.38	2.27	1.42	1.33		
	Unbundle Port with Caller-ID#41 - Bus		UEPSB	UEPBC	2.38	2.38	2.27	1.42	1.33		
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled Port with Caller-ID#41 - Bus		UEPSB	UEPBO	2.38	2.38	2.27	1.42	1.33		
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPAW	2.38	2.38	2.27	1.42	1.33		
	Exchange Ports - 2-Wire VG unbundled AL extended local dialing Party Port with Caller ID - Bus		UEPSB	UEPB1	2.38	2.38	2.27	1.42	1.33		
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPWB	2.38	2.38	2.27	1.42	1.33		
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan without Caller ID		UEPSB	UEPBE	2.38	2.38	2.27	1.42	1.33		
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability		UEPSB	UESAC	0.00	0.00	0.00				
	Subsequent Activity		UEPSB	UEPVF	1.98	0.00	0.00				
<b>FEATURES</b>											
	All Available Vertical Features		UEPSB	UEPVF	1.98	0.00	0.00				
<b>EXCHANGE PORT RATES (DID &amp; PAX)</b>											
	2-Wire VG Unbundled 4-Way PBX Trunk - Res		UEPSE	UEPRD	2.38	31.27	14.85	13.94	9.90		
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2.38	31.27	14.85	13.94	9.90		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPPO	2.38	31.27	14.85	13.94	9.90		
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPBI	2.38	31.27	14.85	13.94	9.90		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2.38	31.27	14.85	13.94	9.90		
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port		UEPSP	UEPAZ	2.38	31.27	14.85	13.94	9.90		
	2-Wire Voice Unbundled PBX LD Terminal Port		UEPSP	UEPLD	2.38	31.27	14.85	13.94	9.90		
	2-Wire Voice Unbundled 2-Way PBX Usage Port		UEPSP	UEPAZ	2.38	31.27	14.85	13.94	9.90		
	2-Wire Voice Unbundled PBX Tel Terminal Hotel Ports		UEPSP	UEPKB	2.38	31.27	14.85	13.94	9.90		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPKC	2.38	31.27	14.85	13.94	9.90		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port Capable Port		UEPSP	UEPKM	2.38	31.27	14.85	13.94	9.90		
	2-Wire Voice Unbundled 2-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPKO	2.38	31.27	14.85	13.94	9.90		
	2-Wire Voice Unbundled 2-Way Outgoing PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPKS	2.38	31.27	14.85	13.94	9.90		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPKL	2.38	31.27	14.85	13.94	9.90		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPKF	1.98	0.00	0.00				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Subsequent Activity		UEPSP	UEPKF	1.98	0.00	0.00				
	All Available Vertical Features		UEPSP	UEPKF	1.98	0.00	0.00				
<b>NOTE</b> Transmission charges associated with PO/S circuit switched usage will also apply to circuit switched voice and/or B-channels associated with 2-wire ISDN ports											
<b>NOTE</b> Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bonita File Request/New Business Request Process											

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Attachment 2 Ex A		
					Rec	Nonrecurring Add'l	Nonrecurring Disconnect	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
<b>UNBUNDLED NETWORK ELEMENTS - Alabama</b>										
					Rec	First Add'l	First	SOMEC	SOMAN	SOMAN
<b>2-WIRE VOICE GRADE LINE PORT RATES (DID)</b>										
Exchange Ports - 2-Wire DID Port										
<b>2-WIRE VOICE GRADE LINE PORT RATES (ISDN-BRI)</b>										
Exchange Ports - 2-Wire ISDN Port (See Notes below)										
All Features Offered										
Exchange Ports - 2-Wire ISDN Port - Channel Profiles										
NOTE: Transmission usage charges associated with POTS circuit switched usage will also apply to circuits associated with B-Channels or D-Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the POTS capabilities will be determined via the Bona Fide Requests/New Business Request Process.										
<b>UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY</b>										
<b>UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE</b>										
Unbundled Remote Call Forwarding Service, Area Calling, Res										
Unbundled Remote Call Forwarding Service, Local Calling - Res										
Unbundled Remote Call Forwarding Service, InterATA - Res										
Unbundled Remote Call Forwarding Service, IntraATA - Res										
<b>Non-Recurring</b>										
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-ss										
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)										
<b>UNBUNDLED REMOTE CALL FORWARDING - Bus</b>										
Unbundled Remote Call Forwarding Service, Area Calling - Bus										
Unbundled Remote Call Forwarding Service, Local Calling - Bus										
Unbundled Remote Call Forwarding Service, InterATA - Bus										
Unbundled Remote Call Forwarding Service, IntraATA - Bus										
Unbundled Remote Call Forwarding Service, Expanded and Exception Local Calling										
<b>Non-Recurring</b>										
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-ss										
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)										
<b>UNBUNDLED LOCAL SWITCHING, PORT USAGE</b>										
<b>End Office Switching (Port Usage)</b>										
End Office Switching Function, Per MOU										
End Office Trunk Port, Shared, Per MOU										
Tandem Switching (Port Usage) (Local or Access Tandem)										
Tandem Switching Function, Per MOU										
Tandem Trunk Port - Shared, Per MOU										
Tandem Switching Function, Per MOU (Melded)										
Tandem Trunk Port - Shared, Per MOU (Melded)										
Melded Factor: 43.15% of the Tandem Rate										
<b>Common Transport</b>										
Common Transport - Per Mile, Per MOU										
Common Transport - Facilities Termination Per MOU										
<b>UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES</b>										
>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching on Switch Ports										
>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO										
>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit										
>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of local/loop network elements except for UNE-Coin Port/Loop Combinations										
>The first and additional Port nonrecurring charges apply to Not Currently Combined Combinations										
>Alone Unbundled Port section of this Rate Exhibit										
>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all										
>The first and additional Port nonrecurring charges apply to Not Currently Combined Combinations										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port section of this Rate Exhibit										
>Alone Unbundled Port										

CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC		RATES (\$)	Rec	Nonrecurring		Attachment 2 Ex A	
									First	Add'l	Charge - Manual Svc Order vs Electronic - Add'l	Incremental Charge - Manual Svc Order vs Electronic - Disc 1st
<b>UNBUNDLED NETWORK ELEMENTS - Alabama</b>												
UNE Port/Loop Combination Rates								Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic - 1st	OSS Rates (\$)	Incremental Charge - Manual Svc Order vs Electronic - Disc 1st	
2-Wire VG Loop/Port Combo - Zone 1								SOMEC	SOMAN	SOMAN	SOMAN	
2-Wire VG Loop/Port Combo - Zone 2								SOMEC	SOMAN	SOMAN	SOMAN	
2-Wire VG Loop/Port Combo - Zone 3								SOMEC	SOMAN	SOMAN	SOMAN	
<b>UNE Loop Rates</b>												
2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	11.55								
2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	20.04								
2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	33.65								
<b>2-Wire Voice Grade Line Port Rates (Res)</b>												
2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRL	2.15	40.19	19.83	24.91					
2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRC	2.15	40.19	19.83	24.91					
2-Wire voice Grade Unbundled Alabama extended local dialing party port with Caller ID - res		UEPRX	UEPRO	2.15	40.19	19.83	24.91					
2-Wire voice unbundled res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	2.15	40.19	19.83	24.91					
2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID		UEPRX	UEPWA	2.15	40.19	19.83	24.91					
2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		UEPRX	UEPRT	2.15	40.19	19.83	24.91					
<b>FEATURES</b>												
All Features Offered		UEPRX	UEPVF	1.98	0.00	0.00	0.00					
<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>												
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX	USAC2		0.10	0.10	0.10					
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		0.10	0.10	0.10					
2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service		UEPRX	URECC		0.10							
<b>ADDITIONAL NRCS</b>												
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0.00	0.00	0.00	0.00					
Unbundled Miscellaneous Rate Element Tag Loop at End User Premise		UEPRX	URETL		8.33	0.83						
<b>OFFICE PREMISES EXTENSION CHANNELS</b>												
2 Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPRX	UEAEN	12.58	37.81	17.56	23.49					
2 Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPRX	UEAEN	21.05	37.81	17.56	23.49					
2 Wire Analog Voice Grade Extension Loop - Non-Design	3	UEPRX	UEAEN	34.34	37.81	17.56	23.49					
2 Wire Analog Voice Grade Extension Loop - Design	1	UEPRX	UEAED	14.38	88.00	55.00	47.24					
2 Wire Analog Voice Grade Extension Loop - Design	2	UEPRX	UEAED	22.65	88.00	55.00	47.24					
2 Wire Analog Voice Grade Extension Loop - Design	3	UEPRX	UEAED	36.14	88.00	55.00	47.24					
<b>INTEROFFICE TRANSPORT</b>												
Interoffice Transport - Dedicated 2-Wire Voice Grade - Facility Termination		UEPRX	UTV2	21.13	40.54	27.41	16.74					
Interoffice Transport - Dedicated 2-Wire Voice Grade - Per Mile or Fraction Mile		UEPRX	UTVM	0.008838	0.00	0.00						
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)</b>												
UNE Port/Loop Combination Rates												
2-Wire VG Loop/Port Combo - Zone 1												
2-Wire VG Loop/Port Combo - Zone 2												
2-Wire VG Loop/Port Combo - Zone 3												
<b>UNE Loop Rates</b>												
2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPLX	11.55								
2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPLX	20.04								
2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPLX	33.65								
<b>2-Wire Voice Grade Line Port (Bus)</b>												
2-Wire voice unbundled port without Caller ID - bus		UEPBL	UEPBC	1.15	40.19	19.83	24.91					
2-Wire voice unbundled port with Caller + E914 ID - bus		UEPBC	UEPBA	1.15	40.19	19.83	24.91					

CATEGORY	RATE ELEMENTS	Intern'l	Zone	BCS	USOC	RATES (\$)			Attachment 2 Ex A		
						Rec	First	Nonrecurring Add'l	Svc Order Submitted Manually per LSR Elec per LSR	Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
	2-Wire voice unbundled port outgoing only - bus parity port with Caller ID - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63	
	2-Wire voice Grade unbundled Alabama extended local dialing plan with Caller ID - Bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63	
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Unbundled Alabama Business Dialing Plan without Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63	
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63	
<b>FEATURES</b>											
	All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00			
	<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-As-Is			UEPBX	USAC2		0.10	0.10			
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.10	0.10			
<b>ADDITIONAL NRCS</b>											
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USA\$2		0.00	0.00			
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83			
<b>OFFICE PREMISES EXTENSION CHANNELS</b>											
	2-Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30		
	2-Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30		
	2-Wire Analog Voice Grade Extension Loop - Non-Design	3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30		
	2-Wire Analog Voice Grade Extension Loop - Design	1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44		
	2-Wire Analog Voice Grade Extension Loop - Design	2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44		
<b>INTEROFFICE TRANSPORT</b>				3 UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44	
	Interoffice Transport - Dedicated 2 Wire Voice Grade - Facility Termination			UEPBX	UTV2	21.13	40.54	27.41	16.74	6.90	
	Interoffice Transport - Dedicated 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	UTVM	0.008838	0.00	0.00			
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)</b>										
	<b>UNE Port/loop Combination Rates</b>										
	2-Wire VG Loop/Port Combo - Zone 1						13.70				
	2-Wire VG Loop/Port Combo - Zone 2						22.19				
	2-Wire VG Loop/Port Combo - Zone 3						35.80				
	<b>LINE Loop Rates</b>										
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	11.55						
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	20.04						
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	33.65						
	<b>2-Wire Voice Grade Line Port Rates (RES - PBX)</b>										
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	URETD	1.15	69.08	32.41	37.43	6.20	
<b>FEATURES</b>				UEPRG	UEPVF	1.98	0.00	0.00			
	All Features Offered										
	<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>										
	2-Wire Voice Grade Loop Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90			
	2-Wire Voice Grade Loop Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USA\$2		0.00	0.00			
<b>ADDITIONAL NRCS</b>											
	2-Wire Voice Grade Loop Line Port Combination (PBX) - Subsequent Activity			UEPRG	URETL		7.32	7.32			
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premises			UEPRG	USA\$2		8.33	0.83			
	<b>OFFICE PREMISES EXTENSION CHANNELS</b>										

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)		Attachment 2 Ex A		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	SVC Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	OSS Rates (\$)
						Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l					
	Local Channel Voice Grade, Per termination	1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44					
	Local Channel Voice grade, per termination	2	UEPRG	P2JHX	22.85	88.00	55.00	47.24	7.44					
	Local Channel Voice grade, per termination	3	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44					
	Non-Wire Direct Serve Channel Voice Grade	1	UEPRG	SD02X	22.41	131.60	61.92	90.50	13.40					
	Non-Wire Direct Serve Channel Voice Grade	2	UEPRG	SD02X	23.88	131.60	61.92	90.50	13.40					
	Non-Wire Direct Serve Channel Voice Grade	3	UEPRG	SD02X	33.72	131.60	61.92	90.50	13.40					
<b>INTEROFFICE TRANSPORT</b>														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile													
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)</b>													
	<b>LINE Port/Loop Combination Rates</b>													
	2-Wire VG Loop/Port Combo - Zone 1													
	2-Wire VG Loop/Port Combo - Zone 2													
	2-Wire VG Loop/Port Combo - Zone 3													
	<b>UNE Loop Rates</b>													
	2-Wire Voice Grade Loop (SL) - Zone 1													
	2-Wire Voice Grade Loop (SL) - Zone 2													
	2-Wire Voice Grade Loop (SL) - Zone 3													
	<b>2-Wire Voice Grade Line Port Rates (BUS - PBX)</b>													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus													
	Line Side Unbundled Outward PBX Trunk Port - Bus													
	Line Side Unbundled Incoming PBX Trunk Port - Bus													
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port													
	2-Wire Voice Unbundled PBX LD Terminal Ports													
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port													
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports													
	2-Wire Voice Unbundled PBX LD DDD Terminals Port													
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port Capable Port													
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port													
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Room Calling Port													
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port													
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port FEATURES													
	All Features Offered													
	<b>NONRECURRING CHARGES (NRCS) CURRENTLY COMBINED</b>													
	2-Wire Voice Grade Loop Line Port Combination (PBX) - Conversion - Switch-As-Is													
	2-Wire Voice Grade Loop Line Port Combination (PBX) - Conversion - Switch with Change													
	<b>ADDITIONAL NRCS</b>													
	2-Wire Voice Grade Loop Line Port Combination (PBX) - Subsequent Activity													
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group													
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise													
	<b>OFF/ON PREMISES EXTENSION CHANNELS</b>													
	Local Channel Voice grade, per termination	1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44					
	Local Channel Voice grade, per termination	2	UEPPX	P2JHX	22.95	88.00	55.00	47.24	7.44					
	Local Channel Voice grade, per termination	3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44					

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A			
							Rec	Nonrecurring Add'l	Nonrecurring First	OSS Rates (\$)
							Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
Non-Wire Direct Serve Channel Voice Grade	1	UEPPX	SDD2X	22.41	61.92	90.50	13.40			
Non-Wire Direct Serve Channel Voice Grade	2	UEPPX	SDD2X	23.88	61.92	90.50	13.40			
Non-Wire Direct Serve Channel Voice Grade	3	UEPPX	SDD2X	33.72	61.92	90.50	13.40			
<b>INTEROFFICE TRANSPORT</b>										
Intraoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90		
Intraoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPPX	U1TVM	0.008838	0.00	0.00				
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT</b>										
UNE Port/Loop Combination Rates										
2-Wire VG Coin Port/Loop Combo - Zone 1						13.70				
2-Wire VG Coin Port/Loop Combo - Zone 2						22.19				
2-Wire VG Coin Port/Loop Combo - Zone 3						35.80				
<b>UNE Loop Rates</b>										
2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPCO	UEPLX	11.55						
2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPCO	UEPLX	20.04						
2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPCO	UEPLX	33.65						
<b>2-Wire Voice Grade Line Ports (COIN)</b>										
2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		UEPCO	UEPRF	2.15	40.19	19.83	24.91	6.63		
2-Wire Coin 2-Way with Operator Screening (AL, KY)		UEPCO	UEPRE	2.15	40.19	19.83	24.91	6.63		
2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRA	2.15	40.19	19.83	24.91	6.63		
2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)		UEPCO	UEPRB	2.15	40.19	19.83	24.91	6.63		
2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011*, & Local (AL, KY, LA, MS)		UEPCO	UEPCD	2.15	40.19	19.83	24.91	6.63		
2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, F, L)		UEPCO	UEPRK	2.15	40.19	19.83	24.91	6.63		
2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRH	2.15	40.19	19.83	24.91	6.63		
2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011*, and Local (AL, KY, LA, MS)		UEPCO	UEPCN	2.15	40.19	19.83	24.91	6.63		
2-Wire Coin 2-Way Smartline with 900/976 (all states except LA)		UEPCO	UEPCK	2.15	40.19	19.83	24.91	6.63		
2-Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPCR	2.15	-0.19	19.83	24.91	6.63		
<b>ADDITIONAL UNE COIN PORT/LOOP (RC)</b>										
UNE Coin Port/Loop Combo (Issue (Flat Rate))		UEPCO	UEFCU	1.56	0.00	0.00	0.00	0.00		
<b>NONRECURRING CHARGES CURRENTLY COMBINED</b>										
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPCO	USAC2		0.10	0.10				
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with Change		UEPCO	USACC		0.10	0.10				
<b>ADDITIONAL NRCS</b>										
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0.00	0.00				
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPCO	URETL		8.33	0.83				
<b>2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (RES)</b>										
2-Wire VG Loop/IO Transport/Port Combo - Zone 1					16.76					
2-Wire VG Loop/IO Transport/Port Combo - Zone 2					25.23					
2-Wire VG Loop/IO Transport/Port Combo - Zone 3					38.52					
<b>UNE Loop Rates</b>										
2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFR	UECF2	14.38						
2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFR	UECF2	22.85						
2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFR	UECF2	36.14						
2-Wire Voice Grade Line Port Rates (Res)		UEPRL	UEPRL	2.38	90.38	57.27	48.66	8.77		
2-Wire voice unbundled port - residence										

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Nonrecurring Add'l	Nonrecurring Disconnect	Attachment 2 Ex A		
						Rec	First	First			Svc Order Submitted Manually per LSR Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic Add'l
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.38	90.38	57.27			SOMEC	8.77	
	2-Wire voice unbundled port outgoing only - res			UEPFR	UPRO	2.38	90.38	57.27			SOMAN	8.77	
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - res			UEPFR	UEPAR	2.38	90.38	57.27					
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPAP	2.38	90.38	57.27					
	(LUM)			UEPFR	UEPWA	2.38	90.38	57.27					
	2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID			UEPFR	UEPWA	2.38	90.38	57.27					
<b>INTEROFFICE TRANSPORT</b>													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFR	UTV2	21.13	40.54	27.41					
	Termination			UEPFR	1L5XX	0.008838							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	UEPWF	1.98	0.00	0.00					
<b>FEATURES</b>													
	All Features Offered			UEPFR	UEPWF	1.98	0.00	0.00					
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-with-change			UEPFR	USACC								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN								
<b>2-WIRE VOICE LOOP/2WIRE VOICE GRADE TO TRANSPORT/2WIRE LINE PORT (BUS)</b>													
	UNE Port/loop Combination Rates			2-Wire VG Loop/IO Transport/Port Combo - Zone 1		16.76							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2			2-Wire VG Loop/IO Transport/Port Combo - Zone 2		25.23							
	UNE Loop Rates			2-Wire VG Loop/IO Transport/Port Combo - Zone 3		38.52							
	2-Wire Voice Grade Loop (SL2) - Zone 1			1 UEPFB	UECF2	14.38							
	2-Wire Voice Grade Loop (SL2) - Zone 2			2 UEPFB	UECF2	22.85							
	2-Wire Voice Grade Loop (SL2) - Zone 3			3 UEPFB	UECF2	36.14							
	2-Wire Voice Grade Line Port (Bus)			UEPFB	UEPBL	2.38	90.38	57.27					
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBC	2.38	90.38	57.27					
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.38	90.38	57.27					
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - bus			UEPFB	UEPAW	2.38	90.38	57.27					
	2-Wire voice unbundled incoming only port with Caller ID - Bus Caller ID			UEPFB	UEPBI	2.38	90.38	57.27					
	2-Wire Voice Unbundled Alabama Business Dialing Plan without Caller ID			UEPFB	UEPWB	2.38	90.38	57.27					
<b>INTEROFFICE TRANSPORT</b>													
	Termination			UEPFB	UTV2	21.13	40.54	27.41					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPFB	1L5XX	0.008838							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	UEPWF	1.98	0.00	0.00					
<b>FEATURES</b>													
	All Features Offered			UEPFB	UEPWF	1.98	0.00	0.00					
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-with-change			UEPFB	USACC								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN								
<b>2-WIRE VOICE LOOP/2WIRE VOICE GRADE TO TRANSPORT/2WIRE LINE PORT (PBX)</b>													
	UNE Port/loop Combination Rates			2-Wire VG Loop/IO Transport/Port Combo - Zone 1		16.76							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2			2-Wire VG Loop/IO Transport/Port Combo - Zone 3		25.23							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3					38.52							

CATEGORY	RATE ELEMENTS	Intern	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic Add'l
							Rec	Nonrecurring Add'l	Nonrecurring First	Disconnect Add'l	OSS Rates (\$)	
<b>UNBUNDLED NETWORK ELEMENTS - Alabama</b>												
<b>UNE Loop Rates</b>												
2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFP	UECF2	14.33								
2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFP	UECF2	22.85								
2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFP	UECF2	36.14								
<b>2-Wire Grade Line Port Rates (BUS - PEX)</b>												
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPFP	UEPPC	2.38	119.27	69.85	61.18	8.34				
Line Side Unbundled Outward PBX Trunk Port - Bus		UEPFP	UEPPD	2.38	119.27	69.85	61.18	8.34				
Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPFP	UEPP1	2.38	119.27	69.85	61.18	8.34				
2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port		UEPFP	UEPA2	2.38	119.27	69.85	61.18	8.34				
2-Wire Voice Unbundled PBX LD Terminal Ports		UEPFP	UEPLD	2.38	119.27	69.85	61.18	8.34				
2-Wire Voice Unbundled PBX Usage Port		UEPFP	UEPXA	2.38	119.27	69.85	61.18	8.34				
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPFP	UEPBX	2.38	119.27	69.85	61.18	8.34				
2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPFP	UEPXC	2.38	119.27	69.85	61.18	8.34				
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPFP	UEPXD	2.38	119.27	69.85	61.18	8.34				
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPFP	UEPXE	2.38	119.27	69.85	61.18	8.34				
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPFP	UEPXM	2.38	119.27	69.85	61.18	8.34				
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPFP	UEPXO	2.38	119.27	69.85	61.18	8.34				
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPFP	UEPXS	2.38	119.27	69.85	61.18	8.34				
<b>INTEROFFICE TRANSPORT</b>												
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Terminal		UEPFP	UTV2	21.13	40.54	27.41	16.74	9.90				
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFP	1L5XX	0.008838								
<b>FEATURES</b>												
All Features Offered		UEPFP	UEPVF	1.98	0.00	0.00						
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>												
2-Wire Loop / Dedicated IO Transport - 2 Wire Line Port Combination - Conversion - Switch-as-is		UEPFP	USAC2			8.48	1.87					
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with Change		UEPFP	USACC			8.48	1.87					
Unbundled Miscellaneous Rate Element - Tag Designed Loop at End User Premise		UEPFP	URETN			-1121-	-110					
<b>2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT</b>												
<b>UNE Port/Loop Combination Rates</b>												
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1							23.40					
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2							31.88					
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3							45.17					
<b>UNE Loop Rates</b>												
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPBX	UECD1	14.38								
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPBX	UECD1	22.85								
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPBX	UECD1	36.14								
<b>UNE Port Rate</b>												
Exchange Ports - 2-Wire DID Port		UEPFX	UED1	9.02	207.31	73.74	107.14	11.20				
<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>												
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		UEPFX	USAIC1			7.31	1.87					
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with Bell South Allowable Changes		UEPFX	USAIC			7.31	1.87					
<b>ADDITIONAL NRCs</b>												
2-Wire DID Subsequent Activity - Add Trunks Per Trunk		UEPFX	USA1			26.78	26.78					
Unbundled Miscellaneous Rate Element - Tag Designed Loop at End User Premise		UEPFX	URETN			11.21	1.10					



CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	SOMAN	SOMAN	SOMAN
							Rec	First				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					25.00						
<b>UNE Loop Rate</b>							38.29					
2-Wire Voice Grade Loop (SL-1) - Zone 1	1	UEP91	UECS1	11.55								
2-Wire Voice Grade Loop (SL-1) - Zone 2	2	UEP91	UECS1	20.04								
2-Wire Voice Grade Loop (SL-1) - Zone 3	3	UEP91	UECS1	33.65								
2-Wire Voice Grade Loop (SL-2) - Zone 1	1	UEP91	UECS2	14.38								
2-Wire Voice Grade Loop (SL-2) - Zone 2	2	UEP91	UECS2	22.85								
2-Wire Voice Grade Loop (SL-2) - Zone 3	3	UEP91	UECS2	36.14								
<b>UNE Ports</b>												
All States (Except North Carolina and South Carolina)												
2-Wire Voice Grade Port (Centrex) Basic Local Area		UEP91	UEPYA	2.15	40.19	19.83	24.91	6.63				
2-Wire Voice Grade Port (Centrex) 800 termination		UEP91	UEPYB	2.15	40.19	19.83	24.91	6.63				
Basic Local Area		UEP91	UEPYH	2.15	40.19	19.83	24.91	6.63				
2-Wire Voice Grade Port (Centrex with Caller ID) Noise1 Basic Local Area		UEP91	UEPYM	2.15	90.38	57.27	48.66	8.77				
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2 3 Basic Local Area		UEP91	UEPYZ	2.15	90.38	57.27	48.66	8.77				
2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term - Basic Local Area		UEP91	UEPY9	2.15	40.19	19.83	24.91	6.63				
2-Wire Voice Grade Port Terminated in on Megalink or equivalent - Basic Local Area		UEP91	UEPY2	2.15	40.19	19.83	24.91	6.63				
2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		UEP91	UEPQ1	2.15	40.19	19.83	24.91	6.63				
<b>AL KY LA MS &amp; TN Only</b>												
2-Wire Voice Grade Port (Centrex )		UEP91	UEPQA	2.15	40.19	19.83	24.91	6.63				
2-Wire Voice Grade Port (Centrex 800 termination)		UEP91	UEPQB	2.15	40.19	19.83	24.91	6.63				
2-Wire Voice Grade Port (Centrex with Caller ID)1		UEP91	UEPQH	2.15	40.19	19.83	24.91	6.63				
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3		UEP91	UEPQM	2.15	90.38	57.27	48.66	8.77				
2-Wire Voice Grade Port Diff Serving Wire Center - 23 - 800 Service Term		UEP91	UEPQZ	2.15	90.38	57.27	48.66	8.77				
2-Wire Voice Grade Port Terminated in on Megalink or equivalent		UEP91	UEPQ9	2.15	40.19	19.83	24.91	6.63				
2-Wire Voice Grade Port Terminated on 800 Service Term		UEP91	UEPQ2	2.15	40.19	19.83	24.91	6.63				
<b>Local Switching</b>												
Centrex Intercom Functionality: Per port		UEP91	URECS	—	0.5488	—	—	—				
<b>Features</b>												
All Standard Features Offered, per port		UEP91	UEPVF	1.98								
All Select Features Offered, per port		UEP91	UEPVS	0.00	405.52							
All Centrex Control Features Offered, per port		UEP91	UEPVC	1.98								
<b>NARS</b>												
Unbundled Network Access Register - Combination		UEP91	UARCX	0.00	0.00	0.00	0.00	0.00				
Unbundled Network Access Register - India		UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00				
Miscellaneous Terminations		UEP91	UAROX	0.00	0.00	0.00	0.00	0.00				
<b>2-Wire Trunk Side</b>												
Trunk Side Terminations, each		UEP91	CENAG	8.06	119.31	18.74	59.90	3.76				
Interoffice Channel Mitigation - 2-Wire		UEP91	MTGBC	21.13	40.54	27.41	16.74	6.90				
Interoffice Channel Facilities Termination - Voice Grade		UEP91	MTGBM	0.008838								
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service												
<b>D4 Channel Bank Feature Activations</b>												
Feature Activation on D4 Channel Bank Centrex Loop Slot		UEP91	IPQW5	0.56								
Feature Activation on D4 Channel Bank FX line Side Loop Slot		UEP91	IPQW6	0.56								

**UNBUNDLED NETWORK ELEMENTS - Alabama**

CATEGORY	RATE ELEMENTS	Intern	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	SOMAN	SOMAN	SOMAN
							Rac	Nonrecurring				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1P0W7	0.56		First Add'l		SOME	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1P0WP	0.56						
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1P0WV	0.56						
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP91	1P0WO	0.56						
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1P0WA	0.56						
	<b>Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port</b>			UEP91	USAC2							
	Conversion of Existing Centrex Common Block			UEP91	USACN		0.10	0.10				
	New Centrex Standard Common Block			UEP91	MAICS	0.00	667.21	667.21				
	New Centrex Customized Common Block			UEP91	MIACC	0.00	667.21	667.21				
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02	78.02				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73	72.73				
	<b>Additional Non-Recurring Charges (NRC)</b>											
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise			UEP91	URETL		8.33	8.33				
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.21	11.10				
	<b>UNE-P CENTREX - 5ESS (Valid in All States)</b>											
	<b>2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo</b>											
	<b>UNE Port/Loop Combination Rates (Non-Design)</b>											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design											
	<b>UNE Port/Loop Combination Rates (Design)</b>											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design											
	<b>UNE Loop Rate</b>											
	2-Wire Voice Grade Loop (SL 1) - Zone 1			1	UEP95		11.55					
	2-Wire Voice Grade Loop (SL 1) - Zone 2			2	UEP95		20.04					
	2-Wire Voice Grade Loop (SL 1) - Zone 3			3	UEP95		33.65					
	2-Wire Voice Grade Loop (SL 2) - Zone 1			1	UEP95		14.38					
	2-Wire Voice Grade Loop (SL 2) - Zone 2			2	UEP95		22.85					
	2-Wire Voice Grade Loop (SL 2) - Zone 3			3	UEP95		36.14					
	<b>UNE Port Rate</b>						38.29					
	All States											
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.15	40.19	19.83	24.91	6.63		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.15	40.19	19.83	24.91	6.63		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP95	UEPYH	2.15	40.19	19.83	24.91	6.63		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 3 Basic Local Area			UEP95	UEPYM	2.15	90.38	57.27	48.66	8.77		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	2.15	90.38	57.27	48.66	8.77		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPY9	2.15	40.19	19.83	24.91	6.63		
	- Basic Local Area			UEP95	UEPY2	2.15	40.19	19.83	24.91	6.63		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95								

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A			
								Rec	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	OSS Rates (\$)
Svc Order Submitted Manually Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN								
AL, KY, LA, MS, SC, & TN Only											
2-Wire Voice Grade Port (Centrex)	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UEPOA UEPOB UEPQH UEPQM UEPQZ UEPQ9 UEPQ2 URECS	2.15 2.15 2.15 2.15 2.15 2.15 2.15 0.5488	40.19 40.19 40.19 40.19 40.19 40.19 40.19 0.00	19.83 19.83 19.83 19.83 19.83 19.83 19.83 40.52	24.91 24.91 24.91 24.91 24.91 24.91 24.91 405.52	6.63 6.63 6.63 6.63 6.63 6.63 6.63 0.00	SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN SOMAN			
2-Wire Voice Grade Port (Centrex with Caller ID)											
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3											
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term	UEP95	UEPQM	2.15	90.38	57.27	48.66	8.77				
2-Wire Voice Grade Port terminated in on Megalink or equivalent	UEP95	UEPQZ	2.15	90.38	57.27	48.66	8.77				
2-Wire Voice Grade Port terminated on 800 Service Term	UEP95	UEPQ9	2.15	40.19	19.83	24.91	6.63				
Local Switching	UEP95	UEPQ2	2.15	40.19	19.83	24.91	6.63				
Centrex Intercom Functionality, per port											
Features											
All Standard Features Offered per port	UEP95	UEPVF	1.98								
All Select Features Offered, per port	UEP95	UEPVS	0.00								
All Centrex Control Features Offered per port	UEP95	UEPVC	1.98								
NARS											
Unbundled Network Access Register - Combination	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				
Unbundled Network Access Register - Initial	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00				
Unbundled Network Access Register - Outdial	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00				
Miscellaneous Terminations											
2-Wire Trunk Side											
Trunk Side Terminations, each	UEP95	CEN06	8.05	119.31	18.74	59.90	3.76				
4-Wire Digital (1.544 Megabits)											
DS0 Circuit Termination, each	UEP95	MHD1	80.09	202.02	95.69	72.59	2.46				
DS0 Channels Activated, each	UEP95	MHD0	0.00	14.48							
Interface Channel Mileage - 2-Wire											
Interface Channel Facilities Termination	UEP95	MIGBC	21.13	40.54	27.41	16.74	9.90				
Interface Channel mileage, per mile or fraction of mile	UEP95	MTGBM	0.008838								
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service											
D4 Channel Bank Feature Activations											
Feature Activation on D4 Channel Bank Centrex Loop Slot	UEP95	IPQWS	0.56								
Feature Activation on D4 Channel Bank FX Line Side Loop Slot	UEP95	1PQW6	0.56								
Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot	UEP95	IPQW7	0.56								
Feature Activation on D4 Channel Bank Centrex Loop Slot - Different Wire Center	UEP95	IPQWP	0.56								
Feature Activation on D4 Channel Bank Private Line Loop Slot	UEP95	1PQWV	0.56								
Feature Activation on D4 Channel Bank Tie Line/Trunk Loop Slot	UEP95	1POWO	0.56								
Feature Activation on D4 Channel Bank WATS Loop Slot	UEP95	1PQWA	0.56								
Non-Recurring Charges (NRC) Associated with UNEP Centrex NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port											
Conversion of Existing Centrex Common Block, each	UEP95	USACN	0.10	0.10	0.10	0.10	0.10				
New Centrex Standard Common Block	UEP95	MAICS	37.75	667.21	667.21	16.58	16.58				
New Centrex Customized Common Block	UEP95	MCAC	0.00	667.21	667.21	0.00	0.00				
NRC Establishment Change, Per Occasion	UEP95	URECA	0.00	72.73	72.73						
Additional Non-Recurring Charges (NRC)											
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	UEP95	URETL	8.33	0.83							
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise	UEP95	URETN	11.21	1.10							
UNE-P CENTREX - DM3100 (Valid in All States)											
2-Wire FG Loop/2-Wire Voice Grade Port (Centrex) Combo											
UNE PortLoop Combination Rates (Non-Design)											

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)			Attachment 2 Ex. A		
							Rec	First	Nonrecurring Add'l	First	Nonrecurring Add'l	OSS Rates (\$)
						Svc Order Submitted Elec per LSR	Manually Submitted	Charge - Manual Svc Order vs Electronic	Incremental Charge - Manual Svc Order vs Electronic	Charge - Manual Svc Order vs Electronic	Incremental Charge - Manual Svc Order vs Electronic	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design						13.70					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						22.19					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						35.80					
<u>UNE Port/Loop Combination Rates (Design)</u>												
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design							16.53					
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design							25.00					
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design							38.29					
<u>UNE Loop Rate</u>												
2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP9D	UECS1	11.55								
2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP9D	UECS1	20.04								
2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP9D	UECS1	33.65								
2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP9D	UECS2	14.38								
2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP9D	UECS2	22.85								
2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP9D	UECS2	36.14								
<u>UNE Port Rate</u>												
ALL STATES												
2-Wire Voice Grade Port (Centrex) Basic Local Area		UEP9D	UEPYA	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area		UEP9D	UEPYB	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex / EBS-PSSET)3Basic Local Area		UEP9D	UEPYC	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex / EBS-M509)3Basic Local Area		UEP9D	UEPYD	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex / EBS-M520)3 Basic Local Area		UEP9D	UEPYE	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex / EBS-M511)3 Basic Local Area		UEP9D	UEPYF	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex / EBS-M531)2)3Basic Local Area		UEP9D	UEPYG	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex / EBS-M500)3 Basic Local Area		UEP9D	UEPYT	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex / EBS-M520)3 Basic Local Area		UEP9D	UEPYU	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex / EBS-M521)3 Basic Local Area		UEP9D	UEPYV	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex / EBS-M531)3 Basic Local Area		UEP9D	UEPYW	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex/Meg W/lamp Indication))4 Basic Local Area		UEP9D	UEPYX	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEP9D	UEPYH	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex/Caller ID/Msg W/lamp Indication))4 Basic Local Area		UEP9D	UEPYW	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex/Meg W/lamp Indication))4 Basic Local Area		UEP9D	UEPYJ	2.15	40.19	19.83	24.91			6.63		
2-Wire Voice Grade Port (Centrex from diff Seving Wire Carrier) 2.3-Basic Local Area		UEP9D	UEPYM	2.15	90.38	57.27	48.66	8.77				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSSET)2.3.4 Basic Local Area		UEP9D	UEPYO	2.15	90.38	57.27	48.66	8.77				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M509)2.3.4 Basic Local Area		UEP9D	UEPPY	2.15	90.38	57.27	48.66	8.77				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-520)2.3.4 Basic Local Area		UEP9D	UEPYQ	2.15	90.38	57.27	48.66	8.77				
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M511)2.3.4 Basic Local Area		UEP9D	UEPYR	2.15	90.38	57.27	48.66	8.77				

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A			
								Rec	Nonrecurring Add'l	Nonrecurring Disconnect	Svc Order Submitted Manually per LSR
							OSS Rates (\$)				Incremental Charge - Manual Svc Order vs Electronic-Add'l
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2.3.4 Basic Local Area			UEP9D	UEPYS	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2.3.4 Basic Local Area			UEP9D	UEPY4	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3 Basic Local Area			UEP9D	UEPY5	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2.3.4 Basic Local Area			UEP9D	UEPY6	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2.3.4 Basic Local Area			UEP9D	UEPY7	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.15	40.19	19.83	24.91	6.63	
AL, KY, LA, MS, SC, & TN Only	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPOA	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)14			UEP9D	UEPOC	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPOD	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPOF	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPOG	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPOT	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex / EBS-M509)4			UEP9D	UEPOU	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPOV	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPOQ3	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex/Caller ID)/Msg Wig Lamp Indication4			UEP9D	UEPOH	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex/Msg Wig Camp Indication)4 2.3			UEP9D	UEPQJ	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3			UEP9D	UEPQM	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET2)3.4			UEP9D	UEPQO	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2.3.4			UEP9D	UEPQP	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2.3.4			UEP9D	UEPQQ	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4			UEP9D	UEPQR	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2.3.4			UEP9D	UEPOS	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2.3.4			UEP9D	UEPOQ	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2.3.4			UEP9D	UEPOQ7	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3.4 Term 2,3			UEP9D	UEPQZ	2.15	90.38	57.27	48.66	8.77	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Local Switching			UEP9D	UEPO9	2.15	40.19	19.83	24.91	6.63	
	2-Wire Voice Grade Port Terminated on 800 Service Term Centrex Intercom Functionality, per port			UEP9D	UEPOQ2	2.15	40.19	19.83	24.91	6.63	
				UEP9D	URECS		0.5488				

CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		
							Rac	First Add'l	Nonrecurring Disconnect First
<b>Features</b>							Svc Order Submitted Manually per LSR Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
All Standard Features Offered per port				UEP90	UEPVF	1.98			
All Select Features Offered, per port				UEP90	UEPVS	0.00	405.52		
All Centrex Control Features Offered per port				UEP90	UEPVC	1.98			
<b>NARS</b>									
Unbundled Network Access Register - Combination				UEP90	UARCX	0.00	0.00	0.00	0.00
Unbundled Network Access Register - Inward				UEP90	UARIX	0.00	0.00	0.00	0.00
Unbundled Network Access Register - Outward				UEP90	UAROX	0.00	0.00	0.00	0.00
<b>Miscellaneous Terminations</b>									
2-Wire Trunk Side				UEP90	CEND6	8.05	119.31	18.74	59.90
Trunk Side Terminations each				UEP90	M11D1	60.09	202.02	95.69	72.59
4-Wire Digital (1.544 Megabits)				UEP90	MHD0	0.00	14.48		
DS1 Circuit Terminations, each				UEP90	M1GBC	21.13	40.54	27.41	16.74
DS0 Channels Activated per Channel				UEP90	M1GBM	0.00	0.00	0.00	0.00
<b>Interoffice Channel Mileage - 2-Wire</b>									
Interoffice Channel Facilities Termination				UEP90					
Interoffice Channel mileage per mile or fraction of mile				UEP90					
<b>Feature Activations (DS0) Centrex Loops on Channelized DS1 Service</b>									
D4 Channel Bank Feature Activations									
Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP90	1P0WVS	0.56			
Feature Activation on D-4 Channel Bank FX Line Side Loop Slot				UEP90	1P0W6	0.56			
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP90	1P0W7	0.56			
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP90	1P0WP	0.56			
Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP90	1P0PWV	0.56			
Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot				UEP90	1P0WO	0.56			
Feature Activation on D-4 Channel Bank WATS Loop Slot				UEP90	1P0WA	0.56			
<b>Non-Recurring Charges (NRC) Associated with UNE-P Centrex</b>									
NRC Conversion Currently Combined Switch-As-is with allowed changes, per port				UEP90	USAC2		0.10	0.10	
Conversion of existing Centrex Common Block, each				UEP90	USACN		37.75	16.58	
New Centrex Standard Common Block				UEP90	MIACS	0.00	667.21		
New Centrex Customized Common Block				UEP90	MIACC	0.00	667.21		
NAR Establishment Charge, Per Occasion				UEP90	JRECA	0.00	72.73		
<b>Additional Non-Recurring Charges (NRC)</b>									
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premises				UEP90	JRETL		8.33	0.83	
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise				UEP90	JRETN		11.21	1.10	
<b>UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS &amp; TN)</b>									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo									
UNE Port/Loop Combination Rates (Non-Design)									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design									
<b>UNE Port/Loop Combination Rates (Design)</b>									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									

CATEGORY	RATE ELEMENTS	Intern'l	Zone	BCS	USOC		RATES (\$)			Attachment 2 Ex A		
							Rac	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
<b>UNBUNDLED NETWORK ELEMENTS - Alabama</b>												
AL FL KY LA MS & TN only	UNE Loop Rate											
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.55						
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	20.04						
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	33.65						
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.38						
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85						
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14						
<b>UNE Port Rate</b>												
AL FL KY LA MS & TN only	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	2.15	40.19	19.83	24.91	6.63		
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9E	UEPYB	2.15	40.19	19.83	24.91	6.63		
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area			UEP9E	UEPYH	2.15	40.19	19.83	24.91	6.63		
	2-Wire Voice Grade Port (Centrex from Diff Serving Wire Center)2,3 Basic Local Area			UEP9E	UEPYM	2.15	90.38	57.27	48.66	8.77		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP9E	UEPYZ	2.15	90.38	57.27	48.66	8.77		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	2.15	40.19	19.83	24.91	6.63		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP9E	UEPY2	2.15	40.19	19.83	24.91	6.63		
AL KY LA MS & TN Only	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPOA	2.15	40.19	19.83	24.91	6.63		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPOB	2.15	40.19	19.83	24.91	6.63		
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9E	UEPOM	2.15	90.38	57.27	48.66	8.77		
	2-Wire Voice Grade Port (Centrex from Diff Serving Wire Center)2,3			UEP9E	UEPOZ	2.15	90.38	57.27	48.66	8.77		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP9E	UEPO9	2.15	40.19	19.83	24.91	6.63		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPQ2	2.15	40.19	19.83	24.91	6.63		
<b>Local Switching</b>												
	Centrex Intercom Functionality - per port			UEP9E	URECS	0.5488						
Features	All Standard Features Offered, per port			UEP9E	UEPVF	1.98						
	All Select Features Offered, per port			UEP9E	UEPV3	0.00	405.52					
	All Centrex Control Features Offered - per port			UEP9E	UEFVC	—	1.98	—	—	—	—	—
NARS	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		
	Unbundled Network Access Register - Individual			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00		
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00		
<b>Miscellaneous Terminations</b>												
	2-Wire Trunk Side			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76		
	Trunk Side Terminations, each			UEP9E	UEP9E	—	—	—	—	—	—	—
	4-Wire Digital (1.544 Megabits)			UEP9E	MHD1	60.09	202.02	95.69	72.59	2.46		
	DS1 Circuit Terminations, each			UEP9E	MHD0	0.00	14.48					
	DS0 Channel Activated Per Channel			UEP9E	MTGBC	21.13	40.54	27.41	16.74	6.90		
	Interoffice Channel Facilities - 2-Wire			UEP9E	MTGBM	0.009838						
	Interoffice Channel Facilities - Termination			UEP9E	IPQWS	0.56						
	Interoffice Channel Facilities - Per mile or fraction of mile			UEP9E	IPQW6	0.56						
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9E	IPQW7	0.56						
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot											

**UNBUNDLED NETWORK ELEMENTS - Alabama**

CATEGORY	RATE ELEMENTS	Interim Zone	BcS	USOC	RATES (\$)			Attachment 2 Ex A		
					Rec	First Add'l	Nonrecurring	Disconnect Add'l	First	OSS Rates (\$)
Svc Order Submitted Manually per LSR	Manually Svc Order vs Electronic	Manual Svc Order vs Electronic	Charge - Manual Svc Order vs Electronic	Svc Order Submitted Manually per LSR	Manually Svc Order vs Electronic	Manual Svc Order vs Electronic	Svc Order Submitted Manually per LSR	Manually Svc Order vs Electronic	Charge - Manual Svc Order vs Electronic	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		UEP9E	1PQWP	0.56					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP9E	1PQWV	0.56					
	Feature Activation on D-4 Channel Bank T1s Line/Trunk Loop Slot		UEP9E	1PQWO	0.56					
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP9E	1PQWA	0.56					
<b>Non-Recurring Charges (NRC) Associated with UNE-P Centrex</b>										
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2	0.10	0.10				
Conversion of Existing Centrex Common Block, each			UEP9E	USACN	37.75	16.58				
New Centrex Standard Common Block			UEP9E	MACS	0.00	667.21				
New Centrex Customized Common Block			UEP9E	MACC	0.00	667.21				
NAR Establishment Charge Per Occasion			UEP9E	URECA	0.00	72.73				
<b>Additional Non-Recurring Charges (NRC)</b>										
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83			
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10			
<b>UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, &amp; TN)</b>										
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex) Combo										
<b>UNE Port/Loop Combination Rates (Non-Design)</b>										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design										
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design										
<b>UNE Port/Loop Combination Rates (Design)</b>										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design										
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design										
<b>UNE Loop Rate</b>										
2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP93	UECS1	11.55						
2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP93	UECS1	20.04						
2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP93	UECS1	33.65						
2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP93	UECS2	14.38						
2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP93	UECS2	22.85						
2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP93	UECS2	36.14						
<b>UNE Port Rate</b>										
AL, KY, LA, MS, & TN only										
2-Wire Voice Grade Port (Centrex) Basic Local Area			UEPYA	2.15	40.19	19.83	24.91	6.63	8.77	
2-Wire Voice Grade Port (Centrex) 800 Termination(Basic Local Area)			UEP93	UEPYB	2.15	40.19	19.83	24.91	6.63	
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP93	UEPYH	2.15	40.19	19.83	24.91	6.63	
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2/3 Basic Local Areas			UEP93	UEPYM	2.15	90.38	57.27	48.66	8.77	
2-Wire Voice Grade Port Diff Serving Wire Center - 2/3 - 500 Service Term - Basic Local Area			UEP93	UEPYZ	2.15	90.38	57.27	48.66	8.77	
2-Wire Voice Grade Port Terminated in or Megalink or equivalent - Basic Local Area			UEP93	UEPY9	2.15	40.19	19.83	24.91	6.63	
2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP93	UEPY2	2.15	40.19	19.83	24.91	6.63	
2-Wire Voice Grade Port (Centrex)			UEP93	UEPQA	2.15	40.19	19.83	24.91	6.63	
2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	2.15	40.19	19.83	24.91	6.63	

**UNBUNDLED NETWORK ELEMENTS - Alabama**

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A			OSS Rates (\$)
								Rsc	Nonrecurring Add'l	Nonrecurring Disconnect First	
								Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEFQH	2 15	40 19	19 83	24 91	6 63	
	2-Wire Voice Grade Port (Centrex from Diff Serving Wire Center)2,3			UEP93	UEPQM	2 15	90 38	57 27	48 66	8 77	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3-300 Service Term			UEP93	UEPOZ	2 15	90 38	57 27	48 66	8 77	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPO9	2 15	40 19	19 83	24 91	6 63	
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPO2	2 15	40 19	19 83	24 91	6 63	
<b>Local Switching</b>											
	Centrex Intercom Functionality, per port			UEP93	URECS	0 5488					
<b>Features</b>				UEP93	UEPVF	1 98					
	All Standard Features Offered, per port			UEP93	UEPVC	1 98					
<b>NARS</b>											
	Unbundled Network Access Register - Combination			UEP93	UARCX	0 00	0 00	0 00	0 00	0 00	
	Unbundled Network Access Register - India			UEP93	UAR1X	0 00	0 00	0 00	0 00	0 00	
	Unbundled Network Access Register - Ouidai			UEP93	UAROX	0 00	0 00	0 00	0 00	0 00	
<b>Miscellaneous Terminations</b>											
	2-Wire Trunk Side			UEP93	CEND6	8 05	119 31	18 74	59 90	3 76	
	Trunk Side Terminations, each			UEP93	MHD1	60 09	202 02	95 69	72 59	2 46	
	4-Wire Digital (1.544 Megabits)			UEP93	MHD0	0 00	14 48				
	DS1 Circuit Terminations, each			UEP93							
	DS0 Channels Activated, Per Channel			UEP93							
<b>Interoffice Channel Mileage - 2-Wire</b>											
	Interoffice Channel Facilities Termination			UEP93	MTGBC	21 13	40 54	27 41	16 74	6 90	
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MTGBM	0 00838					
<b>Feature Activations (DS0) Centrex Loops on Channeled DS1 Service</b>											
	D4 Channel Bank Feature Activations			UEP93	1PQWS	0 56					
	Feature Activation on D4 Channel Bank Centrex Loop Slot			UEP93	1PQW6	0 56					
	Feature Activation on D4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW7	0 56					
	Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQWP	0 56					
	Feature Activation on D4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP93	1PQWV	0 56					
	Feature Activation on D4 Channel Bank Private Line Loop Slot			UEP93	1PQWQ	0 56					
	Feature Activation on D4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWA	0 56					
	Feature Activation on D4 Channel Bank WATS Loop Slot			UEP93	USAC2						
	Non-Recurring Charges (NRC) Associated with UNI-P Centrex			UEP93	MAICS	0 00	37 75	0 10	0 10	16 58	
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	MAICC	0 00	667 21				
	Conversion of Existing Centrex Common Block, each			UEP93	URECA	0 00	72 73				
	New Centrex Standard Common Block										
	New Centrex Customized Common Block										
	NAR Establishment Charge, Per Occasion										
	<b>Additional Non-Recurring Charges (NRC)</b>										
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise			UEP93	URETL		8 33	0 83			
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11 21	1 10			
	<b>Note 1 - Required Port for Centrex Control In TAESS, SESS &amp; EWSO</b>										
	<b>Note 2 - Requires Interoffice Channel Mileage</b>										
	<b>Note 3 - Installation is combination of Installation charge for SL2 Loop and Port</b>										
	<b>Note 4 - Requires Specific Customer Premises Equipment</b>										
	<b>Note 5 - Rates displaying an "X" in Interim column, are interim as a result of a Commission order</b>										

CATEGORY	RATE ELEMENTS	Interim Zone	ECS	USOC	RATES (\$)	Attachment 2 Ex A
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website <a href="http://www.interconnection.bellsouth.com/become_a_clechim/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_clechim/interconnection.htm</a>					
NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. However, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.	NOTE (2) Any element that can be ordered electronically will be billed according to the SONiC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SONiC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth					
OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only						
OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only						
UNE SERVICE DATE ADVANCEMENT CHARGE						
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable						
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day						
UNBUNDLED EXCHANGE ACCESS LOOP						
2-WIRE ANALOG VOICE GRADE LOOP						
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL	UEAL2	10.69	49.57	25.62
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL	UEAL2	15.20	49.57	25.62
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL	UEAL2	26.97	49.57	25.62
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL	UEASL	10.69	49.57	25.62
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL	UEASL	15.20	49.57	25.62
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL	UEASL	26.97	49.57	25.62
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise						
Loop Testing - Basic 1st Half Hour						
Loop Testing - Basic Additional Half Hour						

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)	Rec	Nonrecurring		Nonrecurring Disconnect		Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st
							First	Add'l	First	Add'l			
CLEC to CLEC Conversion Charge Without Outside Dispatch (UML-SL1)				UREWO			15.78		8.94				
Unbundled Voice Loop Non-Design Voice Loop, billing for BST providing make-up Engineering Information - E 1)			UEANL	UEANM			13.49						
Manual Order Coordination for UML-SL15 (per loop)			UEANL	UEAMC			9.00		9.00				
Order Coordination for Specified Conversion Time for UML-SL1 (per LSR)			UEANL	OCOSL			23.02						
<b>2-WIRE UNBUNDLED COPPER LOOP</b>													
2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1		UEQ	UEQ22X	7.69		44.98		20.90	24.88	6.45		
2-Wire Unbundled Copper Loop - Non-Designed -Zone 2	2		UEQ	UEQ22X	10.92		44.98		20.90	24.88	6.45		
2-Wire Unbundled Copper Loop - Non-Designed -Zone 3	3		UEQ	UEQ22X	19.38		44.98		20.90	24.88	6.45		
Unbundled Miscellaneous Rate Element, tag Loop at End User Premise			UEQ	URETL			8.33		0.83				
Manual Order Coordination 2-Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC			9.00						
Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST providing make-up Engineering Information - E 1)			UEQ	UEOMU			13.49						
Loop testing - Basic 1st Half Hour			UEQ	URET1			48.65		48.65				
Loop Testing - Basic Additional Half Hour			UEQ	URETA			23.95		23.95				
CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO			14.27		7.43				
<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>													
<b>2-WIRE ANALOG VOICE GRADE LOOP</b>													
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1		UEPSR UEPSB	UEALS	10.69		49.57		22.83	25.62	6.57		
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1		UEPSR UEPSB	UEABS	10.69		49.57		22.83	25.62	6.57		
2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting-Zone 2	2		UEPSR UEPSB	UEALS	15.20		49.57		22.83	25.62	6.57		
2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting-Zone 2	2		UEPSR UEPSB	UEABS	15.20		49.57		22.83	25.62	6.57		
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3		UEPSR UEPSB	UEALS	26.97		49.57		22.83	25.62	6.57		
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3		UEPSR UEPSB	UEABS	26.97		49.57		22.83	25.62	6.57		
<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>													
<b>2-WIRE ANALOG VOICE GRADE LOOP</b>													
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling -Zone 1			UEA	UEA2	12.24		135.75		82.47	120.01			
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling -Zone 2	2		UEA	UEAL2	17.40		135.75		82.47	63.53	12.01		
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling -Zone 3	3		UEA	UEAL2	30.87		135.75		82.47	63.53	12.01		
Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			23.02						
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1		UEA	UEAR2	12.24		135.75		82.47	63.53	12.01		
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2		UEA	UEAR2	17.40		135.75		82.47	63.53	12.01		
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3		UEA	UEAR2	30.87		135.75		82.47	63.53	12.01		
Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			23.02						
CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO			87.71		36.35	11.10			
Loop Tagging - Service Level 2 (SL2)			UEA	URETL			11.21						
<b>4-WIRE ANALOG VOICE GRADE LOOP</b>													
4-Wire Analog Voice Grade Loop - Zone 1	1		UEA	UEAL4	18.89		167.86		115.15	67.08	15.56		
4-Wire Analog Voice Grade Loop - Zone 2	2		UEA	UEAL4	26.84		167.86		115.15	67.08	15.56		
4-Wire Analog Voice Grade Loop - Zone 3	3		UEA	UEAL4	47.62		167.86		115.15	67.08	15.56		
Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			23.02						
CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO			87.71		36.35				

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)				
								Rec	First	Nonrecurring	Disconnect	Svc Order Submitted	Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
								First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
	<b>2-WIRE ISDN DIGITAL GRADE LOOP</b>													
2-Wire ISDN Digital Grade Loop - Zone 1		1		UDN	U112X		19.28	147.69	94.41	62.23	10.71			
2-Wire ISDN Digital Grade Loop - Zone 2		2		UDN	U112X		27.40	147.69	94.41	62.23	10.71			
2-Wire ISDN Digital Grade Loop - Zone 3		3		UDN	U112X		48.62	147.69	94.41	62.23	10.71			
Order Coordination For Specified Conversion Time (per LSR)				UDN	OICOSL			23.02						
CLEC to CLEC: Conversion Charge without outside dispatch				UDN	UREWO			91.61	44.15					
	<b>2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>													
2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1		UAL	UAL2X		8.30	149.53	103.85	75.05	15.63			
2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2		UAL	UAL2X		11.80	149.53	103.85	75.05	15.63			
2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3		UAL	UAL2X		20.84	149.53	103.85	75.05	15.63			
Order Coordination for Specified Conversion Time (per LSR)				UAL	OICOSL			23.02						
2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1		UAL	UAL2W		8.30	124.83	71.12	60.64	9.12			
2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2		UAL	UAL2W		11.80	124.83	71.12	60.64	9.12			
2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3		UAL	UAL2W		20.84	124.83	71.12	60.64	9.12			
Order Coordination for Specified Conversion Time (per LSR)				UAL	OICOSL			23.02						
CLEC to CLEC: Conversion Charge without outside dispatch				UAL	UREWO			86.19	40.39					
	<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>													
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1		UHL	UHL2X		7.22	159.09	113.41	75.05	15.63			
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2		UHL	UHL2X		10.26	159.09	113.41	75.05	15.63			
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3		UHL	UHL2X		18.21	159.09	113.41	75.05	15.63			
Order Coordination for Specified Conversion Time (per LSR)				UHL	OICOSL			23.02						
2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1		UHL	UHL2W		7.22	134.40	80.69	60.64	9.12			
2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2		UHL	UHL2W		10.26	134.40	80.69	60.64	9.12			
2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3		UHL	UHL2W		18.21	134.40	80.69	60.64	9.12			
Order Coordination for Specified Conversion Time (per LSR)				UHL	OICOSL			23.02						
CLEC to CLEC: Conversion Charge without outside dispatch				UHL	UREWO			86.12	40.39					
	<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>													
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1		UHL	UHL4X		10.86	193.31	138.98	77.15	12.61			
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2		UHL	UHL4X		15.44	193.31	138.98	77.15	12.61			
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3		UHL	UHL4X		27.39	193.31	138.98	77.15	12.61			
Order Coordination for Specified Conversion Time (per LSR)				UHL	OICOSL			23.02						
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1		UHL	UHL4W		10.86	168.62	115.47	62.74	11.22			
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2		UHL	UHL4W		15.44	168.62	115.47	62.74	11.22			
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3		UHL	UHL4W		27.39	168.62	115.47	62.74	11.22			
Order Coordination for Specified Conversion Time (per LSR)				UHL	OICOSL			86.12	40.39					
	<b>4-WIRE DS1 DIGITAL LOOP</b>													
4-Wire DS1 Digital Loop - Zone 1		1		USL	USLXX		70.74	313.48	161.22	13.53				
4-Wire DS1 Digital Loop - Zone 2		2		USL	USLXX		100.54	313.75	181.48	6.22	13.53			
4-Wire DS1 Digital Loop - Zone 3		3		USL	USLXX		178.39	313.75	181.48	6.122	13.53			
Order Coordination for Specified Conversion Time (per LSR)				USL	OICOSL			23.02						

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Ex. A										
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Nonrecurring			OSS Rates (\$)			Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l			
	Rec	First	Add'l				First	Add'l	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	Elec per LSR	Manually per LSR	Order vs Electronic	Order vs Electronic	
CLEC to CLEC Conversion Charge without outside dispatch	UREWO	101.07	43.04																	
<b>4-WIRE UNBUNDLED DIGITAL GRADE LOOP</b>																				
4-Wire Unbundled Digital 19.2 Kbps	UDL	UDL19	22.20	161.56	108.85	67.08	15.56													
4-Wire Unbundled Digital 19.2 Kbps	UDL	UDL19	31.56	161.56	108.85	67.08	15.56													
4-Wire Unbundled Digital 19.2 Kbps	UDL	UDL19	55.99	161.56	108.85	67.08	15.56													
4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56													
4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56													
4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56													
Order Coordination for Specified Conversion Time (per LSR)	UDL	OCOSL	23.02																	
4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56													
4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56													
4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56													
Order Coordination for Specified Conversion Time (per LSR)	UDL	OCOSL	23.02																	
CLEC to CLEC Conversion Charge without outside dispatch	UREWO	102.11	49.74																	
<b>2-WIRE UNBUNDLED COPPER LOOP</b>																				
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63													
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63													
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63													
Order Coordination for Unbundled Copper Loops (per loop)	UCL	UCLMC	9.00	9.00																
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12													
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12													
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12													
Order Coordination for Unbundled Copper Loops (per loop)	UCL	UCLMC	9.00	9.00																
CLEC to CLEC Conversion Charge without outside dispatch (UCL,-Des)	UREWO	97.21	42.47																	
<b>4-WIRE COPPER LOOP</b>																				
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73													
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73													
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73													
Order Coordination for Unbundled Copper Loops (per loop)	UCL	UCLMC	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22													
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22													
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22													
Order Coordination for Unbundled Copper Loops (per loop)	UCL	UCLMC	9.00	9.00																
CLEC to CLEC Conversion Charge without outside dispatch (UCL,-Des)	UREWO	97.21	42.47																	
<b>LOOP MODIFICATION</b>																				
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft per Unbundled Loop	UAL, UHL, UCL, UEL, UEA, UEN, UEP, UEF, UFSB	ULM2L	0.00	0.00																
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft per Unbundled Loop	UAL, UHL, UCL, UEL, UEA, UEN, UEP, UEF, UFSB	ULM4L	0.00	0.00																
Unbundled Loop Modification Removal of Bridged Tap Removal per unbundled loop	UAL, UHL, UCL, UEL, UEA, UEN, UEP, UEF, UFSB	ULMBT	10.52	10.52																
<b>SUB-LOOPS</b>																				

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	SVC ORDER SUBMITTED	INCREMENTAL CHARGE - MANUAL SVC ORDER VS ELECTRONIC DISC ADD'L	INCREMENTAL CHARGE - MANUAL SVC ORDER VS ELECTRONIC DISC 1ST
							Rec	Nonrecurring Add'l		First	Disconnect Add'l	
<b>UNBUNDLED NETWORK ELEMENTS - Florida</b>												
Sub-Loop Distribution							Rec	Nonrecurring Add'l		First	Disconnect Add'l	
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	-			UEANL	USBSA	487.23						
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1			UEANL	USBSB	6.25						
Sub-Loop - Per Building Equipment Room - CLEC Feeder	1			UEANL	USBSC	169.25						
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1			UEANL	USBSD	38.65						
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1			UEANL	USBN2	6.46	60.19	21.78	47.50	5.26		
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2			UEANL	USBN2	9.18	60.19	21.78	47.50	5.26		
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3			UEANL	USBN2	16.29	60.19	21.78	47.50	5.26		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC	9.00	9.00					
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1			UEANL	USBN4	7.37	68.83	30.42	49.71	6.60		
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2			UEANL	USBN4	10.47	68.83	30.42	49.71	6.60		
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3			UEANL	USBN4	18.58	68.83	30.42	49.71	6.60		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC	9.00	9.00					
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC	9.00	9.00					
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-			UEANL	USBR4	9.37	55.91	17.51	49.71	6.60		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEANL	USBMC	9.00	9.00					
Loop Testing - Basic 1st Half Hour				UEANL	URETA	23.95	23.95					
Loop Testing - Basic Additional Half Hour				UEF	UCSX	5.15	60.19	21.78	47.50	5.26		
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1			UEF	UCSX	7.31	60.19	21.78	47.50	5.26		
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2			UEF	UCSX	12.98	60.19	21.78	47.50	5.26		
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3			UEF	UCSX							
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEF	USBMC	9.00	9.00					
Loop Testing - Basic 1st Half Hour				UEF	URETA	48.65	48.65					
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60		
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2		UEF	UCS4X	7.61	68.83	30.42	49.71	6.60		
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3		UEF	UCS4X	13.51	68.83	30.42	49.71	6.60		
Order Coordination for Unbundled Sub-Loops, per sub-loop pair				UEF	USBMC	9.00	9.00					
Loop Testing - Basic Additional Half Hour				UEF	URETA	23.95	23.95					
Unbundled Network Terminating Wire (UNTW) per Pair				UENTW	UEIPP	0.4572	18.02					
Network Interface Device (NID)				UENTW	UND12	71.49	48.87					
Network Interface Device (NID) - 1-2 lines				UENTW	UND16	113.89	89.07					
Network Interface Device Cross Connect - 2 W				UENTW	UND22	7.63	7.63					
Network Interface Device Cross Connect - 4 W				UENTW	UND24	7.63	7.63					
UNE OTHER, PROVISIONING ONLY - NO RATE				UENTW	UNDBX	0.00	0.00					
NID - Dispatch and Service Order for NID installation				UENTW	UENCE	0.00	0.00					
UNTW Circuit Id Establishment, Provisioning Only - No Rate				UEANL, UEF, UEQJ, ENTW	UNEQN	0.00	0.00					
UNE OTHER, PROVISIONING ONLY - NO RATE												

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Ex A.										
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Rec	First	Nonrecurring Add'l	First	Nonrecurring Disconnect	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
															SOMEc	SOMAN	SOMEc	SOMAN	SOMEc	SOMAN
							UAI, UCL, UDC, UDL, UDN, UEA, UHL, USL UNEZN	0.00	0.00											
	Unbundled Contact Name Provisioning Only - no rate																			
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate						UEA, UDN, UCL, UDC UESFQ	0.00	0.00											
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate						UEA, USI, UCL, UDL UESFR USL CGCSF	0.00	0.00											
	Unbundled DS1 Loop - Superframe Format Option - no rate						USL CCEOF	0.00	0.00											
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate																			
<b>HIGH CAPACITY UNBUNDLED LOCAL LOOP</b>	High Capacity Unbundled Local Loop - DS3 - Per Mile per month						UE3	1L5ND	10.92											
	High Capacity Unbundled Local Loop - DS3 - Facility						UE3	UE3PX	386.88	639.8255	394.4615	159.9985	111.366							
	Termination per month						UDLSX	1L5ND	10.92											
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month						UDLSX	UDLS1	426.60	639.8255	394.4615	159.9985	111.366							
	High Capacity Unbundled Local Loop - STS-1 - Facility																			
	Termination per month																			
<b>LOOP MAKE-UP</b>	Loop Make-up - Preorderng Without Reservation, per working or spare facility queried (Manual)						UMK	UMKLW		52.17	52.17									
	Loop Make-up Preorderng With Reservation, per spare facility queried (Manual)						UMK	UMKLWP		5.07	5.07									
	Loop Make-up -With or Without Reservation, per working or spare facility queried (Mechanized)						UMK	UMRMO		0.6784	0.6784									
<b>LINE SPLITTING</b>																				
<b>END USER ORDERING-CENTRAL OFFICE BASED</b>																				
	Line Splitting - per line activation DLEC owned splitter						UEPSR UEPBSB UEPSR UEPBSB UEPSR UEPBSB	UREOS UREBP UREBV	0.61 0.61 1.134	29.68 29.68 21.28	21.28 21.28 19.57	19.57 19.57 9.61								
	Line Splitting - per line activation BST owned - physical																			
	Line Splitting - per line activation BST owned - virtual																			
<b>MAINTENANCE OF SERVICE</b>																				
	NOTE The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff Section 13.3.1 as applicable																			
	No Trouble Found -ter 1/2 hour increments - Basic									80.00	55.00									
	No Trouble Found -per 1/2 hour increments - Overtime									90.00	65.00									
	No Trouble Found - Per 1/2 hour increments - Premium									100.00	75.00									
<b>UNBUNDLED DEDICATED TRANSPORT</b>																				
<b>INTEROFFICE CHANNEL - DEDICATED TRANSPORT</b>																				
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month						U1TVX	1L5XX	0.091											
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade - Facility Termination						U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03							
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month						U1TVX	1L5XX	0.091											
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Rev Bat - Per Mile per month						U1TVX	U1T4	22.58	47.35	31.78	18.31	7.03							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month						U1TDX	1L5XX	0.091											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination						U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month						U1TDX	1L5XX	0.091											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination						U1TDX	U1TDS	18.44	47.35	31.78	18.31	7.03							

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Rec		Nonrecurring		Nonrecurring Disconnect		Attachment 2 Ex A			
								First	Add'l	First	Add'l	SOMECA	SOMAN	SOMECA	SOMAN	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	11.5XX	0.1856											
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1T03	11.5XX	3.87											
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination, per month			U1T03	U1TF3	1,071.00	335.46	219.28	72.03	70.56							
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	11.5XX	3.87											
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56							
<b>DARK FIBER</b>																	
	Dark Fiber: Four Fiber Strands, Per Route Mile or Fraction Thereof, per month - Local Channel			UDF_UDFCX	11.5DC	53.87											
	Dark Fiber: Four Fiber Strands, Per Route Mile or Fraction Thereof, per month - Interoffice Channel			UDF_UDFCX	11.5DF	26.85											
	NRC Dark Fiber - Interoffice Channel			UDF_UDFCX	UDF14	751.34		133.88	356.21	230.11							
	Dark Fiber: Four Fiber Strands, Per Route Mile or Fraction Thereof, per month - Local Loop			UDF_UDFCX	11.5DL	53.87											
<b>8XX ACCESS TEN DIGIT SCREENING</b>																	
	8XX Access Ten Digit Screening, Per Call						00006252										
								00006252									
									00006252								
										00006252							
											00006252						
												00006252					
													00006252				
<b>LINE INFORMATION DATA BASE ACCESS (LIDB)</b>																	
	LIDB Common Transport Per Query																
	LIDB Validation Per Query																
	LIDB Originating Point Code Establishment or Change																
<b>CALLING NAME (CNAM) SERVICE</b>																	
	CNAM for DB Owners, Per Query																
	CNAM for Non DB Owners, Per Query																
<b>LNP Query Service</b>																	
	LNP Charge Per query																
	LNP Service Establishment Manual																
	LNP Service Provisioning with Point Code Establishment																
<b>SELECTIVE ROUTING</b>																	
	Selective Routing PEr Unique Line Class Code Per Request Per Switch																
<b>VIRTUAL COLLOCATION</b>																	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting																
<b>AIN SELECTIVE ROUTING</b>																	
	Regional Service Establishment																
	End Office Establishment																
	Query NRC per query																
<b>AIN BELLSOUTH AN SMS ACCESS SERVICE</b>																	
	AIN SMS Access Service - Service Establishment, Per State Initial Setup																
	AIN SMS Access Service - Port Connection - Dial/Shared Access																
	AIN SMS Access Service - User Identification Codes - Per User ID Code																

CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	
							Rec	First Add'l	Nonrecurring	Nonrecurring Disconnect
						Svc Order Submitted Elec per LSR	Manually Submitted Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
AIN SMS Access Service - Security Card Per User ID Code Initial or Replacement	A1N			CAMRC		75.10	75.10	12.93	12.93	
AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0038					
AIN SMS Access Service - Session Per Minute					0.7809					
AIN SMS Access Service - Company Performed Session Per Minute					0.4609					
SIGNALING (CCS7)	CCS7 Signaling Usage Per TCAP Message					0.000607				
ENHANCED EXTENDED LINK (EEL) s	CCS7 Signaling Usage, Per SIP Message					0.0000152				
<b>NOTE:</b> The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements										
<b>2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>										
2-Wire VG Loop, (SL2) in Combination - Zone 1	1	UNCVX		UEAL2		12.24	127.59	60.54	42.79	2.81
2-Wire VG Loop, (SL2) in Combination - Zone 2	2	UNCVX		UEAL2		17.40	127.59	60.54	42.79	2.81
2-Wire VG Loop, (SL2) in Combination - Zone 3	3	UNCVX		UEAL2		30.87	127.59	60.54	42.79	2.81
Voice Grade COCI - Per Month		UNCVX		1D1VG		1.38	10.07	7.08		
<b>4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>										
4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX		UEAL4		18.89	127.59	60.54	42.79	2.81
4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX		UEAL4		26.34	127.59	60.54	42.79	2.81
4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX		UEAL4		47.62	127.59	60.54	42.79	2.81
Voice Grade COCI in Combination - per month		UNCVX		1D1VG		1.38	10.07	7.08		
<b>4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>										
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX		UDL56		22.20	127.59	60.54	42.79	2.81
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX		UDL56		31.56	127.59	60.54	42.79	2.81
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX		UDL56		55.99	127.59	60.54	42.79	2.81
OC1-DP COCI (data) per month (2.4-64kbs)		UNCDX		UD1DD		2.10	10.07	7.08		
<b>4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>										
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX		UDL64		22.20	127.59	60.54	42.79	2.81
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX		UDL64		31.56	127.59	60.54	42.79	2.81
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX		UDL64		55.99	127.59	60.54	42.79	2.81
OC1-DP COCI (data) in combination - per month (2.4-64kbs)		UNCDX		UD1DD		2.10	10.07	7.08		
<b>2-WIRE ISDN LOOP FOR USE IN COMBINATION</b>										
2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX		U112X		19.28	127.59	60.60	42.79	2.81
2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX		U112X		21.40	127.59	60.60	42.79	2.81
2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX		U112X		48.62	127.59	60.60	42.79	2.81
2-wire ISDN COCI (BRI TE) in combination - per month		UNCNX		UC1ICA		3.66	10.07	7.08		
<b>4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION</b>										
4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNCIX		USLXX		70.74	217.75	121.62	51.44	14.45
4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNCIX		USLXX		100.54	217.75	121.62	51.44	14.45
4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNCIX		USLXX		178.39	217.75	121.62	51.44	14.45
DS1 COCI in combination per month		UNCIX		UC1D1		13.76	10.07	7.08		
<b>2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>										
Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCIX		1L5XX	0.0091					
Interoffice Transport - 4-wire VG - Dedicated - Facility		UNCIX		UTV4	22.58	94.70	52.59	50.49	21.53	
<b>DS1 INTEROFFICE TRANSPORT FOR COMBINATION</b>										
DS1 INTEROFFICE TRANSPORT - Dedicated - DS1 combination - Per Mile per month		UNC1X		1L5XX	0.1856					
DS1 INTEROFFICE TRANSPORT - Dedicated - DS1 combination - Facility		UNC1X		UTF1	88.44	174.46	122.46	45.61	17.85	
<b>DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>										

CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		Attachment 2 Ex B		OSS Rates (\$)
							Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3.87					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56	
<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>				UNC5X	1L5XX	3.87					
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNC5X	U1TF3	1,056.00	314.45	130.88	38.60	18.23	
	Termination per month			UNC5X	U1TF3	1,056.00	314.45	130.88	38.60	18.23	
<b>4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>				UNC5X	UDL56	22.20	127.59	60.54	42.79	2.81	
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC5X	UDL56	31.56	127.59	60.54	42.79	2.81	
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC5X	UDL56	55.99	127.59	60.54	42.79	2.81	
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC5X	UDL56	60.54	127.59	60.54	42.79	2.81	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNC5X	U1TD5	0.0091					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNC5X	U1TD5	18.44	94.70	52.59	50.49	21.53	
<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>				UNC5X	UDL64	22.20	127.59	60.54	42.79	2.81	
	4-wire 64 kbps Local Loop in Combination - Zone 1	1		UNC5X	UDL64	31.56	127.59	60.54	42.79	2.81	
	4-wire 64 kbps Local Loop in Combination - Zone 2	2		UNC5X	UDL64	55.99	127.59	60.54	42.79	2.81	
	4-wire 64 kbps Local Loop in Combination - Zone 3	3		UNC5X	UDL64	60.54	127.59	60.54	42.79	2.81	
	Interoffice transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNC5X	U1TD6	0.0091					
<b>4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>				UNC5X	UDL56	22.20	127.59	60.54	42.79	2.81	
	4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC5X	UDL56	31.56	127.59	60.54	42.79	2.81	
	4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC5X	UDL56	55.99	127.59	60.54	42.79	2.81	
	4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC5X	UDL56	60.54	127.59	60.54	42.79	2.81	
	Interoffice transport - Dedicated - DS1 combination - Per Mile per month			UNC5X	U1TD6	18.44	94.70	52.59	50.49	21.53	
	Termination per month			UNC5X	U1TD6	0.0091					
<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>				UNC5X	UDL64	22.20	127.59	60.54	42.79	2.81	
	4-wire 64 kbps Local Loop in combination - Zone 1	1		UNC5X	UDL64	31.56	127.59	60.54	42.79	2.81	
	4-wire 64 kbps Local Loop in combination - Zone 2	2		UNC5X	UDL64	55.99	127.59	60.54	42.79	2.81	
	4-wire 64 kbps Local Loop in combination - Zone 3	3		UNC5X	UDL64	60.54	127.59	60.54	42.79	2.81	
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNC5X	U1TD6	0.0091					
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC5X	U1TD6	18.44	94.70	52.59	50.49	21.53	
<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>				UNC5X	U1TD6	0.0091					
	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC5X	USLXX	70.74	217.75	121.62	51.44	14.45	
	4-Wire DS1 Digital Loop in Combination - Zone 2	2		UNC5X	USLXX	100.54	217.75	121.62	51.44	14.45	
	4-Wire DS1 Digital Loop in Combination - Zone 3	3		UNC5X	USLXX	178.39	217.75	121.62	51.44	14.45	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC5X	U1TF1	0.1856					
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC5X	U1TF1	88.44	174.46	122.46	45.61	17.95	
<b>DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>				UNC5X	1L5ND	12.258					
	DS3 Local Loop in combination - per mile per month			UNC5X	UE3PX	444.912	639.8255	394.4615	159.9995	111.3636	
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC5X	U1TF3	1,071.00	35.46	219.28	72.03	70.56	
<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>				UNC5X	1L6ND	12.558					
	STS-1 Local Loop in combination - per mile per month			UNC5X							

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Rec	Nonrecurring Audit	Nonrecurring Disconnect Add'l	Attachment 2 Ex A		
					First	First				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	OSS Rates (\$)
	STS-1 Local Loop in combination - Facility Termination per month		UNCSX	UDLS1	490.59	639.0255	394.4815	159.9995	111.366			
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNCSX	1L5XX	3.87							
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCSX	U1TFS	1,056.00	314.45	130.88	36.60	18.23			
<b>ADDITIONAL NETWORK ELEMENTS</b>												
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply											
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)											
	Nonrecurring Currently Combined Network Elements Switch As Is Charge - 2-wire/4-Wire VG											
	Optional Features & Functions											
	Clear Channel Capability Extended Frame Option - per DS1	I	ULDDI,UNC1X	CCDEF		0.00	0.00	0.00	0.00			
	Clear Channel Capability Super Framed Option - per DS1	I	ULDDI,UNC1X	CCOSF		0.00	0.00	0.00	0.00			
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity per DS1	I	ULDDI,UTDI,UNC1X,USL	NRCCC		184.92	23.82	2.07	0.90			
	C-bit Party Option - Subsequent Activity - per DS3	I	UTD3,ULDD3,UE3,UNC3X	NRCC3		219.09	7.67	0.773	0.00			
<b>MULTIPLEXERS</b>												
	DS1 to DS0 Channel System per month		UNC1X	MQ1	146.77	101.42	71.62					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-484kbs) used for a Local Loop		UDL	1D1DD	2.10	10.07	7.08					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UT1UD	1D1DD	2.10	10.07	7.08					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop		UDN	UC1CA	3.66	10.07	7.08					
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UT1UB	UC1CA	3.66	10.07	7.08					
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		UEA	1D1VG	1.38	10.07	7.08					
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UT1UC	1D1VG	1.38	10.07	7.08					
	DS3 to DS1 Channel System per month		UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07			
	DS1 to DS1 Channel System per month		UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07			
	DS1 COCI used with Loop per month		USL	UC1D1	13.76	10.07	7.08					
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month		UT1UA	UC1D1	13.76	10.07	7.08					
	DS1 COCI used with Interoffice Channel per month		UT1TB	UC1D1	13.76	10.07	7.08					
	DS3 interface Unit (DS1 COCI) used with Local Channel per month		UD0D1	UC1D1	13.76	10.07	7.08					
	<b>COMMINGLING</b>											
	UE3,UDLSX,UNCDX,UNCSX,UNC1X,UNC3X,UTD1,UTD3,U1TDX,U1TS1,U1TUB,U1TVX,CMSGAU											
<b>UNBUNDLED LOCAL EXCHANGE SWITCHING PORTS</b>												
	The Exchange Switching Port Rates Reflected Here Apply to Embedded Basic Switching Ports as of March 10, 2005 and consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO Exchange Ports											
	Commencing Authorization											

CATEGORY	RATE ELEMENTS	Intern	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)							
							Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l								
<b>NOTE: Although the Port Rate includes all available features in GA, KY, LA &amp; TN, the desired features will need to be ordered using retail USOCs</b>																
<b>2-WIRE VOICE GRADE LINE PORT RATES (RES)</b>																
Exchange Ports - 2-Wire Analog Line Port - Res				UEPSR	UEPRL	2.40	3.74	3.63	1.88							
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res				UEPSR	UEPRC	2.40	3.74	3.63	1.88							
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res				UEPSR	UEPRO	2.40	3.74	3.63	1.88							
Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res				UEPSR	UEPAF	2.40	3.74	3.63	1.88							
Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability				UEPSR	UEPA9	2.40	3.74	3.63	1.88							
Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREAT and Caller ID				UEPSR	UEPA1	2.40	3.74	3.63	1.88							
Exchange Ports - 2-Wire VG unbundled Florida extended dialed port for use with CREAT without Caller ID capability				UEPSR	UEPAB	2.40	3.74	3.63	1.88							
Exchange Ports - 2-Wire VG unbundled res. low usage line port with Caller ID (LUM)				UEPSR	UEPAP	2.40	3.74	3.63	1.88							
2-Wire voice unbundled Low Usage Line Port without Caller ID Capability				UEPSR	UEPRT	2.40	3.74	3.63	1.88							
Subsequent Activity				UEPSR	UEASC	0.00	0.00	0.00	0.00							
<b>FEATURES</b>																
<b>All Available Vertical Features</b>																
<b>2-WIRE VOICE GRADE LINE PORT RATES (BUS)</b>																
Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus				UEPSB	UEPBL	2.40	3.74	3.63	1.88							
Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-ID484 ID - Bus				UEPSB	UEPBC	2.40	3.74	3.63	1.88							
Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus				UEPSB	UEPBO	2.40	3.74	3.63	1.88							
Exchange Ports - 2-Wire VG unbundled Incoming only port with Caller ID - Bus				UEPSB	UEPB1	2.40	3.74	3.63	1.88							
2-Wire voice unbundled Incoming Only Port without Caller ID Capability				UEPSB	UEPBE	2.40	3.74	3.63	1.88							
Subsequent Activity				UEPSB	UEASC	0.00	0.00	0.00	0.00							
<b>FEATURES</b>																
<b>All Available Vertical Features</b>																
<b>EXCHANGE PORT RATES (ID &amp; PBX)</b>																
2-Wire VG Unbundled 2-Way PBX Trunk - Res				UEPSE	UEPRD	2.40	39.06	18.18	12.35							
2-Wire VG Line Subt Unbundled 2-Way PBX Trunk - Bus				UEPSP	UEPPC	2.40	39.06	18.18	12.35							
2-Wire VG Line Subt Unbundled Outbound PBX Trunk - Bus				UEPSP	UEPO	2.40	39.06	18.18	12.35							
2-Wire VG Line Subt Unbundled Incoming PBX Trunk - Bus				UEPSP	UEPP1	2.40	39.06	18.18	12.35							
2-Wire Analog Long Distance Terminal PBX Trunk - Bus				UEPSP	UEPLD	2.40	39.06	18.18	12.35							
2-Wire Voice Unbundled PBX LD Terminal Ports				UEPSP	UEPLD	2.40	39.06	18.18	12.35							
2-Wire Voice Unbundled 2-Way PBX Usage Port				UEPSP	UEPXA	2.40	39.06	18.18	12.35							
2-Wire Voice Unbundled PBX call Terminal Hotel Ports				UEPSP	UEPX8	2.40	39.06	18.18	12.35							
2-Wire Voice Unbundled PBX LD Terminals Port				UEPSP	UEPXC	2.40	39.06	18.18	12.35							
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port				UEPSP	UEPXD	2.40	39.06	18.18	12.35							
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port				UEPSP	UEPXE	2.40	39.06	18.18	12.35							
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port				UEPSP	UEPXL	2.40	39.06	18.18	12.35							
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port				UEPSP	UEPXM	2.40	39.06	18.18	12.35							
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port				UEPSP	UEP XO	2.40	39.06	18.18	12.35							
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port				UEPSP	UEPXS	2.40	39.06	18.18	12.35							
Subsequent Activity				UEPSP	UEASC	0.00	0.00	0.00	0.00							
<b>FEATURES</b>																
<b>All Available Vertical Features</b>																

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)			Attachment 2 Ex-A		
							Rec	First Add'l	Nonrecurring	First Add'l	Nonrecurring	OSS Rates (\$)
<b>NOTE:</b> Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission through BFR/New Business Request Process.												
<b>2-WIRE VOICE GRADE LINE PORT RATES (IDN-BRI)</b>							UEPEx	UEPP2	9.73	78.41	15.82	41.94
Exchange Ports - 2-Wire DID Port												4.26
<b>2-WIRE VOICE GRADE LINE PORT RATES (ISDN-BRI)</b>							UEPTX, UEPSX	U1PMA	8.63	46.93	50.88	27.64
Exchange Ports - 2-Wire ISDN Port (See Notes below)							UEPTX, UEPSX	UEPVF	2.26	0.00	0.00	11.93
All Features Offered							UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	
Exchange Ports - 2-Wire ISDN Port - Channel Profiles												
<b>NOTE: Access to B, Channel C or D Channel Packet capabilities will be available only through BFR/New Business Request Process.</b>												
<b>NOTE: Access to B, Channel C or D Channel Packet capabilities will be available only through BFR/New Business Request Process.</b>												
<b>UNBUNDLED REMOTE CALL FORWARDING CAPABILITY</b>												
Unbundled Remote Call Forwarding Service, Area Calling, Res							UEPVR	UERAC	2.40	3.74	3.63	1.88
												1.80
Unbundled Remote Call Forwarding Service, Local Calling, Res							UEPVR	UERIC	2.40	3.74	3.63	1.88
Unbundled Remote Call Forwarding Service, InterATA - Res							UEPVR	UERTE	2.40	3.74	3.63	1.88
Unbundled Remote Call Forwarding Service, IntraATA - Res							UEPVR	UERTR	2.40	3.74	3.63	1.88
Non-Recurring												
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is							UEPVR	USAC2		0.102	0.102	
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)							UEPVR	USACC		0.102	0.102	
<b>UNBUNDLED REMOTE CALL FORWARDING - BUS</b>												
Unbundled Remote Call Forwarding Service, Area Calling - Bus							UEPVB	UERAC		3.74	3.63	1.88
												1.80
Unbundled Remote Call Forwarding Service, Local Calling - Bus							UEPVB	UERIC		3.74	3.63	1.88
Unbundled Remote Call Forwarding Service, InterATA - Bus							UEPVB	UERTE		3.74	3.63	1.88
Unbundled Remote Call Forwarding Service, IntraATA - Bus							UEPVB	UERTR		3.74	3.63	1.88
Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling							UEPVB	UERVJ		3.74	3.63	1.88
Non-Recurring												
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is							UEPVB	USAC2		0.102	0.102	
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)							UEPVB	USACC		0.102	0.102	
<b>UNBUNDLED LOCAL SWITCHING, PORT USAGE</b>												
End Office Switching (Port Usage)												
End Office Switching Function, Per MOU												
End Office Trunk Port - Shared - Per MOU									0.0007662			
Tandem Switching Function (Local or Access Tandem)									0.000164			
Tandem Trunk Port - Shared - Per MOU												
Tandem Switching Function Per MOU (Melded)									0.0001319			
Tandem Trunk Port - Shared - Per MOU (Melded)									0.000235			
Melded Factor 20.61% of the Tandem Rate									0.00027185			
Common Transport - Per Mile Per MOU									0.000048434			
Common Transport - Facilities Termination Per MOU												
<b>UNBUNDLED PORTLOOP COMBINATIONS - COST BASED RATES</b>												
>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports												
>The UNEP Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNEPs as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO												
>Features shall apply to the Unbundled PortLoop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.												
>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin PortLoop Combinations												

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		Attachment 2 Ex B							
							Rec	Nonrecurring	First	Add'l	OSS Rates (\$)					
<b>&gt;The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined sections</b>																
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)</b>																
UNE Port/Loop Combination Rates							Svc Order Submitted Elec per LSR	Incremnetal Charge - Manual Svc Order vs Electronic - Disc Add'l	Incremnetal Charge - Manual Svc Order vs Electronic - Disc 1st							
2-Wire VG Loop/Port Combo - Zone 1																
2-Wire VG Loop/Port Combo - Zone 2																
2-Wire VG Loop/Port Combo - Zone 3																
UNE Loop Rates																
2-Wire Voice Grade Loop (SL1) -Zone 1				1	UEPRX	UEPRX	2.17	53.31	26.46	27.50						
2-Wire Voice Grade Loop (SL1) -Zone 2				2	UEPRX	UEPRX	2.17	53.31	26.46	27.50						
2-Wire Voice Grade Loop (SL1) -Zone 3				3	UEPRX	UEPRX	2.17	53.31	26.46	27.50						
2-Wire Voice Grade Line Port Rates (Res)																
2-Wire voice unbundled port, residence					UEPRX	UEPRX	2.17	53.31	26.46	27.50						
2-Wire voice unbundled port with Caller ID - res					UEPRX	UEPRO	2.17	53.31	26.46	27.50						
2-Wire voice unbundled Florida Area Calling with Caller ID - res					UEPRX	UEPRX	2.17	53.31	26.46	27.50						
2-Wire voice unbundles res, low usage line port with Caller ID (LUM)					UEPRX	UEPAP	2.17	53.31	26.46	27.50						
2-Wire voice unbundled Florida extended dialing with Caller ID					UEPRX	UEPA1	2.17	53.31	26.46	27.50						
2-Wire voice unbundled Florida extended dialing port without Caller ID capability					UEPRX	UEPA8	2.17	53.31	26.46	27.50						
2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability					UEPRX	UEPA9	2.17	53.31	26.46	27.50						
2-Wire voice unbundled Low Usage Line Port without Caller ID Capability					UEPRX	UEPRT	2.17	53.31	26.46	27.50						
FEATURES					UEPRX	UEPVF	2.26	0.00	0.00							
All Features Offered					UEPRX	UEPVF	2.26	0.00	0.00							
<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>																
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is					UEPRX	USAAC2	0.102	0.102								
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change					UEPRX	USAACC	0.102	0.102								
2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service					UEPRX	URECC	0.102									
ADDITIONAL NRCS					UEPRX	USAS2	0.00	0.00								
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity					UEPRX	USAS2	0.00	0.00								
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise					UEPRX	URETL	8.33	0.83								
OFFICE PREMISES EXTENSION CHANNELS					UEPRX	UEAEN	10.69	49.57	22.83	26.62						
2-Wire Analog Voice Grade Extension Loop - Non-Design	1				UEPRX	UEAEN	15.20	49.57	22.83	26.62						
2-Wire Analog Voice Grade Extension Loop - Non-Design	2				UEPRX	UEAEN	26.97	49.57	22.83	26.62						
2-Wire Analog Voice Grade Extension Loop - Design	3				UEPRX	UEAED	12.24	135.75	82.47	63.53						
2-Wire Analog Voice Grade Extension Loop - Design	1				UEPRX	UEAED	17.40	135.75	82.47	63.53						
2-Wire Analog Voice Grade Extension Loop - Design	2				UEPRX	UEAED	30.87	135.75	82.47	63.53						
INTEROFFICE TRANSPORT					UEPRX	UITV2	25.32	47.35	31.78							
Interoffice Transport - Dedicated - 2 Wire Voice Grade Facility Termination					UEPRX	UITVM	0.0091	0.00	0.00							
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile					UEPRX	UITVM	0.0091	0.00	0.00							
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)</b>																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/Port Combo - Zone 1																
2-Wire VG Loop/Port Combo - Zone 2																
2-Wire VG Loop/Port Combo - Zone 3																
UNE Loop Rates																

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Rec	Nonrecurring First	Nonrecurring Add'l	Attachment 2 Ex A	OSS Rates (\$)
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPBX	UEPILX	9.77							
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPBX	UEPLX	13.88							
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPBX	UEPLX	24.63							
	2-Wire Voice Grade Line Port (Bus)											
	2-Wire voice unbundled port without Caller ID - bus		UEPBX	UEPBL	2.17	53.31	26.46	27.50	8.37			
	2-Wire voice unbundled port with Caller ID - bus		UEPBX	UEPBC	2.17	53.31	26.46	27.50	8.37			
	2-Wire voice unbundled port outgoing only - bus		UEPBX	UEPBQ	2.17	53.31	26.46	27.50	8.37			
	2-Wire voice unbundled incoming only port with Caller ID - Bus Capability		UEPBX	UEPB1	2.17	53.31	26.46	27.50	8.37			
FEATURES	All Features Offered		UEPBX	UEPBE	2.17	53.31	26.46	27.50	8.37			
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED		UEPBX	UEPVF	2.26	0.00	0.00					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX	USAC2		0.102	0.102					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX	USACC		0.102	0.102					
ADDITIONAL NRCS	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPBX	USAS2		0.00	0.00					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPBX	URETL		8.33	0.83					
	OFF-ON PREMISES EXTENSION CHANNELS											
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57			
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57			
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57			
	2 Wire Analog Voice Grade Extension Loop - Design	1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01			
	2 Wire Analog Voice Grade Extension Loop - Design	2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01			
	2 Wire Analog Voice Grade Extension Loop - Design	3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01			
INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPBX	UJTV2	25.32	47.35	31.78					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPBX	UTVM	0.0091	0.00	0.00					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)											
	UNE Port/Loop Combination Rates											
	2-Wire VG Loop/Port Combo - Zone 1											
	2-Wire VG Loop/Port Combo - Zone 2											
	2-Wire VG Loop/Port Combo - Zone 3											
	UNE Loop Ratios											
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEPRG	UEPILX	9.77							
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEPRG	UEPLX	13.88							
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEPRG	UEPLX	24.63							
	2-Wire Voice Grade Line Port Rates (RES - PBX)											
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRD	2.17	174.81	100.65	75.88	12.73			
FEATURES	All Features Offered		UEPRG	UEPVF	2.26	0.00	0.00					
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED											
	2-Wire Voice Grade Loop / Line Port Combination (PBX) - Conversion - Switch-As-is		UEPRG	USAC2		8.45	1.91					
	2-Wire Voice Grade Loop / Line Port Combination (PBX) - Conversion - Switch with Change		UEPRG	USACC		8.45	1.91					
ADDITIONAL NRCS	2-Wire Voice Grade Loop / Line Port Combination (PBX) - Subsequent Activity		UEPRG	USAS2	0.00	0.00						
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group					7.86	7.86					

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Attachment 2 Ex A		
						Rec	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic	Incremental Charge - Manual Svc Order vs Electronic Disc 1st
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise					UEPRG	URETL	8.33	0.83		
<b>OFF/ON PREMISES EXTENSION CHANNELS</b>											
Local Channel Voice Grade, per termination	1	UEPRG	P21HX	12.24	135.75	82.47	63.53	12.01			
Local Channel/Voice grade, per termination	2	UEPRG	P21HX	17.40	135.75	82.47	63.53	12.01			
Local Channel/Voice grade, per termination	3	UEPRG	P21HX	30.87	135.75	82.47	63.53	12.01			
Non-Wire Direct Service Channel Voice Grade	1	UEPRG	SD02X	12.92	120.38	43.56	55.00	10.54			
Non-Wire Direct Service Channel Voice Grade	2	UEPRG	SD02X	18.36	120.38	43.56	55.00	10.54			
Non-Wire Direct Service Channel Voice Grade	3	UEPRG	SD02X	32.58	120.38	43.56	55.00	10.54			
<b>INTEROFFICE TRANSPORT</b>											
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Facility Termination		UEPRG	U11V2	25.32	47.35	31.78					
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPRG	U11VM	0.0091	0.00	0.00					
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BIS - PBX)</b>											
<b>UNE Port/Loop Combination Rates</b>											
2-Wire VG Loop/Port Combo - Zone 1							11.94				
2-Wire VG Loop/Port Combo - Zone 2							16.05				
2-Wire VG Loop/Port Combo - Zone 3							26.80				
<b>UNE Loop Rates</b>											
2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPIX	9.77							
2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPIX	13.88							
2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPIX	24.63							
<b>2-Wire Voice Grade Line Port Rates (BIS - PBX)</b>											
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	2.17	174.81	100.65	75.88	12.73			
Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	2.17	174.81	100.65	75.88	12.73			
Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPPI	2.17	174.81	100.65	75.88	12.73			
2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	2.17	174.81	100.65	75.88	12.73			
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	2.17	174.81	100.65	75.88	12.73			
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	2.17	174.81	100.65	75.88	12.73			
2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	2.17	174.81	100.65	75.88	12.73			
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	2.17	174.81	100.65	75.88	12.73			
Capable Port		UEPPX	UEPXE	2.17	174.81	100.65	75.88	12.73			
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	2.17	174.81	100.65	75.88	12.73			
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	2.17	174.81	100.65	75.88	12.73			
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEP XO	2.17	174.81	100.65	75.88	12.73			
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	2.17	174.81	100.65	75.88	12.73			
<b>FEATURES</b>											
All Features Offered		UEPPX	UEPVF	2.26	0.00	0.00					
<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>											
2-Wire Voice Grade Loop / Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPPX	USAS2	0.00	0.00	0.00					
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group							7.86	7.86			
Unbundled Miscellaneous Rate Element Tag Loop at End User Premise		UEPPX	UREL								
<b>OFF/ON PREMISES EXTENSION CHANNELS</b>											
Local Channel Voice Grade, per termination	1	UEPPX	P21HX	12.24	135.75	82.47	63.53	12.01			
Local Channel Voice Grade, per termination	2	UEPPX	P21HX	17.40	135.75	82.47	63.53	12.01			

CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	
							Rec	Nonrecurring Add'l	First	Nonrecurring Add'l
	Local Channel Voice Grade, per termination	3		UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01
	Non-Wire Direct Serve Channel Voice Grade	1		UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54
	Non-Wire Direct Serve Channel Voice Grade	2		UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54
	Non-Wire Direct Serve Channel Voice Grade	3		UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54
<b>INTEROFFICE TRANSPORT</b>										
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	25.32	47.35	31.78		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.0091	0.00	0.00		
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT</b>										
	UNE Port/Loop Combination Rates									
	2-Wire VG Coin Port/Loop Combo - Zone 1						11.94			
	2-Wire VG Coin Port/Loop Combo - Zone 2						16.05			
	2-Wire VG Coin Port/Loop Combo - Zone 3						26.80			
<b>UNE Loop Rates</b>										
	2-Wire Voice Grade Loop (SL1) - Zone 1			UEPCO	UEPIX	9.77				
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPCO	UEPIX	13.88				
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPIX	24.63				
<b>2-Wire Voice Grade Line Ports (COIN)</b>										
	2-Wire Coin 2-Way with Operator Screening and Blocking 911, 900/976 1+DDD (FL)			UEPCO	UEP2F	2.17	53.31	26.46	27.50	8.37
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEFA	2.17	53.31	26.46	27.50	8.37
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	2.17	53.31	26.46	27.50	8.37
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEFRK	2.17	53.31	26.46	27.50	8.37
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, (FL)			UEPCO	UEFOF	2.17	53.31	26.46	27.50	8.37
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	2.17	53.31	26.46	27.50	8.37
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEFCX	2.17	53.31	26.46	27.50	8.37
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.17	53.31	26.46	27.50	8.37
<b>ADDITIONAL UNE COIN PORT/LOOP (RC)</b>										
	UNE Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00
<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAAC2		0.102	0.02		
	2-Wire Voice Grade Loop / Line Port Combination -- Conversion - Switch with change			UEPCO	USAAC		0.102	0.102		
<b>ADDITIONAL NRCs</b>										
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Actuity, Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPCO	USAAS2		0.00	0.00		
<b>2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2WIRE LINE PORT (RES)</b>				UEPCO	URETL		8.33	0.83		
<b>UNE Port/Loop Combination Rates</b>										
	2-Wire VG Loop/O Transport/Port Combo - Zone 1						14.64			
	2-Wire VG Loop/O Transport/Port Combo - Zone 2						19.80			
	2-Wire VG Loop Rates						33.27			
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	12.24				
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFR	UECF2	17.40				
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	30.87				
	2-Wire Voice Grade Line Port Rates (Res)			UEPFR	UEPRL	2.40	174.81	100.65	75.88	12.73
	2-Wire voice unbundled port - residence			UEPFR	UEPRC	2.40	174.81	100.65	75.88	12.73
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.40	174.81	100.65	75.88	12.73

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Ex A										
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Nonrecurring Audit	First	Nonrecurring Audit	First	OSS Rates (\$)	SVC ORDER SUBMITTED ELECTRICALLY	SVC ORDER SUBMITTED MANUALLY	CHARGE - MANUAL SVC ORDER VS ELECTRONIC ADD'L	INCREMENTAL CHARGE - MANUAL SVC ORDER VS ELECTRONIC DISC ADD'L		
	Rec	Nonrecurring Audit	First				SOMAN	SOMAN	SOMAN				SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
							UEPFR	UEPAF	2.40	174.81	100.65	75.88	12.73							
	2-Wire voice unbundled Florida Area Calling with Caller ID - res (LUM)						UEPFR	UEPAP	2.40	174.81	100.65	75.88	12.73							
<b>INTEROFFICE TRANSPORT</b>							UEPFR	U1TV2	25.32	47.35	31.78									
Termination							UEPFR	U1TV2	25.32	47.35	31.78									
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility or Fraction Mile							UEPFR	1L5XX	0.0091											
<b>FEATURES</b>							UEPFR	UEPVF	2.26	0.00	0.00									
All Features Offered							UEPFR	USAC2		16.97	3.73									
<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>							UEPFR	USACC		16.97	3.73									
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is							UEPFR	URETN		11.21	1.10									
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change							UEPFR	URETN		11.21	1.10									
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise							UEPFR	URETN		11.21	1.10									
<b>2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2WIRE LINE PORT (BUS)</b>																				
<b>UNE Port/Loop Combination Rates</b>																				
2-Wire VG Loop/O Transport/Port Combo - Zone 1												14.64								
2-Wire VG Loop/O Transport/Port Combo - Zone 2												19.80								
2-Wire VG Loop/O Transport/Port Combo - Zone 3												33.27								
<b>UNE Loop Rates</b>																				
2-Wire Voice Grade Loop (SL2) - Zone 1							UEPFB	UECF2	12.24											
2-Wire Voice Grade Loop (SL2) - Zone 2							UEPFB	UECF2	17.40											
2-Wire Voice Grade Loop (SL2) - Zone 3							UEPFB	UECF2	30.87											
<b>2-Wire Grade Line Port (Bus)</b>							UEPFB	UEPBL	2.40	174.81	100.65	75.88	12.73							
2-Wire voice unbundled port without Caller ID - bus							UEPFB	UEPBC	2.40	174.81	100.65	75.88	12.73							
2-Wire voice unbundled port with Caller ID + E464 ID - bus							UEPFB	UEPBO	2.40	174.81	100.65	75.88	12.73							
2-Wire voice unbundled port outgoing only - bus							UEPFB	UEPBO1	2.40	174.81	100.65	75.88	12.73							
<b>INTEROFFICE TRANSPORT</b>																				
Termination							UEPFB	U1TV2	25.32	47.35	31.78									
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility or Fraction Mile							UEPFB	1L5XX	0.0091											
<b>FEATURES</b>							UEPFB	UEPVF	2.26	0.00	0.00									
All Features Offered							UEPFB	UEPVF	2.26	0.00	0.00									
<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>																				
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is							UEPFB	USAC2		16.97	3.73									
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-with-change							UEPFB	USACC		16.97	3.73									
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise							UEPFB	URETN		11.21	1.10									
<b>2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2WIRE LINE PORT (PBX)</b>																				
<b>UNE Port/Loop Combination Rates</b>																				
2-Wire VG Loop/O Transport/Port Combo - Zone 1												14.64								
2-Wire VG Loop/O Transport/Port Combo - Zone 2												19.80								
<b>UNE Loop Rates</b>																				
2-Wire Voice Grade Loop (SL2) - Zone 1							UEPFP	UECF2	12.24											
2-Wire Voice Grade Loop (SL2) - Zone 2							UEPFP	UECF2	17.40											
2-Wire Voice Grade Loop (SL2) - Zone 3							UEPFP	UECF2	30.87											
<b>2-Wire Voice Grade Line Port Rates (SL2 - PBX)</b>																				
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus							UEPFP	UEPC	2.40	174.81	100.65	75.88	12.73							
Line Side Unbundled Outward PBX Trunk Port - Bus							UEPFP	UEPPO	2.40	174.81	100.65	75.88	12.73							

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		Attachment 2 Ex B	
						Rec	First Add'l	Nonrecurring	Disconnect First
						Svc Order Submitted Elec per LSR	Manually per LSR	Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPF	UEPP1	2.40	174.81	100.65	75.88	12.73
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPF	UEPID	2.40	174.81	100.65	75.88	12.73
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPF	UEPKA	2.40	174.81	100.65	75.88	12.73
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPF	UEPKB	2.40	174.81	100.65	75.88	12.73
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPF	UEPKC	2.40	174.81	100.65	75.88	12.73
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPF	UEPKD	2.40	174.81	100.65	75.88	12.73
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPF	UEPKE	2.40	174.81	100.65	75.88	12.73
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPF	UEPKL	2.40	174.81	100.65	75.88	12.73
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPF	UEPKM	2.40	174.81	100.65	75.88	12.73
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPF	UEPKO	2.40	174.81	100.65	75.88	12.73
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPF	UEPKS	2.40	174.81	100.65	75.88	12.73
<b>INTEROFFICE TRANSPORT</b>									
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPPF	U1TV2	25.32	47.35	31.78		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPPF	1L5X	0.0091				
<b>FEATURES</b>									
	All Features Offered		UEPPF	UEPVF	2.26	0.00	0.00		
<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>									
	2-Wire Loop / Dedicated IO / 2 Wire Line Port Combination - Conversion - Switch-as-is		UEPPF	USA2C	16.97	3.73			
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change		UEPPF	USA2C	16.97	3.73			
	Unbundled Miscellaneous Rate Element - Tag Designed Loop at End User Premise		UEPPF	URETN	11.21	1.10			
<b>2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT UNE Port/Loop Combination Rates</b>									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		UEPPX	UEPDI	9.71	214.16	38.29		
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		UEPPX	USA1C					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		UEPPX	USA1C					
<b>UNE Loop Rates</b>									
	2-Wire Analog Voice Grade Loop - (S12) - UNE Zone 1		UEPPX	UECD01	12.24				
	2-Wire Analog Voice Grade Loop - (S12) - UNE Zone 2		UEPPX	UECD01	17.40				
	2-Wire Analog Voice Grade Loop - (S12) - UNE Zone 3		UEPPX	UECD01	30.87				
<b>UNE Port Rate</b>									
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPDI	9.71	214.16	38.29		
<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>									
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		UEPPX	USAS1					
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USAIC					
<b>ADDITIONAL NRCS</b>									
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1					
	Unbundled Miscellaneous Rate Element - Tag Designed Loop at End User Premise		UEPPX	URETN	11.21	1.10			
<b>Telephone Number/Trunk Group Establishment Charges</b>									
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0.00	0.00			
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		UEPPX	ND2	0.00	0.00			
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0.00	0.00			
	DID Numbers Non-consecutive DID Numbers , Per Number Reserve Non-Consecutive DID Numbers		UEPPX	ND5	0.00	0.00			
	Reserve DID Numbers		UEPPX	ND6	0.00	0.00			
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT		UEPPX	NDV	0.00	0.00			
<b>UNE Port/Loop Combination Rates</b>									

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Rec	Nonrecurring Add'l First	Nonrecurring Disconnect Add'l	Attachment 2 Ex A
					First	Svc Order Submitted	Svc Order Submitted Incremental Charge - Manual Svc Order vs Electronic Disc 1st				
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1				23.63						
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2				30.05						
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3				46.84						
<b>UNE Loop Rates</b>											
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15.25				
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67				
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46				
<b>UNE Port Rate</b>											
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPR	UEPPR	8.38	194.52	145.09			
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPB	8.38	194.52	145.09			
<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>											
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00		
<b>ADDITIONAL NRCs</b>											
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.21	1.10		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83		
<b>B-CHANNEL USER PROFILE ACCESS</b>				UEPPB	UEPPR	UIUCA	0.00	0.00	0.00		
	CVSICSD (DMS156SS), CVS (ENSD)			UEPPB	UEPPR	UIUCB	0.00	0.00	0.00		
	CSD			UEPPB	UEPPR	UIUCC	0.00	0.00	0.00		
<b>B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL_KY_LA_MS_SC_MS_&amp; TN)</b>				UEPPB	UEPPR	UIUMA	0.00	0.00	0.00		
<b>USER TERMINAL PROFILE</b>				UEPPB	UEPPR	UEPVF	2.26	0.00	0.00		
<b>VERTICAL FEATURES</b>											
	All Vertical Features - One per Channel B User Profile										
<b>INTEROFFICE CHANNEL MILEAGE</b>											
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	UEPPR	MIGNC	25.3291	47.35	31.78	18.31	7.03
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	MIGNM	0.0091	0.00	0.00		
<b>UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES</b>											
	UNE-P CENTREX - 1AES5 - Valid in AL, FL, GA, KY, LA, MS, & TN only										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo										
	<b>UNE Port/Loop Combination Rates (Non-Design)</b>										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design										
	<b>UNE Port/Loop Combination Rates (Design)</b>										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design										
	<b>UNE Loop Rate</b>										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77					
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13.88					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24.63					
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.24					
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.40					
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.87					

CATEGORY	RATE ELEMENTS	Intern	Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)
								Rec	First Add'l	
							Svc Order Submitted Elec per LSR	Manually Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
<b>UNBUNDLED NETWORK ELEMENTS - Florida</b>										
<b>UNE Ports</b>										
All States (Except North Carolina and Sout Carolina)										
2-Wire Voice Grade Port (Centrex) Basic Local Area				UEP91	UEPYA	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area				UEP91	UEPYB	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area				UEP91	UEPYH	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area				UEP91	UEPYM	2.17	139.49	86.10	65.41	13.81
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area				UEP91	UEPYZ	2.17	139.49	86.10	65.41	13.81
2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area				UEP91	UEPY9	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area				UEP91	UEPY2	2.17	53.31	26.46	27.50	8.37
<b>Georgia and Florida Only</b>										
2-Wire Voice Grade Port (Centrex )				UEP91	UEPHIA	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex 800 termination)				UEP91	UEPHIB	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex with Caller ID)				UEP91	UEPHH	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3				UEP91	UEPHM	2.17	139.49	86.10	65.41	13.81
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term				UEP91	UEPHZ	2.17	139.49	86.10	65.41	13.81
2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEP91	UEPH9	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port Terminated on 800 Service Term				UEP91	UEPH2	2.17	53.31	26.46	27.50	8.37
<b>Local Switching</b>										
Centrex Intercom Functionality per port				UEP91	URECS	0.7384				
<b>Features</b>										
All Standard Features Offered per port				UEP91	UEPVF	2.26				
All Selected Features Offered per port				UEP91	UEPVG	0.00				
All Centrex Control Features Offered per port				UEP91	UEPVIC	2.26				
<b>NARS</b>										
Unbundled Network Access Register - Combination				UEP91	UARCX	0.00	0.00	0.00	0.00	
Unbundled Network Access Register - Indian				UEP91	UARIX	0.00	0.00	0.00	0.00	
Unbundled Network Access Register - Ouidial				UEP91	UAROX	0.00	0.00	0.00	0.00	
<b>Miscellaneous Terminations</b>										
2-Wire Trunk Side										
Trunk Side Terminations; each				UEP91	—CEN46—	—CEN46—	8.73			
Interoffice Channel Mitage - 2-Wire										
Interoffice Channel Facilities Termination - Voice Grade				UEP91	M1GBC	25.32				
Interoffice Channel mileage - per mile or fraction of mile				UEP91	M1GBCM	0.0091.				
Feature Activations (DS0) Centrex Loops on Channellized DS1 Service										
<b>D4 Channel Bank Feature Activations</b>										
Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP91	1PQWS	0.66				
Feature Activation on D-4 Channel Bank FX line Side Loop Slot				UEP91	1PQW6	0.66				
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP91	1PQW7	0.66				
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP91	1PQWP	0.66				
Feature Activation on D-4 Channel Bank Private Line Loop Slot										
Feature Activation on D-4 Channel Bank FX Line@Trunk Loop				UEP91	1PQWV	0.66				
Feature Activation on D-4 Channel Bank WATS Loop Slot				UEP91	1PQWA	0.66				
Feature Activation on D-4 Channel Bank WATS Loop Slot				UEP91	1PQWA	0.66				
<b>Non-Recurring Charges (NRC) Associated with UNE-P Centrex</b>										
Conversion - Currently Combined Switch-As-is with allowed changes, per port				UEP91	USA2	21.50	8.42			

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		Attachment 2 Ex B	
						Rac	Nonrecurring Add'l First	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
	Conversion of Existing Centrex Common Block		UEP91	USACN	5.17	8.32			
New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82			
New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82			
Secondary Block, per Block			UEP91	M2CC1	0.00	71.31			
NAR Establishment Charge Per Occasion			UEP91	URECA	0.00	66.48			
UNE-P CENTREX - 5ESS (Valid In All States)									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo									
UNE Port/Loop Combination Rates (Non-Design)									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design									
UNE Partition Combination Rates (Design)									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
UNE Port Rate									
All States									
2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area			UEP95	UECS1	9.77				
2-Wire Voice Grade Loop (SL 1)-Zone 2			UEP95	UECS1	13.88				
2-Wire Voice Grade Loop (SL 1)-Zone 3			UEP95	UECS1	24.63				
2-Wire Voice Grade Loop (SL 2)-Zone 1			UEP95	UECS2	12.24				
2-Wire Voice Grade Loop (SL 2)-Zone 2			UEP95	UECS2	17.40				
2-Wire Voice Grade Loop (SL 2)-Zone 3			UEP95	UECS2	30.87				
2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP95	UEPYA	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3 Basic Local Area			UEP95	UEPYH	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 + 800 Service Term -Basic Local Area			UEP95	UEPYM	2.17	139.49	86.10	65.41	13.81
2-Wire Voice Grade Port terminated on Megalink or equivalent - Basic Local Area			UEP95	UEPYZ	2.17	139.49	86.10	65.41	13.81
2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY9	2.17	53.31	26.46	27.50	8.37
Al., KY, LA, MS, SC, & TN Only			UEP95	UEPY2	2.17	53.31	26.46	27.50	8.37
FL & GA Only			UEP95	UEPH1A	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex)			UEP95	UEPH3	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHH	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex with Caller ID)			UEP95	UEPH2	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3			UEP95	UEPHM	2.17	139.49	86.10	65.41	13.81
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP95	UEPHZ	2.17	139.49	86.10	65.41	13.81
2-Wire Voice Grade Port terminated on Megalink or equivalent			UEP95	UEPH9	2.17	53.31	26.46	27.50	8.37
2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	2.17	53.31	26.46	27.50	8.37
Local Switching			UEP95	URECS	0.7384				
Features			UEP95	UEPVF	2.26				
All Standard Features Offered, per port			UEP95	UEPV5	0.00	370.70			
All Select Features Offered, per port			UEP95						

CATEGORY	RATE ELEMENTS	Intern	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex. A		
							Rec	Nonrecurring Add'l	Nonrecurring Disconnect Add'l
						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	OSS Rates (\$)	
	All Centrex Control Features Offered per port			UEP95	UEPVC	2.26			
NARS	Unbundled Network Access Register - Combination			UEP95	UABCX	0.00	0.00	0.00	
	Unbundled Network Access Register - India			UEP95	UARIX	0.00	0.00	0.00	
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	
Miscellaneous Terminations									
2-Wire Trunk Side				UEP95	CEND6	8.73			
Trunk Side Terminations, each									
4-Wire Digital (1.544 Megabits)				UEP95	M1HD1	54.95			
DS1 Circuit Terminations, each				UEP95	M1HDO	0.00	15.69		
DS0 Channels Activated, each									
Interoffice Channel Mileage - 2-Wire				UEP95	MIGBC	25.32			
Interoffice Channel Facilities Termination				UEP95	MIGBM	0.0091			
Interoffice Channel mileage, per mile or fraction of mile									
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service									
Da Channel Bank Feature Activations				UEP95	1PQWS	0.66			
Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP95	1PQW6	0.66			
Feature Activation on D-4 Channel Bank FX Line Side Loop Slot				UEP95	1PQW7	0.66			
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP95	1PQWP	0.66			
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP95	1PQWV	0.66			
Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP95	1PQWQ	0.66			
Feature Activation on D-4 Channel Bank [ie Line/Trunk] Loop Slot				UEP95	1PQWA	0.66			
Feature Activation on D-4 Channel Bank WATS Loop Slot				UEP95	USAC2	0.00	21.50	8.42	
Non-Recurring Charges (NRC) Associated with UNE-P Centrex				UEP95	USACN	0.00	5.17	8.32	
NRC Conversion Currently Combined with Switch-As-Is with allowed changes, per port				UEP95	MIACS	0.00	618.82		
Conversion of Existing Centrex Common Block, each				UEP95	MIACC	0.00	618.82		
New Centrex Standard Common Block				UEP95	URECA	0.00	66.48		
New Centrex Customized Common Block									
NAR Establishment Charge, Per Occasion									
Additional Non-Recurring Charges (NRC)									
Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise				UEP95	URETL	8.33	0.83		
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise				UEP95	URETN	11.21	1.10		
UNE-P DMS100 (Valid in All States)									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo									
UNE Port/Loop Combination Rates (Non-Design)									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design							11.94		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design							16.05		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design							26.80		
UNE Port/Loop Combination Rates (Design)									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design							14.41		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design							19.57		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design							33.04		
UNE Loop Rate									
2-Wire Voice Grade Loop (SL1) - Zone 1				1	UEP9D	9.77			
2-Wire Voice Grade Loop (SL1) - Zone 2				2	UEP9D	13.88			

CATEGORY	RATE ELEMENTS	Intern'l	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex-A		Attachment 2 Ex-B	
							Rec	Nonrecurring Add'l	Disconnect First	OSS Rates (\$)
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEP9D	UEC51	24.63				
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEP9D	UEC52	12.24				
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEP9D	UEC52	17.40				
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEP9D	UEC52	30.87				
<b>UNE Port Rate</b>										
<b>ALL STATES</b>										
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.17				
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3Basic Local Area			UEP9D	UEPYC	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3Basic Local Area			UEP9D	UEPYE	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3Basic Local Area			UEP9D	UEPYG	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area			UEP9D	UEPYH	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex(Caller ID)Msg Wdg Lamp Indication)3Basic Local Area			UEP9D	UEPYW	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex(Msg Wdg Lamp Indication))4Basic Local Area			UEP9D	UEPYJ	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2-3-Basic Local Area			UEP9D	UEPYM	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrexiffer SWC /EBS-PSE)2-3.4Basic Local Area			UEP9D	UEPYO	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrexiffer SWC /EBS-M5009)2-3.4Basic Local Area			UEP9D	UEPY_	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port (Centrexiffer SWC /EBS-5209)2-3.4Basic Local Area			UEP9D	UEPYQ	2.17	139.49	86.10	65.41	13.81
	2-Wire Voice Grade Port (Centrexiffer SWC /EBS-M5112)2-3.4Basic Local Area			UEP9D	UEPYR	2.17	139.49	86.10	65.41	13.81
	2-Wire Voice Grade Port (Centrexiffer SWC /EBS-M5312)2-3.4Basic Local Area			UEP9D	UEPY5	2.17	139.49	86.10	65.41	13.81
	2-Wire Voice Grade Port (Centrexiffer SWC /EBS-M5216)2-3.4Basic Local Area			UEP9D	UEPY6	2.17	139.49	86.10	65.41	13.81
	2-Wire Voice Grade Port (Centrexiffer SWC /EBS-M5316)2-3.4Basic Local Area			UEP9D	UEPY7	2.17	139.49	86.10	65.41	13.81
	2-Wire Voice Grade Port (Centrexiffer SWC /EBS-M5208)2-3Term 2.3			UEP9D	UEPYZ	2.17	139.49	86.10	65.41	13.81
	2-Wire Voice Grade Port Terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.17	53.31	26.46	27.50	8.37
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.17	53.31	26.46	27.50	8.37

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	
								Rec	Nonrecurring Add'l	First	
<b>UNBUNDLED NETWORK ELEMENTS - Florida</b>											
FL & GA Only								Svc Order Submitted	Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	
2-Wire Voice Grade Port (Centrex)				UEP9D	UEPHA	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex/ EBS-SSET)4				UEP9D	UEPHB	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex / EBS-M5009)4				UEP9D	UEPHC	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex / EBS-M5209)4				UEP9D	UEPHD	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex / EBS-M5112)4				UEP9D	UEPHE	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex / EBS-M5312)4				UEP9D	UEPHF	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex / EBS-M5008)4				UEP9D	UEPHG	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex / EBS-M5208)4				UEP9D	UEPHI	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex / EBS-M5216)4				UEP9D	UEPHJ	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex / EBS-M5316)4				UEP9D	UEPHV	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex/Caller ID)				UEP9D	UEPH3	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wg Lamp Indication)4				UEP9D	UEPHH	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex/Msg Wg Lamp Indication)4				UEP9D	UEPHJ	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3				UEP9D	UEPHM	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2.3.4				UEP9D	UEPHO	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4				UEP9D	UEPHP	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-S209)2.3.4				UEP9D	UEPHQ	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4				UEP9D	UEPHR	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2.3.4				UEP9D	UEPHS	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2.3.4				UEP9D	UEPH4	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4				UEP9D	UEPH5	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2.3.4				UEP9D	UEPH6	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3.4				UEP9D	UEPH7	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4				UEP9D	UEPHZ	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2.3.4				UEP9D	UEPH9	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2.3.4				UEP9D	UEPH2	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208) Term 2,3				UEP9D	URECS	0.7384					
2-Wire Voice Grade Port Terminated in on Megalink or equivalent				UEP9D	UEPWF	2.26					
2-Wire Voice Grade Port Terminated on 800 Service Term				UEP9D	UEPVIS	2.26					
<b>Local Switching</b>											
Centrex Intercom Functionality, per port				UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	
Features				UEP9D	UARIX	0.00	0.00	0.00	0.00	0.00	
All Standard Features Offered, per port				UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	
All Select Features Offered, per port				UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	
All Centrex Control Features Offered, per port				UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	
NARS				UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	
Unbundled Network Access Register - Combination				UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	
Unbundled Network Access Register - Inward				UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00	
Miscellaneous Terminations				UEP9D	CEND6	8.73					
2-Wire Trunk Side				UEP9D	M1HD1	54.95					
Trunk Side Terminations, each				UEP9D	M1HDO	0.00	15.69				
4-Wire Digital (1.544 Megabits), each				UEP9D	M1GEC	25.32					
DSD Channel Activated per Channel											
Interoffice Channel Facilities Termination											

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Attachment 2 Ex A		
					Rec	Nonrecurring Add'l	Nonrecurring Disconnect First	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st
	Interoffice Channel mileage per mile or fraction of mile		UEP9D	M1GBM	0.0091					
	<b>Feature Activations (DS0) Centrex Loops on Channelized DS1 Service</b>									
<b>D4 Channel Bank Feature Activations</b>	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP9D	1PQW\$	0.66					
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		UEP9D	1PQW6	0.66					
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP9D	1PQW7	0.66					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		UEP9D	1PQWP	0.66					
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP9D	1PQWY	0.66					
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot		UEP9D	1PQWQ	0.66					
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP9D	1PQWA	0.66					
<b>Non-Recurring Charges (NRC) Associated with UNE-P Centrex</b>	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port		UEP9D	USAC2						
	Conversion of existing Centrex Common Block, each		UEP9D	USACN						
	New Centrex Standard Common Block		UEP9D	MIACS	0.00	618.82				
	New Centrex Customized Common Block		UEP9D	MIACC	0.00	618.82				
	NAR Establishment Charge, Per Occasion		UEP9D	URECA	0.00	66.48				
<b>Additional Non-Recurring Charges (NRC)</b>	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise		UEP9D	URETL		8.33	0.83			
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise		UEP9D	URETN		11.21	1.10			
	<b>UNE-P CENTREX - EWSO (Valid in AL, FL, KY, LA, MS &amp; TN)</b>									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo									
	<b>UNE Port/loop Combination Rates (Non-Design)</b>									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					11.94				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					16.05				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					26.80				
	<b>UNE Port/loop Combination Rates (Design)</b>									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						14.41-			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						19.57			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design						33.04			
	<b>UNE Loop Rate</b>									
	2-Wire Voice Grade Loop (SL1) - Zone 1		UEP9E	UECS1	9.77					
	2-Wire Voice Grade Loop (SL1) - Zone 2		UEP9E	UECS1	13.88					
	2-Wire Voice Grade Loop (SL1) - Zone 3		UEP9E	UECS1	24.63					
	2-Wire Voice Grade Loop (SL2) - Zone 1		UEP9E	UECS2	12.24					
	2-Wire Voice Grade Loop (SL2) - Zone 2		UEP9E	UECS2	17.40					
	2-Wire Voice Grade Loop (SL2) - Zone 3		UEP9E	UECS2	30.87					
	<b>UNE Port Rate</b>									
AL, FL, KY, LA, MS, & TN only			UEP9E	UEPYA	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYB	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area			UEP9E	UEPYH	2.17	53.31	26.46	27.50	8.37	
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9E	UEPYM	2.17	139.49	86.10	65.41	13.61	
2-Wire Voice Grade Port (Centrex) 2 Basic Local Area										

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Nonrecurring Add'l	Nonrecurring Disconnect Add'l	Attachment 2 EKA	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	OSS Rates (\$)
					- Rec	First						
	-				UEP9E	UEPYZ	2.17	139.49	86.10	65.41	13.81	
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area				UEP9E	UEPY9	2.17	53.31	26.46	27.50	8.37	
	- Basic Local Area				UEP9E	UEPY2	2.17	53.31	26.46	27.50	8.37	
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area				UEP9E	UEPHA	2.17	53.31	26.46	27.50	8.37	
<b>Florida Only</b>	2-Wire Voice Grade Port (Centrex)				UEP9E	UEPHB	2.17	53.31	26.46	27.50	8.37	
	2-Wire Voice Grade Port (Centrex 800 termination)				UEP9E	UEPHH	2.17	53.31	26.46	27.50	8.37	
	2-Wire Voice Grade Port (Centrex with Caller ID)				UEP9E	UEPHM	2.17	139.49	86.10	65.41	13.81	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3				UEP9E	UEPHZ	2.17	139.49	86.10	65.41	13.81	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3				UEP9E	UEPH9	2.17	53.31	26.46	27.50	8.37	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEP9E	UEPH2	2.17	53.31	26.46	27.50	8.37	
	2-Wire Voice Grade Port Terminated on 800 Service Term				UEP9E	URECS	0.7384					
	Local Switching				UEP9E	UEPVF	2.26					
	Centrex Intercom Functionality per Port				UEP9E	UEPVS	0.00	370.70				
	Features				UEP9E	UEPVC	2.26					
	All Standard Features Offered per port				UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	
	All Selected Features Offered, per port				UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	
<b>NARS</b>	All Centrex Control Features Offered, per port				UEP9E	CEND6	8.73					
	Unbundled Network Access Register - Combination				UEP9E	M1HD1	54.95					
	Unbundled Network Access Register - India				UEP9E	M1HDO	0.00	15.69				
	Unbundled Network Access Register - Ouidial				UEP9E	M1GBC	25.32					
	Miscellaneous Terminations				UEP9E	M1GBM	0.0081					
	2-Wire Trunk Side				UEP9E							
	Trunk Side Terminations, each				UEP9E							
	DS1 Circuit Terminations, each				UEP9E							
	DS0 Channel Activated Per Channel				UEP9E							
	Interoffice Channel Mitage - 2-Wire				UEP9E							
	Interoffice Channel Facilities Termination				UEP9E							
	Interoffice Channel mileage, per mile or fraction of mile				UEP9E							
	Feature Activations (DS0) Centrex Loops on Channellized DS1 Service				UEP9E							
	D4 Channel Bank Feature Activations				UEP9E							
	Feature Activation on D4 Channel Bank Centrex Loop Slot				UEP9E	-1PQWS-	0.66					
	Feature Activation on D4 Channel Bank FX line Side Loop Slot				UEP9E	1PQW6	0.66					
	Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot				UEP9E	1PQW7	0.66					
	Feature Activation on D4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP9E	1PQWP	0.66					
	Feature Activation on D4 Channel Bank Private Line Loop Slot				UEP9E	1PQWV	0.66					
	Feature Activation on D4 Channel Bank Tie Line/Trunk Loop Slot				UEP9E	1PQWO	0.66					
	Feature Activation on D4 Channel Bank WATS Loop Slot				UEP9E	1PQWA	0.66					
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex				UEP9E	USAC2						
	NRC Conversion Currently Combined Switch-As-is with allowed changes, per port				UEP9E	USACN						
	Conversion of Existing Centrex Common Block, each				UEP9E	MIACS	0.00	618.82				
	New Centrex Standard Common Block				UEP9E	MIACC	0.00	618.82				
	New Centrex Customized Common Block				UEP9E	UDRECA	0.00	66.48				
	NAR Establishment Charge, Per Occasion											
	Additional Non-Recurring Charges (NRC)											

CATEGORY	RATE ELEMENTS	Internm	Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A		
								Svc Order Submitted Elec per LSR	Manually Submitted Order vs Electronic- Disc Add'l	OSS Rates (\$)
						Rec	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	First	
						UEP9E	URETL	8.33	0.83	
	Unbundled Miscellaneous Rate Element Tag Loop at End Use Premise									
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise					UEP9E	URETN	11.21	1.10	
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD									
	Note 2 - Requires Interoffice Channel Mitigation									
	Note 3 - Installation is combination of Installation charge for S12 Loop and Port									
	Note 4 - Requires Specific Customer Premises Equipment									
	Note Rates displaying an "I" in Internm column are Internm as a result of a Commission order									

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Attachment 2 Ex A	
					Rec	Nonrecurring Add'l	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l
					Rec	First Add'l	First Add'l	OSS Rates (\$)
<b>UNBUNDLED NETWORK ELEMENTS - Georgia</b>								
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zones refer to Internet Website <a href="http://www.interconnection.bellsouth.com/become_a_cle/bellsouth_interconnection.htm">http://www.interconnection.bellsouth.com/become_a_cle/bellsouth_interconnection.htm</a>								
<b>OPERATIONAL SUPPORT SYSTEMS (OSS) - REGIONAL RATES*</b>								
NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.								
NOTE (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth								
OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only					SOMEC	3.50	0.00	3.50
OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only					SOMAN	11.73	0.00	6.13
<b>UNE SERVICE DATE ADVANCEMENT CHARGE</b>								
NOTE The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable								
UAL, UEARL, UCL, UEF, UDC, UDF, UEQ, UDU, UENTW, UDN, UEA, UHL, ULC, USL, UT1T2 U1T4B, U1TD1, U1TD3, U1TDX, U1T03, U1TS1, U1TDX, U1TBC, U1FBL, U1CC, U1CL, U1DG, U1DL, U1EC, U1EL, U1FC, U1FL, U1GC, U1GL, U1HC, U1HL, UDL12, UDL48, UDL03, UDLSX, UE3, ULD12, ULD48, ULD01, ULD03, ULDX, ULDQ3, ULD51-ULDVX, UNCIX, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UTTUC, U1TSD, U1TUA, SDASP								
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day								
<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>								
<b>2-WIRE ANALOG VOICE GRADE LOOP</b>								
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	10.51	40.02	9.99	5.61	1.72	
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	15.85	40.02	9.99	5.61	1.72	
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	31.97	40.02	9.99	5.61	1.72	
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	10.51	40.02	9.99	5.61	1.72	
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	15.85	40.02	9.99	5.61	1.72	
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	31.97	40.02	9.99	5.61	1.72	
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premises		UERTL	8.33	0.83				
Loop Testing - Basic 1st Half Hour		URETI	25.12	25.12				
Loop Testing - Basic Additional Half Hour		URETA	13.62	13.62				

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)		Attachment 2 Ex A		Attachment 2 Ex B	
							Rec	First	Nonrecurring Add'l	First	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Orders vs Electronic Addr'l
											OSS Rates (\$)	
<b>UNBUNDLED NETWORK ELEMENTS - Georgia</b>												
<b>CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)</b>							UREWO	15.75	8.92			
Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up Engineering Information - E1							UEANL					
Manual Order Coordination for UVL-SL1's (per loop)							UEANL	UEANM	7.30			
Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)							UEANL	UEAMC	18.92	18.92		
<b>2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED</b>							OCOSL	57.79				
2-Wire Unbundled Copper Loop Non-Designed- Zone 1							UEQ	UEQ2X	11.02	22.40	0.00	0.00
2-Wire Unbundled Copper Loop Non-Designed-Zone 2							UEQ	UEQ2X	12.72	22.40	0.00	0.00
2-Wire Unbundled Copper Loop Non-Designed-Zone 3							UEQ	UEQ2X	20.22	44.69	22.40	0.00
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise							UEO	URETL	8.33	0.83		
Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)							UEQ	USBMC	18.92	18.92		
Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up Engineering Information - E1							UEQ	UEOMU	7.30	7.30		
Loop Testing - Basic 1st Half Hour							UEQ	URET1	25.12	25.12		
Loop Testing, Basic Additional Half Hour							UEQ	URETA	13.62	13.62		
CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)							UEQ	UREWO	14.25	7.42		
<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>												
<b>2-WIRE ANALOG VOICE GRADE LOOP</b>												
UNE Loop Rates for Line Splitting (In Ga PSC ordered the line splitting loop USOCs match the lower port-loop combo rates UEP1X)							1	1	9.56	10.05	7.36	1.37
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1							UEPSR	UEPSB	UEALS	9.56	10.05	7.36
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1							UEPSR	UEPSB	UEABS	9.56	10.05	1.37
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2							UEPSR	UEPSB	UEALS	14.86	10.05	7.36
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2							UEPSR	UEPSB	UEABS	14.86	10.05	1.37
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3							UEPSR	UEPSB	UEALS	31.66	10.05	7.36
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3							UEPSR	UEPSB	UEABS	31.66	10.05	1.37
<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>												
<b>2-WIRE ANALOG VOICE GRADE LOOP</b>												
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1							1	UEA	UEAL2	11.57	79.85	24.65
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2							2	UEA	UEAL2	16.95	79.85	24.65
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3							3	UEA	UEAL2	33.08	79.85	24.65
Order Coordination for Specified Conversion Time (per LSR) -								UEA	OCOSL	-	-	-
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1							1	UEA	UEAR2	11.57	79.85	24.65
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2							2	UEA	UEAR2	16.95	79.85	24.65
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3							3	UEA	UEAR2	33.08	79.85	24.65
Order Coordination for Specified Conversion Time (per LSR) -								UEA	OCOSL	-	-	-
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1							1	UEA	UEAR2	11.57	79.85	24.65
CLEC to CLEC Conversion Charge without outside dispatch (SL2)							2	UEA	UEAR2	16.95	79.85	24.65
Order Coordination for Specified Conversion Time (per LSR) -							3	UEA	UEAR2	33.08	79.85	24.65
2-WIRE ANALOG VOICE GRADE LOOP								UEA	OCOSL	57.79	87.72	36.36
4-Wire Analog Voice Grade Loop - Zone 1							1	UEA	UEAR2	11.19	1.10	36.36
4-Wire Analog Voice Grade Loop - Zone 2							2	UEA	UEAR2	16.95	18.92	7.87
4-Wire Analog Voice Grade Loop - Zone 3							3	UEA	UEAR2	33.08	18.92	7.87
Order Coordination for Specified Conversion Time (per LSR) -								UEA	OCOSL	57.79	87.72	36.36
CLEC to CLEC Conversion Charge without outside dispatch (SL2)								UEA	UEAR2	11.19	1.10	36.36
4-WIRE ANALOG VOICE GRADE LOOP								UEA	OCOSL	87.72	18.92	7.87
2-Wire ISDN Digital Grade Loop - Zone 1							1	UDN	UDL2X	21.89	18.06	18.23
2-Wire ISDN Digital Grade Loop - Zone 2							2	UDN	UDL2X	25.27	18.06	6.97
2-Wire ISDN Digital Grade Loop - Zone 3							3	UDN	UDL2X	40.17	18.06	6.97
Order Coordination For Specified Conversion Time (per LSR)								UDN	OCOSL	57.79	57.79	

CATEGORY	RATE ELEMENTS	Intern'l	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		Attachment 2 Ex B	
							Rec	Nonrecurring	Nonrecurring	Disconnect
							Svc Order Submitted	Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
							Elec per LSR	Manually per LSR	Order vs Electronic-Disc 1st	OSS Rates (\$)
CLEC to CLEC Conversion Charge without outside dispatch				UDN	UREWO	120.98	33.04			
<b>2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP</b>										
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00	
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00	
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00	
Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79				
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00	
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00	
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00	
Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79				
CLEC to CLEC Conversion Charge without outside dispatch				UREWO		44.69	29.29			
<b>2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>										
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00	
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00	
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00	
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79				
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00	
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00	
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00	
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79				
CLEC to CLEC Conversion Charge without outside dispatch				UREWO		44.69	31.55			
<b>4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP</b>										
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00	
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00	
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00	
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79				
4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00	
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00	
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00	
Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79				
CLEC to CLEC Conversion Charge without outside dispatch				UREWO		44.69	31.55			
<b>4-WIRE DS1 DIGITAL LOOP</b>										
4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	41.02	211.93	72.49	38.24	7.20		
4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	46.41	211.93	72.49	38.24	7.20		
4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	62.03	211.93	72.49	38.24	7.20		
Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		57.79				
CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.91	42.97			
<b>4-WIRE 19.2 Kbps OR 64 Kbps DIGITAL GRADE LOOP</b>										
4 Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20		
4 Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20		
4 Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20		

CATEGORY	RATE ELEMENTS	Intern'l	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		Attachment 2 Ex B	
							Rec	Nonrecurring Add'l	Nonrecurring First Add'l	Nonrecurring Disconnect Add'l
							Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
	-									OSS Rates (\$)
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20	
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		57.79				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20	
	Order Coordination for Specified Conversion Time (per LSR)			OCOSL		57.79				
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO		101.95				
	2-WIRE Unbundled COPPER LOOP					49.66				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation -Zone 1	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00	
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation -Zone 2	1	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00	
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation -Zone 3	1	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00	
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		18.92	18.92			
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation -Zone 1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00	
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation -Zone 2	1	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00	
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation -Zone 3	1	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00	
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		18.92	18.92			
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		18.92	18.92			
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UREWO		44.66	31.55			
	4-WIRE COPPER LOOP									
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation -Zone 1	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00	
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation -Zone 2	1	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00	
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation -Zone 3	1	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00	
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		18.92	18.92			
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation -Zone 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00	
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation -Zone 2	1	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00	
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation -Zone 3	1	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00	
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		18.92	18.92			
	CLEC to CLEC conversion Charge without outside dispatch			UREWO		44.66	31.55			
	LOOP MODIFICATION									
	Unbundled Loop Modification Removal of Load Coils - 2 Wire pair less than or equal to 10K ft, per Unbundled Loop	1		UML		0.00	0.00			
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop	1		UML		17.91				
	SUB LOOPS									
	Sub-Loop Distribution			USBSA		255.76				
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL						

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	SVC ORDER SUBMITTED ELEC PER LSR	MANUALLY SUBMITTED ELEC PER LSR	INCREMENTAL CHARGE - MANUAL SVC ORDER VS MANUAL SVC ORDER	INCREMENTAL CHARGE - MANUAL SVC ORDER VS ELECTRONIC DISC ADD'L
								Rec	Nonrecurring Add'l					
								First	Add'l					
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBBSB		7.29							
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		175.09							
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		51.61							
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRC		28.46	3.85	2.20	0.01				
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD		7.67	31.07	4.79	2.27	0.01			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBBN2	6.52		28.46	3.85	2.20	0.01				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBBN2	10.18		28.46	3.85	2.20	0.01				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBBN2	19.51		28.46	3.85	2.20	0.01				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBBN4	5.93		31.07	4.79	2.27	0.01				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBBN4	9.71		31.07	4.79	2.27	0.01				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBBN4	18.85		31.07	4.79	2.27	0.01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBBCM			18.92	18.92						
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		UEANL	UBBR2	3.61		28.46	3.85	2.20	0.01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBBCM			18.92	18.92						
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1	UEANL	UBBR4	7.67		31.07	4.79	2.27	0.01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBBCM			18.92	18.92						
	Loop Testing - Basic 1/2 Hour		UEANL	URET1			25.12							
	Loop Testing - Basic Additional Half Hour		UEANL	URET1			13.62	13.62						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1 UEF	UGS2X	5.94		28.46	3.85	2.20	0.01				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2 UEF	UGS2X	7.51		28.46	3.85	2.20	0.01				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3 UEF	UGS2X	9.22		28.46	3.85	2.20	0.01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBBCM			18.92	18.92						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1 UEF	UGS4X	6.37		31.07	4.79	2.27	0.01				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2 UEF	UGS4X	6.32		31.07	4.79	2.27	0.01				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3 UEF	UGS4X	9.10		31.07	4.79	2.27	0.01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBBCM			18.92	18.92						
	Loop Testing - Basic 1/2 Hour		UEF	URET1			25.12	25.12						
	Unbundled Network Terminating Wire (UNTW)		UEFTA				13.62	13.62						
	Unbundled Network Terminating Wire (UNTW) per Pair		UENPW	UENPP	0.533		25.12		12.28					
	Network Interface Device (NID) - 1-2 lines	1	UENTW	UND12			32.86	20.69						
	Network Interface Device (NID) - 1-6 lines	1	UENTW	UND16			56.03	43.86						
	Network Interface Device Cross Connect - 2 W	1	UENTW	UNDCC2			2.45	2.45						
	Network Interface Device Cross Connect - 4 W	1	UENTW	UNDCC4			2.45	2.45						
	UNE OTHER, PROVISIONING ONLY - NO RATE		UENTW	UNDBX	0.00		0.00							
	NID - Dispatch and Service Order for NID Installation		UENCE	UENCE	0.00		0.00							
	UNTW Circuit id Establishment Provisioning Only - No Rate		UENCW	UENCW	0.00		0.00							
	Unbundled Contract Name, Provisioning Only - No Rate													
	UNE OTHER, PROVISIONING ONLY													

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Ex A			
CATEGORY	RATE ELEMENTS			Interim Zone	ECS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR Elec per LSR	Svc Order Submitted Manually per LSR Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
	First	Nonrecurring Add'l	Disconnect First				First	SOMEC	SOMAN				
Unbundled Contact Name, Provisioning Only - no rate				UAN, UCL, UDC, UDL, UDN, UEA, UHL, USL, UNECN			0.00	0.00					
Unbundled Sub-Loop Feeder -2 Wire Cross Box Jumper - no rate				UEA, UDL, UCL, UDC, USBFO			0.00	0.00					
Unbundled Sub-Loop Feeder -4 Wire Cross Box Jumper - no rate				UEA, USL, UCL, UDL, USBSFR			0.00	0.00					
Unbundled DS1 Loop - Superframe Format Option - no rate				USL, CCCSF			0.00	0.00					
Unbundled DS1 Loop - Expanded Superframe Format option - no rate				USL, CCOEF			0.00	0.00					
<b>HIGH CAPACITY UNBUNDLED LOCAL LOOP</b>													
High Capacity Unbundled Local Loop - DS3 - Per Mile per month	UE3	1L5ND	10.97										
High Capacity Unbundled Local Loop - DS3 - Facility Termination per month	UE3	UE3PX	253.38	2,016,2145	151,685	129,8465	87,202						
High Capacity Unbundled Local Loop - STS-1 - Per Mile per month	UDLSX	1L5ND	10.97										
High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month	UDLSX	UDLS1	305.42	2,016,2145	151,685	129,8465	87,202						
<b>LOOP MAKEUP</b>													
Loop Makeup - Preordering Without Reservation per working or spare facility queried (Manual)	UMK	UMKLW			15.19	15.19							
Loop Makeup Preordering With Reservation, per spare facility queried (Manual)	UMK	UMKLP			19.85	19.85							
Loop Makeup -With or Without Reservation, per working or space facility queried (Mechanized)	UMK	UMKMO			0.82	0.82							
<b>LINE SPLITTING</b>													
<b>END USER ORDERING-CENTRAL OFFICE BASED</b>													
Line Splitting - per line activation DLEC owned splitter	UEPSRUEPSS	UREOS	0.61										
Line Splitting - per line activation BST owned - physical	UEPSRUEPSS	UREBP	0.6287	20,10	12,40	7.68	4.30						
Line Splitting - per line activation BST owned - virtual	UEPSRUEPSS	UREBV	0.6288	20,10	12,40	7.68	4.30						
<b>MAINTENANCE OF SERVICE</b>													
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 13.3 as applicable													
No Trouble Found - per 1/2 hour increments - Basic							80.00	55.00					
No Trouble Found - per 1/2 hour increments - Overtime							90.00	65.00					
No Trouble Found - per 1/2 hour increments - Premium							100.00	75.00					
<b>UNBUNDLED DEDICATED TRANSPORT</b>													
<b>INTEROFFICE CHANNEL - DEDICATED TRANSPORT</b>													
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month	U1TVX	1L5CX	0.0057										
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination	U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat - Per Mile per month	U1TVX	1L5CX	0.0057										
Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination	U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month	U1TVX	1L5CX	0.0057										
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination	U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	U1TDX	1L5CX	0.0057										
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination	U1TDX	U1TDS	7.83	48.46	19.48	16.58	5.00						
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month	U1TDX	1L5CX	0.0057										
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination	U1TDX	U1TDS	7.02	48.46	19.48	16.58	5.00						

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st
							Rec	Nonrecurring Add'l First					
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1154							
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TF1	34.19	111.03	30.28	31.36	21.73				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.53							
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81			
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2.53							
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TS1	358.67	320.47	86.32	66.77	52.81			
DARK FIBER	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF_UDFCX	1L5DC	46.84							
	Dark Fiber, Four Fiber Strands, Per Route Miles or Fraction Thereof per month - Interoffice Channel			UDF_UDFCX	1L5DF	23.29							
	NRC Dark Fiber - Interoffice Channel			UDF_UDFCX	UDF14	1,776.53	89.75	73.64	18.70				
	Dark Fiber, Four Fiber Strands, Per Route Miles or Fraction Thereof per month - Local Loop			UDF_UDFCX	1L5DL	46.84							
8XX ACCESS TEN DIGIT SCREENING	BXX Access Ten Digit Screening, Per Call					0.0008543							
	BXX Access Ten Digit Screening, w/BFL No Delivery					0.0008543							
	BXX Access Ten Digit Screening, w/POTS No Delivery					0.0008543							
LINE INFORMATION DATA BASE ACCESS (LIDA)	LIDA Common Transport Per Query					0.0000682							
	LIDA Validation Per Query			OCU	NIRBPX	0.0266962	33.24	33.24	39.35	39.35			
CALLING NAME (CNAM) SERVICE	LNP Originating Point Code Establishment or Change					0.0009924							
	CHAM for DB Owners, Per Query					0.0009924							
	CHAM for Non DB Owners, Per Query					0.0009924							
LNP Query Service	LNP Charge Per query					0.00082							
	LNP Service Establishment Manual					12.49							
	LNP Service Provisioning with Point Code Establishment					574.87	293.68	251.47	184.91				
SELECTIVE ROUTING	Selective Routing Per Unique Line Class Code Per Request Per Switch					102.19	61.15	12.68	6.34				
VIRTUAL COLLOCATION	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR_UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00			
PHYSICAL COLLOCATION	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR_UEPSB	PE1LS	0.0197	0.00	0.00					
AIN SELECTIVE CARRIER ROUTING	AIN SMS Access Service - Service Establishment, Per State, Initial Setup					101.311.67	101.311.67	7.833.25	7.833.25				
	Regional Service Establishment					158.92	158.92	1.64	1.64				
	End Office Establishment					2.06	2.06						
	LinePort NRC, per end user					0.020368							
	Query NRC, per query												
AIN - BELL SOUTH AIN SMS ACCESS SERVICE	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMSE	41.41	41.41	41.63	41.63				
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CMODP	8.15	8.15	9.16	9.16				
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P	8.15	8.15	9.16	9.16				
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU	35.29	35.29	26.50	26.50				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC	40.24	40.24	11.72	11.72				

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	OSS Rates (\$)	
						Rec	Nonrecurring Disconnect First Add'l	Svc Order Submitted Manually per LSR	SOMEC	SOMAN	SOMAN
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0.0038						
	AIN SMS Access Service - Session, Per Minute				1.81						
	AIN SMS Access Service - Company Performed Session Per Minute										
<b>SIGNALING (CCS7)</b>											
CCS7 Signaling Usage, Per TCAP Message					0.8323						
CCS7 Signaling Usage, Per ISUP Message (same as E-13)					0.0000527						
ENHANCED EXTENDED LINK (EEL8)					0.000132						
<b>NOTE:</b> The monthly recurring and non-recurring charges below will apply and the Switch-A's Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements											
NOTE: The monthly recurring and the Switch-A's Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements											
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION											
2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86			
2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86			
2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86			
Voice Grade COCI - Per Month		101VG	0.4689	27.33	-	2.90	16.86	1.04			
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION											
4-Wire Analog Voice Grade Loop in Combination -Zone 1	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86			
4-Wire Analog Voice Grade Loop in Combination -Zone 2	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86			
4-Wire Analog Voice Grade Loop in Combination -Zone 3	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86			
Voice Grade COCI in combination per month		101VG	0.4689	27.33	2.90	16.86	1.04				
4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION											
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86			
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86			
4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86			
OCU-DP COCI (data per month (2.4-64kbs))		101DD	0.9963	27.33	2.90	16.86	1.04				
4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION											
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86			
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86			
4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86			
OCU-DP COCI (data per month (2.4-64kbs))		101DD	0.9963	27.33	2.90	16.86	1.04				
2-WIRE ISDN LOOP FOR USE IN A COMBINATION											
2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U112X	19.82	195.94	36.38	18.42	6.86			
2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U112X	26.26	195.94	36.38	18.42	6.86			
2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	U112X	42.17	195.94	36.38	18.42	6.86			
2-Wire ISDN COCI (BRATE) - in combination per month		UNCNX	UC1ICA	1.66	27.33	2.90	16.86	1.04			
4-WIRE DS 1 DIGITAL LOOP FOR USE IN A COMBINATION											
4-Wire DS 1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86			
4-Wire DS 1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86			
4-Wire DS 1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86			
DS1 COCI in combination per month		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04			
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION											
Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCVX	11.5XX	0.0037							
Termination per month		UNCVX	U11V2	12.87	66.53	33.61	43.42	27.60			
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION											
Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	11.5XX	0.0057							
Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month		UNCVX	U11V4	10.78	66.53	33.61	43.42	27.60			
DS1 INTEROFFICE TRANSPORT FOR COMBINATION											
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	11.5XX	0.1154							
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U11F1	34.19	87.76	45.73	43.80	27.97			
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION											
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	11.5XX	2.53							

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)			Attachment 2 Ex A		
							Rec	Nonrecurring Add'l	Nonrecurring Disconnect	Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	OSS Rates (\$)
							First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3		342.02	325.91	77.07	49.56	32.88	
<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>												
Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	2.53							
Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TF5	358.67		325.91	77.07	49.56	32.88		
<b>4-WIRE 56 Kbps DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>												
4-wire 56 kbps Local Loop in combination -Zone 1	1	UNCDX	UDL56	21.86	195.94		36.38	18.42	6.86			
4-wire 56 kbps Local Loop in combination -Zone 2	2	UNCDX	UDL56	28.36	195.94		36.38	18.42	6.86			
4-wire 56 kbps Local Loop in combination -Zone 3	3	UNCDX	UDL56	38.22	195.94		36.38	18.42	6.86			
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0057							
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TDS	7.83		66.53	33.61	43.42	27.60		
<b>4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>												
4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNCDX	UDL64	21.86	195.94		36.38	18.42	6.86			
4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNCDX	UDL64	28.36	195.94		36.38	18.42	6.86			
4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNCDX	UDL64	38.22	195.94		36.38	18.42	6.86			
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0057							
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TDS	7.83		66.53	33.61	43.42	27.60		
<b>4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>												
4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL56	21.86	195.94		36.38	18.42	6.86			
4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL56	28.36	195.94		36.38	18.42	6.86			
4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL56	38.22	195.94		36.38	18.42	6.86			
4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0057							
4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TDS	7.83		66.53	33.61	43.42	27.60		
<b>4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>												
4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL64	21.86	195.94		36.38	18.42	6.86			
4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL64	28.36	195.94		36.38	18.42	6.86			
4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL64	38.22	195.94		36.38	18.42	6.86			
14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0057							
4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TDS	7.83		66.53	33.61	43.42	27.60		
<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>												
4-Wire DS1 Digital Loop in Combination -Zone 1	1	UNC1X	USLXX	41.02	209.45		70.44	37.91	6.86			
4-Wire DS1 Digital Loop in Combination -Zone 2	2	UNC1X	USLXX	46.41	209.45		70.44	37.91	6.86			
4-Wire DS1 Digital Loop in Combination -Zone 3	3	UNC1X	USLXX	62.03	209.45		70.44	37.91	6.86			
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1154							
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	34.19		87.76	45.73	43.80	27.97		
<b>DS1 DIGITAL LOOP WITH DEDICATED DS2 INTEROFFICE TRANSPORT</b>												
DS2 Local Loop in combination - Per mile per month		UNC3X	1L5ND				66.53	33.61	43.42	27.60		
DS3 Local Loop in combination - Facility Termination per month		UNC3X	U1F3P	291.387	2,016.2145		151.685	129.8465	87.262			
Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	2.53								
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	U1TF3	342.02			325.91	77.07	49.56	32.88		
<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>												
STS-1 Local Loop in combination - Per mile per month		UNCSX	1L5ND									
STS-1 Local Loop in combination - Facility Termination per month		UNCSX	UDLS1	351.233	2,016.2145		151.685	129.8465	87.262			

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Attachment 2 Ex A	Svc Order Submitted Elec per LSR	Manually Submitted Order vs Electronic	Incremental Charge - Manual Svc Order vs Electronic	Incremental Charge - Manual Svc Order vs Electronic	SVC Rates (\$)
					Rec	Nonrecurring Add'l	Nonrecurring First				Disconnect Aud'l		
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNCSX	11.5XX	2.53								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88				
<b>ADDITIONAL NETWORK ELEMENTS</b>													
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not													
Nonrecurring Currently Combined Network Elements 'Switch As Is' Charge (One applies to each combination)													
<b>Optional Features &amp; Functions</b>													
	Clear Channel Capability Extended Frame Option - per DS1	-	U1TD1, UNCIX	CCOFF	0.00	0.00	0.00	0.00	0.00				
	Clear Channel Capability Super Frame Option - per DS1	-	U1DD1, UNCIX	CCOSF	0.00	0.00	0.00	0.00	0.00				
	Clear Channel Capability (SF/ESE) Option Subsequent Activity - per DS1	-	U1DD1, U1TD1, UNCIX, USL NRCCC		184.62	23.78	2.03	0.79					
	C-bit Parity Option - Subsequent Activity - per DS3	-	U1TD3, ULDD3, UF3, UNCIX, NRCC3		218.74	7.66	0.7591	0.00					
<b>MUXPLEXERS</b>													
	DS1 to DS0 Channel System per month		UNC1X	MQ1	69.75	86.10							
	OC1-DP COCI (Data) - DS1 to DS0 Channel System - per month (2.4-544kbs) used for a Local Loop		UDL	101DD	0.9683	11.98	11.39	6.61	6.61				
	OC1-DP COCI (Data) - DS1 to DS0 Channel System - per month (2.4-544kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TU0	101DD	0.9683	11.98	11.39	6.61	6.61				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop		UDN	U1C1CA	1.66	15.81	11.39	6.61	6.61				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUB	U1C1CA	1.66	15.81	11.39	6.61	6.61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		UEA	101VG	0.4689	11.98	11.39	6.61	6.61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUC	101VG	0.4689	11.98	11.39	6.61	6.61				
	DS2 to DS1 Channel System per month		UNC3X	MD3	121.90								
	DS1 to DS1 Channel System per month		UNCSX	MQ3	121.90								
	DS1 COCI used with Local per month		USL	U1C1D1	7.35	15.81	11.39	6.61	6.61				
	DS1 COCI used for connection to a channelized DS1 Local Channel in the same SWC as collocation per month		U1TUA	U1C1D1	7.35	15.81	11.39	6.61	6.61				
	DS1 COCI used with Interoffice Channel per month		U1TD1	U1C1D1	7.35	15.81	11.39	6.61	6.61				
	DS2 Interface Unit (DS1 COCI) used with Local Channel per month		ULDD1	U1C1D1	7.35	15.81	11.39	6.61	6.61				
<b>COMMINGLING</b>													
			UE3, UDI, LSX, UNCDX, UNCSX, UNCYA, UNC1X, UNC3X, U1TD1, U1TD3, U1DX, U1TS1, U1TUB, CMGAU										
<b>UNBUNDLED LOCAL EXCHANGE SWITCHING PORTS</b>													
	The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO Exchange Ports												
	NOTE Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs												

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Attachment 2 Ex A								
					Rec		Nonrecurring		Nonrecurring		OSS Rates (\$)						
					First	Add'l	First	Add'l	SOMECA	SOMAN	SOMAN	SOMAN					
<b>UNBUNDLED NETWORK ELEMENTS - Georgia</b>																	
2-WIRE VOICE GRADE LINE PORT RATES (RES)	Exchange Ports - 2-Wire Analog Line Port-Res				UEPSR	UEPRL	2.09	2.42	2.31	1.37	1.28						
					UEPSR	UEPRC	2.09	2.42	2.31	1.37	1.28						
Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res					UEPSR	UEPRO	2.09	2.42	2.31	1.37	1.28						
					UEPSR	UEPAP	2.09	2.42	2.31	1.37	1.28						
Exchange Ports - 2-Wire Analog Line Port outgoing only - Res					UEPSR	UEPWC	2.09	2.42	2.31	1.37	1.28						
					UEPSR	UEPWQ	2.09	2.42	2.31	1.37	1.28						
Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)					UEPSR	UEPWR	2.09	2.42	2.31	1.37	1.28						
					UEPSR	UEPRT	2.09	2.42	2.31	1.37	1.28						
2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res					UEPSR	UEPPV	2.09	2.42	2.31	1.37	1.28						
					UEPSR	UEPRU	2.09	2.42	2.31	1.37	1.28						
2-Wire voice unbundled Georgia basic dialing port - outgoing only					UEPSR	UEASC	0.00	0.00	0.00	0.00	0.00						
					UEPSR	UEPVF	0.775	0.00	0.00	0.00	0.00						
<b>FEATURES</b>																	
<b>All Available Vertical Features</b>																	
<b>2-WIRE VOICE GRADE LINE PORT RATES (BUS)</b>																	
Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus					UEPSB	UEPBL	2.09	2.42	2.31	1.37	1.28						
					UEPSB	UEPBC	2.09	2.42	2.31	1.37	1.28						
Exchange Ports - 2-Wire VG unbundled Port without Caller ID capability					UEPSB	UEPWP	2.09	2.42	2.31	1.37	1.28						
					UEPSB	UEPBW	2.09	2.42	2.31	1.37	1.28						
Georgia					UEPSB	UEPRU	2.09	2.42	2.31	1.37	1.28						
					UEPSB	UEASC	0.00	0.00	0.00	0.00	0.00						
2-Wire Voice Grade Unbundled Port with Caller ID capability					UEPSB	UEPVF	0.775	0.00	0.00	0.00	0.00						
					UEPSB	UEPBL	2.09	2.42	2.31	1.37	1.28						
Subsequent Activity					UEPSB	UEPBC	2.09	2.42	2.31	1.37	1.28						
					UEPSB	UEPWP	2.09	2.42	2.31	1.37	1.28						
<b>FEATURES</b>																	
<b>All Available Vertical Features</b>																	
<b>EXCHANGE PORT RATES (DIG &amp; PBX)</b>																	
2-Wire VG Unbundled 2-Way PBX Trunk - Res					UEPSE	UEPRD	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPPC	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus					UEPSP	UEPPO	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPP1	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
2-Wire Analog Long Distance Terminal PBX Trunk - Bus					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
2-Wire voice unbundled Incoming Only Port without Caller ID Capability					UEPSP	UEPBE	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEASC	0.00	0.00	0.00	0.00	0.00						
Subsequent Activity					UEPSP	UEPVF	0.775	0.00	0.00	0.00	0.00						
					UEPSP	UEPRD	2.09	2.42	2.31	1.37	1.28						
<b>FEATURES</b>																	
<b>All Available Vertical Features</b>																	
<b>EXCHANGE PORT RATES (DIG &amp; PBX)</b>																	
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus					UEPSP	UEPPB	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPPB	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus					UEPSP	UEPPC	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPPC	2.09	2.42	2.31	1.37	1.28						
2-Wire Analog Long Distance Terminal PBX Trunk - Bus					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
2-Wire voice unbundled 2-Way PBX Trunk - Port					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Port					UEPSP	UEPLB	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLB	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled Incoming PBX Trunk - Port					UEPSP	UEPLC	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLC	2.09	2.42	2.31	1.37	1.28						
2-Wire Analog Long Distance Terminal PBX Trunk - Port					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
2-Wire voice unbundled 2-Way PBX Trunk - Port					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Port					UEPSP	UEPLB	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLB	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled Incoming PBX Trunk - Port					UEPSP	UEPLC	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLC	2.09	2.42	2.31	1.37	1.28						
2-Wire Analog Long Distance Terminal PBX Trunk - Port					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
2-Wire voice unbundled 2-Way PBX Trunk - Port					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Port					UEPSP	UEPLB	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLB	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled Incoming PBX Trunk - Port					UEPSP	UEPLC	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLC	2.09	2.42	2.31	1.37	1.28						
2-Wire Analog Long Distance Terminal PBX Trunk - Port					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
2-Wire voice unbundled 2-Way PBX Trunk - Port					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Port					UEPSP	UEPLB	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLB	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled Incoming PBX Trunk - Port					UEPSP	UEPLC	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLC	2.09	2.42	2.31	1.37	1.28						
2-Wire Analog Long Distance Terminal PBX Trunk - Port					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLD	2.09	2.42	2.31	1.37	1.28						
2-Wire voice unbundled 2-Way PBX Trunk - Port					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
					UEPSP	UEPLA	2.09	2.42	2.31	1.37	1.28						
2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Port					UEPSP	UEPLB	2.09	2.42									

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Attachment 2 Ex A	
					Rec	Nonrecurring Add'l	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l
					First	First	Manually per LSR	Order vs Electronic-Add'l
					28.88	13.63	11.48	0.83
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	2.09	28.88	13.63	11.48
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	2.09	28.88	13.63	0.83
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Ouidia Trunk		UEPSP	UEPWS	2.09	28.88	13.63	11.48
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Tunk		UEPSP	UEPWWT	2.09	28.88	13.63	11.48
	2-Wire voice unbundled Georgia basic dialing port - 2-Way PBX Trunk		UEPSP	UEPPQ	2.09	28.88	13.63	11.48
	Subsequent Activity		UEPSP	USASC	0.00	0.00	0.00	0.00
<b>FEATURES</b>			UEPSP UEPSE	UEPVF	0.775	0.00	0.00	0.00
All Available Vertical Features								
NOTE Transmitter usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-channels associated with 2-wire ISDN ports.								
NOTE Access to B Channel or D Channel Packet capabilities will be available only through B79 New Business Request Process. Rates for the packet capabilities will be determined via the Bona fide Request/New Business Request Process.								
<b>2-WIRE VOICE GRADE LINE PORT RATES (ID)</b>			UEPEX	UEPP2	6.50	122.26	18.65	54.82
Exchange Ports - 2-Wire DID Port			UEPXR	UEPMA	7.09	76.39	51.50	45.67
<b>2-WIRE VOICE GRADE LINE PORT RATES (ISDN-BRI)</b>			UEPTEX UEPSX	UEPVF	0.775	0.00	0.00	10.36
Exchange Ports - 2-Wire ISDN Port (See Notes below)			UEPTEX UEPSX	UEPUMA	0.00	0.00	0.00	0.00
All Features Offered								
Exchange Ports - 2-Wire ISDN Port - Channel Profiles								
NOTE Transmission usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-channels associated with 2-wire ISDN ports.								
NOTE Access to B Channel or D Channel Packet capabilities will be available only through B79 New Business Request Process. Rates for the packet capabilities will be determined via the Bona fide Request/New Business Request Process.								
<b>UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY</b>								
<b>UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE</b>			UEPVR	UERAC	2.09	2.42	2.31	1.37
Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.09	2.42	2.31	1.37
Unbundled Remote Call Forwarding Service, InterATA - Res			UEPVR	UERTC	2.09	2.42	2.31	1.37
Unbundled Remote Call Forwarding Service, IntraATA - Res			UEPVR	UERTR	2.09	2.42	2.31	1.37
<b>Non-Recurring</b>								
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2	2.01	0.31		
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC	2.01	0.31		
<b>UNBUNDLED REMOTE CALL FORWARDING BUS</b>			UEPVB	UERAC	2.09	2.42	2.31	1.37
Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERLC	2.09	2.42	2.31	1.37
Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERTC	2.09	2.42	2.31	1.37
Unbundled Remote Call Forwarding Service, InterATA - Bus			UEPVB	UERTR	2.09	2.42	2.31	1.37
Unbundled Remote Call Forwarding Service, IntraATA - Bus			UEPVB	UERVJ	2.09	2.42	2.31	1.37
Exception Local Calling			UEPVB	USAC2	2.01	0.31		
Non-Recurring			UEPVB	USACC	2.01	0.31		
Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	UERAC	2.09	2.42	2.31	1.37
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	UERLC	2.09	2.42	2.31	1.37
<b>UNBUNDLED LOCAL SWITCHING, PORT USAGE</b>			UEPVB	UERTC	2.09	2.42	2.31	1.37
End Office Switching (Port Usage)			UEPVB	UERTR	2.09	2.42	2.31	1.37
End Office Switching Function - Per MOU			UEPVB	UERVJ	2.09	2.42	2.31	1.37
Tandem Switching (Port Usage) (Local or Access Tandem)			UEPVB	USAC2	2.01	0.31		
Tandem Switching Function - Per MOU			UEPVB	USACC	2.01	0.31		
Tandem Trunk Port - Shared Per MOU					0.0006153			
Tandem Trunk Port - Shared Per MOU (Melded)					0.001226			
Tandem Switching Function Per MOU (Melded)					0.0009872			
Tandem Trunk Port - Shared Per MOU (Melded)					0.001557			
Tandem Factor 18.42% of the Tandem Rate					0.00017504			
Common Transport					0.00026568			
Common Transport - Per Mile, Per MOU					0.0009027			

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)						
						Rec	Nonrecurring							
<b>UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES</b>														
>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.														
>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRBO														
>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.														
>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE-Coin Port/Loop Combinations														
>The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections														
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)</b>														
UNE Port/Loop Combination Rates														
2-Wire VG Loop/Port Combo - Zone 1							11.46							
2-Wire VG Loop/Port Combo - Zone 2							16.76							
2-Wire VG Loop/Port Combo - Zone 3							33.56							
<b>UNE Loop Rates</b>														
2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	UEPLX	9.56									
2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	UEPLX	14.86									
2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	UEPLX	31.66									
<b>2-Wire Vols Grds Line Port Rates (Res)</b>														
2-Wire voice unbundled port - residence		UEPRX	UEPRL	UEPRL	1.9019	10.05	7.36	1.37						
2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	UEPRC	1.9019	10.05	7.36	1.37						
2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	UEPRO	1.9019	10.05	7.36	1.37						
2-Wire voice unbundled res low usage line port with Caller ID (LUM)		UEPRX	UEPAP	UEPAP	1.9019	10.05	7.36	1.37						
2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res		UEPRX	UEPWC	UEPWC	1.9019	10.05	7.36	1.37						
2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res		UEPRX	UEPWQ	UEPWQ	1.9019	10.05	7.36	1.37						
2-Wire voice unbundled Georgia basic dialing port - outgoing only		UEPRX	UEPWR	UEPWR	1.9019	10.05	7.36	1.37						
2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		UEPRX	UEPRT	UEPRT	1.9019	10.05	7.36	1.37						
2-Wire Voice Grade Unbundled Port without Caller ID Georgia		UEPRX	UEPRV	UEPRV	1.9019	10.05	7.36	1.37						
2-Wire Voice Grade Unbundled Port with Caller ID Georgia FEATURES		UEPRX	UEPRU	UEPRU	1.9019	10.05	7.36	1.37						
All Features Offered		UEPRX	UEPVF	UEPVF	0.775	0.00	0.00							
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>														
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-Is		UEPRX	USAC2	USAC2										
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC	USACC										
2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service		UEPRX	URECC	URECC										
<b>ADDITIONAL NRCs</b>														
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	USAS2	0.00	0.00	0.00							
Unbundled Miscellaneous Rate Element Tag Loop at End User Premise		UEPRX	URETL	URETL	8.33	0.83								
<b>OFFICE PREMISES EXTENSION CHANNELS</b>														
2-Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPRX	UEAEN	UEAEN	10.51	40.02	9.99	5.61						
2-Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPRX	UEAEN	UEAEN	15.85	40.02	9.99	5.61						
2-Wire Analog Voice Grade Extension Loop - Non-Design	3	UEPRX	UEAED	UEAED	31.97	40.02	9.99	5.61						
2-Wire Analog Voice Grade Extension Loop - Design	1	UEPRX	UEAED	UEAED	11.57	79.65	24.65	18.92						
2-Wire Analog Voice Grade Extension Loop - Design	2	UEPRX	UEAED	UEAED	16.95	79.65	24.65	18.92						
2-Wire Analog Voice Grade Extension Loop - Design	3	UEPRX	UEAED	UEAED	33.08	79.65	24.65	18.92						

CATEGORY	RATE ELEMENTS	Intern'l	Zone	BCS	USOC		RATES (\$)		Attachment 2 Ex A		Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	OSS Rates (\$)
							Rec	First	Nonrecurring	Disconnect Add'l		
<b>UNBUNDLED NETWORK ELEMENTS - Georgia</b>												
INTEROFFICE TRANSPORT												
Termination	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPRX	UTV2	12.87	48.46	19.48	16.58	5.00		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile				UEPRX	UTVM	0.0057	0.00	0.00				
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)</b>												
UNE Port/Loop Combination Rates												
2-Wire VG Loop/Port Combo - Zone 1						11.46						
2-Wire VG Loop/Port Combo - Zone 2						16.76						
2-Wire VG Loop/Port Combo - Zone 3						33.56						
2-Wire VG Loop/Port Combo - Zone 4						33.56						
<b>UNE Loop Rates</b>												
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	UEPLX	9.56						
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	UEPLX	14.66						
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	UEPLX	31.66						
<b>2-Wire Voice Grade Line Port (Bus)</b>												
2-Wire voice unbundled port without Caller ID - bus				UEPBX	UEFBLC	1.9019	10.05	7.36	1.37	1.28		
2-Wire voice unbundled port with Caller + E&B4 ID - bus				UEPBX	UEFBBO	1.9019	10.05	7.36	1.37	1.28		
2-Wire voice unbundled port outgoing only - bus				UEPBX	UEFBP1	1.9019	10.05	7.36	1.37	1.28		
2-Wire voice unbundled incoming only port with Caller ID - Bus				UEPBX	UEPWD	1.9019	10.05	7.36	1.37	1.28		
2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - bus				UEPBX	UEPWP	1.9019	10.05	7.36	1.37	1.28		
2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus				UEPBX	UEPBE	1.9019	10.05	7.36	1.37	1.28		
2-Wire voice unbundled incoming Only Port without Caller ID Capability				UEPBX	UEPVF	0.775	0.00	0.00				
<b>FEATURES</b>												
All Features Offered												
<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>												
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-to-S				UEPBX	USACC2			0.10	0.10			
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch With Change				UEPBX	USACC			0.10	0.10			
<b>ADDITIONAL NRCS</b>												
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity				UEPBX	USAS2			0.00	0.00			
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise				UEPBX	URETL	8.33	0.83					
<b>OFFICE PREMISES EXTENSION CHANNELS</b>												
2-Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72				
2-Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72				
2-Wire Analog Voice Grade Extension Loop - Design	3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72				
2-Wire Analog Voice Grade Extension Loop - Design	1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87				
2-Wire Analog Voice Grade Extension Loop - Design	2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87				
2-Wire Analog Voice Grade Extension Loop - Design	3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87				
<b>INTEROFFICE TRANSPORT</b>												
Termination	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPBX	UTV2	12.87	48.46	19.48	16.58	5.00		
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile				UEPBX	UTVM	0.0057	0.00	0.00				
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)</b>												
UNE Port/Loop Combination Rates												
2-Wire VG Loop/Port Combo - Zone 1												
2-Wire VG Loop/Port Combo - Zone 2												
2-Wire VG Loop/Port Combo - Zone 3												
<b>UNE Loop Rates</b>												
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRG	UEPLX	UEPLX	9.56						
2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPLX	UEPLX	14.86							
2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPLX	UEPLX	31.66							
2-Wire Voice Grade Line Port Rates (RES - PBX)												

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex. A			SOMAN	SOMAN	SOMAN
							Rec	Nonrecurring Add'l	Nonrecurring Disconnect	Svc Order Submitted	Svc Order Submitted	OSS Rates (\$)
							Manually per LSR	Manually per LSR	Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1 9019	10 05	7 36	1 37	1 28		
<b>FEATURES</b>	All Features Offered			UEPRG	UEPVF	0 775	0 00	0 00				
	<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-A&s			UEPRG	USAC2		0 10	0 10				
<b>ADDITIONAL NRCs</b>	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		0 10	0 10				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity - Change/Rearrange Multiline Hunt Group			UEPRG	USAS2	0 00	0 00	0 00				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		6 70	6 70				
	<b>OFF-ON PREMISES EXTENSION CHANNELS</b>											
	Local Channel Voice Grade, Per termination	1	UEPRG	P2PHX	11 57	79 85	24 65	18 92	7 87			
	Local Channel Voice grade, per termination	2	UEPRG	P2HGX	16 95	79 85	24 65	18 92	7 87			
	Local Channel Voice grade, per termination	3	UEPRG	P2HGX	33 08	79 85	24 65	18 92	7 87			
	Non-Voice Direct Serve Channel Voice Grade	1	UEPRG	SD02X	12 74	56 92	7 70	4 40	0 02			
	Non-Voice Direct Serve Channel Voice Grade	2	UEPRG	SD02X	19 76	56 92	7 70	4 40	0 02			
	Non-Voice Direct Serve Channel Voice Grade	3	UEPRG	SD02X	37 18	56 92	7 70	4 40	0 02			
	<b>INTEROFFICE TRANSPORT</b>											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	UTV2	12 87	48 46	19 48	16 58	5 00		
	Interoffice Transport - Dedicated - 2 Wirs Voice Grade - Per Mile or Fraction Mile			UEPRG	UTVM	0 0057	0 00	0 00				
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)</b>											
	<b>UNE Port/Loop Combination Rates</b>											
	2-Wire VG Loop/Port Combo - Zone 1											
	2-Wire VG Loop/Port Combo - Zone 2											
	2-Wire VG Loop/Port Combo - Zone 3											
	<b>UNE Loop Rates</b>											
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPPX	UEPLX	9 56						
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	14 86						
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPPX	UEPLX	31 66						
	2-Wire Voice Grade Line Port Rates (BUS - PBX)											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1 9019	10 05	7 36	1 37	1 28		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1 9019	10 05	7 36	1 37	1 28		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXA	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXB	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXC	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Adminstrative Calling Port			UEPPX	UEPXD	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXL	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXM	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEP XO	1 9019	10 05	7 36	1 37	1 28		
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk			UEPPX	UEPXS	1 9019	10 05	7 36	1 37	1 28		



CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Rec	Nonrecurring			Nonrecurring Disconnect Add'l			Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	OSS Rates (\$)
						First	1st	Add'l		First	1st	Add'l	Svc Order Submitted Elec per LSR	Manually Svc Order vs Electronic Add'l				
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DD, 01+, and Local (GA) (GA, KY, MS)			UEPCO	UEPCH	1.9019	10.05	7.36	1.37	1.28								
	2-Wire Coin Outward with Operator Screening and 011 Blocking 900/976, 1+DD, 01+, and Local (FL, GA)			UEPCO	UEPRJ	1.9019	10.05	7.36	1.37	1.28								
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCQ	1.9019	10.05	7.36	1.37	1.28								
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.9019	10.05	7.36	1.37	1.28								
	<b>ADDITIONAL UNE COIN PORT/LOOP (RC)</b>			UEPCO	UEFCR	1.9019	10.05	7.36	1.37	1.28								
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00								
	<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2				0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC				0.10	0.10								
	<b>ADDITIONAL NRCS</b>																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2				0.00	0.00								
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPCO	URETL				8.33	8.83								
	<b>2-WIRE VOICE LOOP/2WIRE VOICE GRADE TO TRANSPORT/2WIRE LINE PORT (RES)</b>																	
	<b>UNE Port/Loop Combination Rates</b>																	
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1										26.53							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2										31.92							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3										48.84							
	<b>UNE Loop Rates</b>																	
	2-Wire Voice Grade Loop (SL2) - Zone 1			1	UEPFR	UECF2	11.57											
	2-Wire Voice Grade Loop (SL2) - Zone 2			2	UEPFR	UECF2	16.95											
	2-Wire Voice Grade Loop (SL2) - Zone 3			3	UEPFR	UECF2	33.08											
	<b>2-Wire Voice Grade Line Port Rates (Res)</b>																	
	2-Wire voice unbundled port, residences			UEPFR	UEPRL	2.09			166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.09			166.05	43.66	41.89	15.44						
	2-Wire voice unbundleds res, low usage line port with Caller ID (LUM)			UEPFR	UEPRO	2.09			166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - res			UEPFR	UEPAP	2.09			166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPFR	UEPMC	2.09			166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPFR	UEPMW	2.09			166.05	43.66	41.89	15.44						
	<b>INTEROFFICE TRANSPORT</b>																	
	Interoffice Transport - Dedicated 2-Wire Voice Grade - Facility Termination			UEPFR	UITV2	12.87	48.46	19.48	16.58	5.00								
	Interoffice Transport - Dedicated 2-Wire Voice Grade - Per Mile or Fraction Mile			UEPFR	1L5XX	0.0057	0.00											
	<b>FEATURES</b>																	
	All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00										
	<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>																	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2						1.86							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC						1.86							
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPFR	URETN						11.19	1.10						
	<b>2-WIRE VOICE LOOP/2WIRE VOICE GRADE TO TRANSPORT/2WIRE LINE PORT (BUS)</b>																	
	<b>UNE Port/Loop Combination Rates</b>																	
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1																26.53	

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)
						Rec	Nonrecurring Disconnect Add'l First	
<b>UNBUNDLED NETWORK ELEMENTS - Georgia</b>								
						Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic Add'l	OSS Rates (\$)
<b>UNE Loop Rates</b>								
2-Wire VG Loop/I/O Transport/I/O Port Combo - Zone 2					31.92			
2-Wire VG Loop/I/O Transport/I/O Port Combo - Zone 3					48.04			
2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFB	UECF2		11.57			
2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFB	UECF2		16.05			
2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFB	UECF2		33.08			
<b>2-Wire Voice Grade Line Ports (Bus)</b>								
2-Wire voice unbundled port without Caller ID - bus		UEPFB	UEFBL		2.09	166.05	41.89	15.44
2-Wire voice unbundled port with Caller ID + E#41 ID - bus		UEPFB	UEPBC		2.09	166.05	41.89	15.44
2-Wire voice unbundled port outgoing only - bus		UEPFB	UEPBO		2.09	166.05	41.89	15.44
2-Wire voice unbundled incoming only Port with Caller ID - Bus		UEPFB	UEFB1		2.09	166.05	41.89	15.44
2-Wire voice unbundled Georgia basic dialing port - without Caller ID capability - bus		UEPFB	UEPWD		2.09	166.05	41.89	15.44
2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus		UEPFB	UEPWP		2.09	166.05	41.89	15.44
<b>INTEROFFICE TRANSPORT</b>								
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPFB	UITV2		12.87	48.46	19.48	16.56
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFB	11.5XX		0.0057	0.00	0.00	
<b>FEATURES</b>								
All Features Offered		UEPFB	UEPVF		0.775	0.00	0.00	
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>								
2-Wire Loop / Dedicated I/O Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is		UEPFB	USAC2			7.85	1.86	
2-Wire Loop / Dedicated I/O Transport / 2 Wire Line Port Combination - Conversion - Switch with change		UEPFB	USACC			7.85	1.86	
End User Premise		UEPFB	URETN			11.19	1.10	
<b>2-WIRE VOICE LOOP / 2WIRE VOICE GRADE I/O TRANSPORT / 2WIRE LINE PORT (PBX)</b>								
<b>UNE Part/Loop Combination Rates</b>								
2-Wire VG Loop/I/O Transport/I/O Port Combo - Zone 1						26.53		
2-Wire VG Loop/I/O Transport/I/O Port Combo - Zone 2						31.92		
2-Wire VG Loop/I/O Transport/I/O Port Combo - Zone 3						48.04		
<b>UNE Loop Rates</b>								
2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFP	UECF2		11.57			
2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFP	UECF2		16.05			
2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFP	UECF2		33.08			
<b>2-Wire Voice Grade Line Port Rates (BUS - PBX)</b>								
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPFP	UEPPC		2.09	166.05	41.89	15.44
Line Side Unbundled Quifward PBX Trunk Port - Bus		UEPFP	UEPPO		2.09	166.05	41.89	15.44
Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPFP	UEPF1		2.09	166.05	41.89	15.44
2-Wire Voice Unbundled PBX LD Terminal Ports		UEPFP	UEFLD		2.09	166.05	41.89	15.44
2-Wire Voice Unbundled 2-Way Combination PBX Usage - Port		UEPFP	UEPXA		2.09	166.05	41.89	15.44
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPFP	UEFXB		2.09	166.05	41.89	15.44
2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPFP	UEXC		2.09	166.05	41.89	15.44
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPFP	UEPXD		2.09	166.05	41.89	15.44
2-Wire Voice Unbundled PBX LD Terminal Switchboard I DDS Capable Port		UEPFP	UEPXE		2.09	166.05	41.89	15.44
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPFP	UEPXL		2.09	166.05	41.89	15.44
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPFP	UEPXM		2.09	166.05	41.89	15.44
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPFP	UEPXO		2.09	166.05	41.89	15.44
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPFP	UEPXS		2.09	166.05	41.89	15.44
2-Wire voice unbundled Georgia basic dialing port - 1-Way Ondial Trunk		UEPFP	UEPWS		2.09	166.05	41.89	15.44

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Attachment 2 Ex A		OSS Rates (\$)
					Rec	Nonrecurring Add'l	Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Svc Order Submitted Elec per LSR	Manually Order vs Electronic-1st	Manual Svc Order vs Electronic-Add'l	Nonrecurring Disconnect Add'l	
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk		UEPFP	UEPWT	2.09	166.05	43.66	41.89	15.44
<b>INTEROFFICE TRANSPORT</b>									
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1V2	12.87	48.46	19.48	16.58	5.00
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fractional Mile			UEPFP	1L5XX	0.0057	0.00	0.00		
<b>FEATURES</b>									
All Features Offered			UEPFP	UEPVF	0.775	0.00	0.00		
<b>NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>									
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		7.95	1.86		
2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		7.95	1.86		
Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPFP	URETN		11.19	1.10		
<b>2-WIRE VOICE GRADE LOOP-BUS ONLY - WITH 2-WIRE DID TRUNK PORT</b>									
<b>UNE Port/Loop Combination Rates</b>									
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1						18.05			
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2						23.44			
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3						39.56			
<b>UNE Loop Rates</b>									
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPPX	UECD1	11.57				
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX	UECD1	16.95				
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPPX	UECD1	33.08				
<b>UNE Port Rates</b>									
Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	6.48	174.55	13.64	55.31	4.27
<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>									
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	USA1C		6.66	1.86		
2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX	USA1C		6.66	1.86		
<b>ADDITIONAL NRCs</b>									
Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise			UEPPX	URETN		11.19	1.10		
<b>Telephone Number/Trunk Group Establishment Charges</b>									
DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00		
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	N02	0.00	0.00	0.00		
Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	N04	0.00	0.00	0.00		
DID Numbers, Non-consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers			UEPPX	N06	0.00	0.00	0.00		
Reserve DID Numbers			UEPPX	N0Y	0.00	0.00	0.00		
<b>2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT</b>									
<b>UNE Port/Loop Combination Rates</b>									
2-Wire ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1			1	UEPPB	UEPZR	USL2X	14.25		
2-Wire ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2			2	UEPPB	UEPZR	USL2X	19.26		
2-Wire ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3			3	UEPPB	UEPZR	USL2X	32.90		
<b>UNE Port Rate</b>									
Exchange Port - 2-Wire ISDN Line Side Port			UEPPR		6.19	161.36	141.68	8.37	
Exchange Port - 2-Wire ISDN Line Side Port			UEPPB		6.19	161.36	141.68	8.37	

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex. A		OSS Rates (\$)
						Rec	Nonrecurring Disconnect First Add'l	
<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>								
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB UEPPR	USACB	0.00	42.52	26.99	
<b>ADDITIONAL NRCS</b>								
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actv Non Feature/Add Trunk		UEPPB UEPPR	UASB	0.00			
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPPB UEPPR	URETN	11.19	1.10		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPPB UEPPR	URETL	8.33	0.83		
<b>B-CHANNEL USER PROFILE ACCESS</b>								
	CVS/CSD (OMS/5ESS)		UEPPB UEPPR	UUCUA	0.00	0.00	0.00	
	CVS (EWSD)		UEPPB UEPPR	UUCB	0.00	0.00	0.00	
	CSD		UEPPB UEPPR	UUCC	0.00	0.00	0.00	
<b>B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL_KYLA, M5, SC, MS, &amp; TN)</b>								
	USER TERMINAL PROFILE		UEPPB UEPPR	UJUMA	0.00	0.00	0.00	
	User Terminal Profile (EWSD only)		UEPPB UEPPR	UEPVF	0.775	0.00	0.00	
<b>VERTICAL FEATURES</b>								
	All Vertical Features - One per Channel B User Profile							
<b>INTEROFFICE CHANNEL MILEAGE</b>								
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB UEPPR	MIGNC	12.8757	48.46	19.48	16.58
	Interoffice Channel mileage each, additional mile		UEPPB UEPPR	MIGNM	0.0057	0.00	0.00	5.00
<b>UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES</b>								
	UNE-P CENTREX - 1AES5 - (Valid in AL, FL, GA, KY, LA, MS, & TN only)							
	UNE-P Loop/2-Wire Voice Grade Port (Centrex) Combo							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					11.46		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					16.76		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					33.56		
<b>UNE Port/Loop Combination Rates (Design)</b>								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					13.47		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					18.85		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					34.98		
<b>UNE Loop Rates</b>								
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP91	UECS1	9.56			
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP91	UECS1	14.86			
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP91	UECS1	31.66			
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP91	UECS2	11.57			
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP91	UECS2	16.85			
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP91	UECS2	33.98			
<b>UNE Ports</b>								
	All States (Except North Carolina and Sout Carolina)							
	2-Wire Voice Grade Port (Centrex) Basic Local Area		UEP91	UEPA	1.9019	10.05	7.36	1.37
	2-Wire Voice Grade Port (Centrex) 800 termination Basic Local Area		UEP91	UEPYB	1.9019	10.05	7.36	1.37
	2-Wire Voice Grade Port (Centrex with Caller ID) Note1 Basic Local Area		UEP91	UEPYH	1.9019	10.05	7.36	1.37
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area		UEP91	UEPYM	1.9019	82.27	26.96	20.29
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area		UEP91	UEPYZ	1.9019	82.27	26.96	20.29

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Attachment 2 Ex A			Attachment 2 Ex B		
					Rac	First	Nonrecurring Add'l	Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN
	2 Wire Voice Grade Port terminated in on Megalink or equivalent				UEP91	UEPY9	1 9019	10 05	7 36	1 37	1 28		
	- Basic Local Area				UEP91	UEPY2	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area				UEP91	UEPH4	1 9019	10 05	7 36	1 37	1 28		
<b>Georgia and Florida Only</b>					UEP91	UEPHB	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Grade Port (Centrex )				UEP91	UEPHH	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Grade Port (Centrex 800 termination)				UEP91	UEPHH	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Grade Port (Centrex with Caller ID)				UEP91	UEPHM	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3				UEP91	UEPHM	1 9019	82 27	26 96	20 29	9 15		
	2-Wire Voice Grade Port, Diff Sennig Wire Center 2,3 . 800 Service Term				UEP91	UEPHZ	1 9019	82 27	26 96	20 29	9 15		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEP91	UEPH9	1 9019	10 05	7 36	1 37	1 28		
	2-Wire Voice Grade Port terminated on 800 Service Term				UEP91	UEPH2	1 9019	10 05	7 36	1 37	1 28		
<b>Local Switching</b>					UEP91	URECS	0 4237						
	Centrex Intercom Functionality, per port				UEP91	UEPVF	0 775						
	Features				UEP91	UEPV9	0 90	0 00					
	All Standard Features Offered, per port				UEP91	UEPVC	0 00						
	All Centrex Control Features Offered per port				UEP91	UARCX	0 00	0 00					
<b>NARS</b>					UEP91	UARIX	0 00	0 00					
	Unbundled Network Access Register - Combination				UEP91	UAROX	0 00	0 00					
	Unbundled Network Access Register - Indian				UEP91	UAROX	0 00	0 00					
	Unbundled Network Access Register - Ouidial				UEP91	UAROX	0 00	0 00					
	Miscellaneous Terminations												
	2-Wire Trunk Side				UEP91	CENA6	5 50	122 26	18 65	54 82	3 45		
	Trunk Side Terminations, each				UEP91	M1GBC	12 87	48 46	19 48	16 58	5 00		
	Interoffice Channel Mitigation - 2-Wire				UEP91	M1GBM	0 0057						
	Interoffice Channel Facilities Termination - Voice Grade				UEP91								
	Interoffice Channel mileage, per mile or fraction of mile				UEP91								
	Feature Activations (DS0) Activations on Channellized DS1 Service				UEP91								
<b>D4 Channel Bank Feature Activations</b>					UEP91	1PQWIS	0 4689						
	Feature Activation on D4 Channel Bank Centrex Loop Slot				UEP91	1PQW6	0 4689						
	Feature Activation on D4 Channel Bank FX line Side Loop Slot				UEP91	1PQW7	0 4689						
	Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot				UEP91	1PQWP	0 4689						
	Feature Activation on D4 Channel Bank Centrex Loop Slot - Different Wire Center				UEP91	1PQWV	0 4689						
	Feature Activation on D4 Channel Bank Private Line Loop Slot				UEP91	1PQWO	0 4689						
	Feature Activation on D4 Channel Bank Tie Line/Trunk Loop Slot				UEP91	1PQWA	0 4689						
	Feature Activation on D4 Channel Bank WATS Loop Slot				UEP91	USAC2	0 10	0 10					
	New Centrex Standard Common Block				UEP91	MA1ACS	0 00	317 90	317 59	48 99	5 92		
	Secondary Block, per Block				UEP91	M2CC1	0 00	77 10					
	NAR Establishment Charge, Per Occasion				UEP91	URECA	0 00	0 00					
	<b>Additional Non-Recurring Charges (NRC)</b>												
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise				UEP91	URETL	8 33	0 83					
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise				UEP91	URETN	11 19	1 10					
	<b>UNE-P CENTREX - SESS (Valid in All States)</b>												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	SOMAN	SOMAN	SOMAN
							Rec	First				
<b>UNE Port/Loop Combination Rates (Non-Design)</b>												
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design								11.46				
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design								16.76				
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design								33.56				
<b>UNE Port/Loop Combination Rates (Design)</b>												
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design								13.47				
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design								18.85				
2-Wire VS Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design								34.98				
<b>UNE Loop Rate</b>												
2-Wire Voice Grade Loop (SL 1 - Zone 1	1	UEP95		UECS1				9.56				
2-Wire Voice Grade Loop (SL 1 - Zone 2	2	UEP95		UECS1				14.86				
2-Wire Voice Grade Loop (SL 1 - Zone 3	3	UEP95		UECS1				31.66				
2-Wire Voice Grade Loop (SL 2 - Zone 1	1	UEP95		UECS2				11.57				
2-Wire Voice Grade Loop (SL 2 - Zone 2	2	UEP95		UECS2				16.95				
2-Wire Voice Grade Loop (SL 2 - Zone 3	3	UEP95		UECS2				33.08				
<b>UNE Port Rate</b>												
All States				UEP95	UEPYA	1 9019	10 05	7.36	1.37	1.28		
2-Wire Voice Grade Port (Centrex) Basic Local Area				UEP95	UEPYB	1 9019	10 05	7.36	1.37	1.28		
2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area				UEP95	UEPYH	1 9019	10 05	7.36	1.37	1.28		
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3 Basic Local Area				UEP95	UEPYM	1 9019	82.27	26.96	20.29	9.15		
2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area				UEP95	UEPYZ	1 9019	82.27	26.96	20.29	9.15		
2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area				UEP95	UEPY9	1 9019	10 05	7.36	1.37	1.28		
2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area				UEP95	UEPY2	1 9019	10 05	7.36	1.37	1.28		
<b>FL &amp; GA Only</b>												
2-Wire Voice Grade Port (Centrex)				UEP95	UEPHA	1 9019	10 05	7.36	1.37	1.28		
2-Wire Voice Grade Port (Centrex 800 termination)				UEP95	UEPHB	1 9019	10 05	7.36	1.37	1.28		
2-Wire Voice Grade Port (Centrex with Caller ID) 1				UEP95	UEPHH	1 9019	10 05	7.36	1.37	1.28		
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3				UEP95	UEPHM	1 9019	82.27	26.96	20.29	9.15		
2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2.3				UEP95	UEPHZ	1 9019	82.27	26.96	20.29	9.15		
2-Wire Voice Grade Port terminated in on Megalink or equivalent				UEP95	UEPH9	1 9019	10 05	7.36	1.37	1.28		
2-Wire Voice Grade Port Terminated on 800 Service Term				UEP95	UEPH2	1 9019	10 05	7.36	1.37	1.28		
<b>Local Switching</b>												
Centrex Intercom Functionality, per port				UEP95	URECS	0 4237						
<b>Features</b>												
All Standard Features Offered, per port				UEP95	UEPVF	0 775						
All Select Features Offered, per port				UEP95	UEPVIS	0 00	0 00					
All Centrex Control Features Offered, per port				UEP95	UEPVC	0 00						
<b>NARS</b>												
Unbundled Network Access Register - Combination				UEP95	UARCX	0 00	0 00	0 00	0 00	0 00		
Unbundled Network Access Register - Individual				UEP95	UARIX	0 00	0 00	0 00	0 00	0 00		
Miscellaneous Terminations				UEP95	UAFOX	0 00	0 00	0 00	0 00	0 00		
2-Wire Trunk Side				UEP95	CEND6	6 50	122.26	18.65	3.45			
Trunk Side Terminations, each												

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	SOMAN	SOMAN	SOMAN
							Rec	Nonrecurring First Add'l				
4-Wire Digital (1.544 Megabit/s) DS1 Circuit terminations, each	UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33					
DS0 Channel Activated, each	UEP95	M1HDO	0.00	13.95								
Interoffice Channel Mileage - 2-Wire	UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00					
Interoffice Channel mileage per mile or fraction of mile	UEP95	M1GBM	0.0057									
Feature Activations (DS0) Centrex Loops on Channellized DS1 Service												
D4 Channel Bank Feature Activations	UEP95	1PQWS	0.4689									
Feature Activation on D4 Channel Bank Centrex Loop Slot	UEP95	1PQW6	0.4689									
Feature Activation on D4 Channel Bank FX line Side Loop Slot	UEP95	1PQW5	0.4689									
Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot	UEP95	1PQW7	0.4689									
Feature Activation on D4 Channel Bank Centrex Loop Slot - Different Wire Center	UEP95	1PQWP	0.4689									
Feature Activation on D4 Channel Bank Private Line Loop Slot	UEP95	1PQWV	0.4689									
Feature Activation on D4 Channel Bank Tie Line/Trunk Loop Slot	UEP95	1PQWQ	0.4689									
Feature Activation on D4 Channel Bank WATS Loop Slot	UEP95	1PQWA	0.4689									
Non-Recurring Charges (NRC) Associated With UNE-P Centrex												
NRC Conversion Currently Combined Switch-As-Is with allowed changes per port	UEP95	1PAC2	0.10									
New Centrex Standard Common Block	UEP95	1PACS	0.00	317.90	37.59	43.99	5.92					
New Centrex Customized Common Block	UEP95	1PACC	0.00	317.90	37.59	43.99	5.92					
NAR Establishment Charge, Per Occasion	UEP95	1PRECA	0.00									
Additional Non-Recurring Charges (NRC)												
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	UEP95	1RET1	8.33									
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise	UEP95	1RETN	11.19									
UNE-P CENTREX - DM5400 (Valid in All States)												
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
UNE Port/Loop Combination Rates (Non-Design)												
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design												
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design												
UNE Port/Loop Combination Rates (Design)												
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design												
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design												
UNE Loop Rate												
2-Wire Voice Grade Loop (SL 1 - Zone 1	1	UEP90										
2-Wire Voice Grade Loop (SL 1 - Zone 2	2	UECS1	9.56									
2-Wire Voice Grade Loop (SL 1 - Zone 3	3	UEP90	14.86									
2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UECS1	31.66									
2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP90	11.57									
2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UECS2	16.95									
UNE Port Rate												
All STATES												
2-Wire Voice Grade Port (Centrex) Basic Local Area	UEP90	UEPYA	1.9019	10.05	7.36	1.37	1.28					
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area	UEP90	UEPYB	1.9019	10.05	7.36	1.37	1.28					

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USAC	RATES (\$)			Attachment 2 Ex A		
					Rec	First Add'l	Nonrecurring Disconnect First	Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	OSS Rates (\$)
	2-Wire Voice Grade Port (Centrex / EBS-PSE)3Basic Local Area		UEPY0	UEPYC	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area		UEPY0	UEPYD	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area		UEPY0	UEPYE	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local Area		UEPY0	UEPYF	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3Basic Local Area		UEPY0	UEPYG	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area		UEPY0	UEPYT	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 Basic Local Area		UEPY0	UEPYU	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 Basic Local Area		UEPY0	UEPYV	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 Basic Local Area		UEPY0	UEPY3	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEPY0	UEPYH	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex/Caller ID)Msg Wdg Lamp Indication)4 Basic Local Area		UEPY0	UEPYW	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex/Msg Wdg Lamp Indication))4 Basic Local Area		UEPY0	UEPYJ	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3-Basic Local Area		UEPY0	UEPYM	1.9019	82.27	26.96	20.29	9.15	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET2)3.4 Basic Local Area		UEPY0	UEPYO	1.9019	82.27	26.96	20.29	9.15	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4 Basic Local Area		UEPY0	UEPYP	1.9019	82.27	26.96	20.29	9.15	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2.3.4 Basic Local Area		UEPY0	UEPYQ	1.9019	82.27	26.96	20.29	9.15	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2.3.4 Basic Local Area		UEPY0	UEPYR	1.9019	82.27	26.96	20.29	9.15	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2.3.4 Basic Local Area		UEPY0	UEPYS	1.9019	82.27	26.96	20.29	9.15	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2.3.4 Basic Local Area		UEPY0	UEPY4	1.9019	82.27	26.96	20.29	9.15	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2.3 Basic Local Area		UEPY0	UEPY5	1.9019	82.27	26.96	20.29	9.15	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2.3.4 Basic Local Area		UEPY0	UEPY6	1.9019	82.27	26.96	20.29	9.15	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2.3.4 Basic Local Area		UEPY0	UEPY7	1.9019	82.27	26.96	20.29	9.15	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3		UEPY0	UEPYZ	1.9019	82.27	26.96	20.29	9.15	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area		UEPY0	UEPY9	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area		UEPY0	UEPY2	1.9019	10.05	7.36	1.37	1.28	
	FL & GA Only		UEPY0	UEPHA	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex)		UEPY0	UEPHB	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex 800 termination)		UEPY0	UEPHC	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-PSE)4		UEPY0	UEPHD	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		UEPY0	UEPHE	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		UEPY0	UEPHF	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		UEPY0	UEPHG	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		UEPY0	UEPHI	1.9019	10.05	7.36	1.37	1.28	
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		UEPY0	UEPHJ	1.9019	10.05	7.36	1.37	1.28	

CATEGORY	RATE ELEMENTS	Intern'l	Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex. A		OSS Rates (\$)	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Add'l	Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Nonrecurring Disconnect First Add'l	Nonrecurring Disconnect First Add'l	SOMAN SOMEC	SOMAN SOMEC	SOMAN SOMEC	SOMAN SOMEC				
								Rec	First															
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP90	UEPHU	1 9019	10 05	7 36	1 37	1 28														
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP90	UEPHV	1 9019	10 05	7 36	1 37	1 28														
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP90	UEPH3	1 9019	10 05	7 36	1 37	1 28														
	2-Wire Voice Grade Port (Centrex/Caller ID)4			UEP90	UEPHH	1 9019	10 05	7 36	1 37	1 28														
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP90	UEPHW	1 9019	10 05	7 36	1 37	1 28														
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP90	UEPHJ	1 9019	10 05	7 36	1 37	1 28														
	2-Wire Voice Grade Port (Centrex from Diff Serving Wire Center)2 3			UEP90	UEPHM	1 9019	82 27	26 96	20 29	9 15														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP90	UEPHO	1 9019	82 27	26 96	20 29	9 15														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP90	UEPHP	1 9019	82 27	26 96	20 29	9 15														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2,3,4			UEP90	UEPHQ	1 9019	82 27	26 96	20 29	9 15														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP90	UEPHR	1 9019	82 27	26 96	20 29	9 15														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP90	UEPHS	1 9019	82 27	26 96	20 29	9 15														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2,3,4			UEP90	UEPH4	1 9019	82 27	26 96	20 29	9 15														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP90	UEPH5	1 9019	82 27	26 96	20 29	9 15														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP90	UEPH6	1 9019	82 27	26 96	20 29	9 15														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP90	UEPH7	1 9019	82 27	26 96	20 29	9 15														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP90	UEPH8	1 9019	82 27	26 96	20 29	9 15														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP90	UEPH9	1 9019	10 05	7 36	1 37	1 28														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP90	UEPH2	1 9019	10 05	7 36	1 37	1 28														
	Local Switching			UEP90	URECS	0 4237																		
	Centrex Intercom Functionality, per port			UEP90	UEPVS	0 00	0 00																	
	All Select Features Offered, per port			UEP90	UEPVC	0 00																		
NARS	All Selected Network Access Register - Combination			UEP90	UACX	0 00	0 00	0 00	0 00	0 00														
	Unbundled Network Access Register - Combination			UEP90	UARX	0 00	0 00	0 00	0 00	0 00														
	Unbundled Network Access Register - Outdial			UEP90	UAROX	0 00	0 00	0 00	0 00	0 00														
	Miscellaneous Terminations			UEP90	CEND6	5 50	122 26	18 65	54 82	3 45														
	2-Wire Trunk Side			UEP90																				
	Trunk Side Terminators, each			UEP90																				
	4-Wire Digital (1.544 Megabit/s)			UEP90	M1HD1	41 20	200 96	93 00	65 81	2 33														
	DS0 Circuits Terminations, each			UEP90	M1HD0	0 00	13 95																	
	DS0 Channels Activated per Channel																							
	Interoffice Channel Millage - 2-Wire			UEP90	M1GBC	12 87	48 46	19 48	16 58	5 00														
	Interoffice Channel Facilities Termination			UEP90	M1GBM	0 0057																		
	Interoffice Channel mileage, per mile or fraction of mile																							
	Feature Activations (DS0) Contracts on Channelized DS1 Service																							
D4	Channel Bank Feature Activations			UEP90	1P0WS	0 4689																		
	Feature Activation on D-4 Channel Bank, Centrex Loop Slot			UEP90	1P0W6	0 4689																		
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP90	1P0W7	0 4689																		
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP90	1P0WP	0 4689																		
	Different Wire Center																							

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	
							Rec	Nonrecurring Add'l	First Add'l	
							Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic - Disc Add'l
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP90	1PQWV	0.4639				
	Feature Activation on D-4 Channel Bank Telephone Trunk Loop Slot			UEP90	1PQWQ	0.4639				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP90	1PQWA	0.4639				
	<b>Non-Recurring Charges (NRC) Associated with UNE-P Centrex</b>									
	NRC Conversion Currently Combined Switch-As-is with allowed changes, per port			UEP90	1SAC2	0.10				
	New Centrex Standard Common Block			UEP90	M1ACS	0.00	317.90	317.90	48.99	592
	New Centrex Customized Common Block			UEP90	M1ACC	0.00	317.90	317.90	48.99	592
	NAR Establishment Charge, Per Occasion			UEP90	URECA	0.00	0.00			
	<b>Additional Non-Recurring Charges (NRC)</b>									
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP90	URETL	8.33	0.83			
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP90	URETN	11.19	1.10			
	<b>Additional Non-Recurring Charges (NRC)</b>									
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL					
	Unbundled Miscellaneous Rate Element Tag Design Loop at End Use Premise			UEP9E	URETN					
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWS									
	Note 2 - Requires Interoffice Channel Mileage									
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port									
	Note 4 - Requires Specific Customer Premises Equipment									
	Note - Rates displaying an "I" in Interim column are interim as a result of a Commission order.									

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Ex A																																			
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	First	OSS Rates (\$)	SOMAN	SOMAN	SOMAN	SOMAN																											
	Svc Order Submitted	Manually per LSR	Charge - Manual Svc Order vs Electronic Add'l				Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l																																				
<b>The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website <a href="http://www.interconnection.bellsouth.com/become_a_cleic/html/interconnection.htm">http://www.interconnection.bellsouth.com/become_a_cleic/html/interconnection.htm</a></b>																																													
<b>OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"</b>																																													
NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																																													
NOTE (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth.																																													
OSS - Electronic Service Order Charge, Per Local Service Requests (LSR) - UNE Only								SOMEC			3.50			3.50			0.00																												
OSS - Manual Service Order Charge, Per Local Service Requests (LSR) - UNE Only								SOMAN			7.86			0.00			0.99																												
<b>UNE SERVICE DATE ADVANCEMENT CHARGE</b>																																													
NOTE The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable																																													
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																																													
<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>																																													
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1																																													
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		1			UEANL			UEAL2			10.56			46.66			22.57																												
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2		2			UEANL			UEAL2			15.34			46.66			22.57																												
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3			UEANL			UEAL2			31.11			46.66			22.57																												
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		1			UEANL			UEASL			10.56			46.66			22.57																												
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2		2			UEANL			UEASL			15.34			46.66			22.57																												
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		3			UEANL			UEASL			31.11			46.66			22.57																												
Unbundled Miscellaneous Rate Element 1, Tag Loop at End User Premise																																													
Loop Testing - Basic 1st Half Hour					UEANL			URET1			46.88			0.83																															
Loop Testing - Basic Additional Half Hour					UEANL			URET2			24.16			24.16																															

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Rec		Nonrecurring		Nonrecurring Disconnect		Attachment 2 Ex A	
							First	Add'l	First	Add'l	SOMECA	SOMAN	SOMECA	SOMAN
CLEC to CLEC Conversion Charge Without Outside Dispatch (U/M-SL1)				UEANL	UREWO		15.78		8.94					
Unbundled Voice Loop - Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E 1)				UEANL	UEANM		13.49		13.49					
Manual Order Coordination for UVL-SL1s (per loop)				UEANL	UEAMC		9.00		9.00					
Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)				UEANL	OCOSL		23.01		23.01					
<b>2-WIRE UNBUNDLED COPPER LOOP</b>														
2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1			UEQ	UEQX	10.58	44.97	20.89	25.64	6.65				
2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	2			UEQ	UEQX	11.51	44.97	20.89	25.64	6.65				
2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	3			UEQ	UEQX	13.19	44.97	20.89	25.64	6.65				
Unbundled Miscellaneous Rate Element - Tag Loop at End User Premise				UEQ	URETL		8.33		0.83					
Manual Order Coordination 2-Wire Unbundled Copper Loop - Non-Designed (per loop)				UEQ	USBMIC		9.00		9.00					
Unbundled Copper Loop - Non-Design Copper Loop, billing for BST, Encoding make-up (Engineering Information - E 1)				UEQ	UEOMU		13.49		13.49					
Loop Testing - Basic 1st Half Hour				UEQ	URET1		46.88		46.88					
Loop testing - Basic Additional Half Hour				UEQ	URETA		24.16		24.16					
CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)				UEQ	UREWO		14.27		7.43					
<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>														
<b>2-WIRE ANALOG VOICE GRADE LOOP</b>														
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1			UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65				
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1			UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65				
2-Wire Analog Voice Grade Loop - Service Level 1-Line Splitting-Zone 2	2			UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65				
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2			UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65				
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3			UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65				
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3			UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65				
<b>UNBUNDLED EXCHANGE ACCESS LOOP</b>														
<b>2-WIRE ANALOG VOICE GRADE LOOP</b>														
2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 1	1			UEA	UEAL2	12.67	134.89	81.87	134.85	14.88				
2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 2	2			UEA	UEAL2	17.45	134.89	81.87	134.85	14.88				
2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 3	3			UEA	UEAL2	33.22	134.89	81.87	134.85	14.88				
Order Coordination for Specified Conversion Time (per LSR)				UEA	OCOSL		23.01							
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1			UEA	UEAR2	12.67	134.89	81.87	134.85	14.88				
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2			UEA	UEAR2	17.45	134.89	81.87	134.85	14.88				
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3			UEA	UEAR2	33.22	134.89	81.87	134.85	14.88				
Order Coordination for Specified Conversion Time (per LSR)				UEA	OCOSL		23.01							
CLEC to CLEC Conversion Charge without outside dispatch				UEA	UREWO		87.72		36.36					
Loop Tagging - Service Level 2 (SL2)				UEA	URETL		11.21		11.10					
<b>4-WIRE ANALOG VOICE GRADE LOOP</b>														
4-Wire Analog Voice Grade Loop - Zone 1	1			UEA	UEAL4	29.26	164.11	112.36	178.91	18.66				
4-Wire Analog Voice Grade Loop - Zone 2	2			UEA	UEAL4	34.25	164.11	112.36	178.91	18.66				
4-Wire Analog Voice Grade Loop - Zone 3	3			UEA	UEAL4	85.06	164.11	112.36	178.91	18.66				
Order Coordination for Specified Conversion Time (per LSR)				UEA	OCOSL		23.01							
CLEC to CLEC Conversion Charge without outside dispatch				UEA	UREWO		87.72		36.36					

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Rec		Nonrecurring		Nonrecurring Disconnect		Attachment 2 Ex. A	OSS Rates (\$)
								First	Add'l	First	Add'l	Svc Order Submitted Elec per LSR	Manually Submitted per LSR	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic Add'l
<b>UNBUNDLED NETWORK ELEMENTS - Kentucky</b>															
2-WIRE ISDN DIGITAL GRADE LOOP															
2-Wire ISDN Digital Grade Loop - Zone 1			1	UDN	U112X		18.44	146.77	95.02	71.38	13.83				
2-Wire ISDN Digital Grade Loop - Zone 2			2	UDN	U112X		25.08	146.77	95.02	71.38	13.83				
2-Wire ISDN Digital Grade Loop - Zone 3			3	UDN	U112X		42.87	146.77	95.02	71.38	13.83				
Order Coordination For Specified Conversion Time (per LSR)															
CLEC to CLEC Conversion Charge without outside dispatch															
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1			1	UAL	UAL2X		10.82	141.98	79.73	69.02	11.47				
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2			2	UAL	UAL2X		11.79	141.98	79.73	69.02	11.47				
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zones 3			3	UAL	UAL2X		12.87	141.98	79.73	69.02	11.47				
Order Coordination for Specified Conversion Time (per LSR)															
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1			1	UAL	UAL2W		10.82	121.18	69.00	69.09	11.54				
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2			2	UAL	UAL2W		11.79	121.18	69.00	69.09	11.54				
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3			3	UAL	UAL2W		12.87	121.18	69.00	69.09	11.54				
Order Coordination for Specified Conversion Time (per LSR)															
CLEC to CLEC Conversion Charge without outside dispatch															
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1			1	UHL	UHL2X		8.75	151.54	89.29	69.09	11.54				
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2			2	UHL	UHL2X		9.56	151.54	89.29	69.09	11.54				
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3			3	UHL	UHL2X		10.61	151.54	89.29	69.09	11.54				
Order Coordination for Specified Conversion Time (per LSR)															
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1			1	UHL	UHL2W		8.75	130.74	78.56	69.09	11.54				
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2			2	UHL	UHL2W		9.56	130.74	78.56	69.09	11.54				
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3			3	UHL	UHL2W		10.61	130.74	78.56	69.09	11.54				
Order Coordination for Specified Conversion Time (per LSR)															
CLEC to CLEC Conversion Charge without outside dispatch															
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1			1	UHL	UHL4X		13.95	185.75	123.50	74.95	14.69				
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2			2	UHL	UHL4X		15.88	185.75	123.50	74.95	14.69				
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3			3	UHL	UHL4X		16.98	185.75	123.50	74.95	14.69				
Order Coordination for Specified Conversion Time (per LSR)															
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1			1	UHL	UHL4W		13.95	164.95	114.04	77.32	15.80				
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2			2	UHL	UHL4W		16.98	164.95	114.04	77.32	15.80				
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3			3	UHL	UHL4W		18.01	164.95	114.04	77.32	15.80				
Order Coordination for Specified Conversion Time (per LSR)															
4-WIRE DS1 DIGITAL LOOP															
4-Wire DS1 Digital Loop - Zone 1			1	USL	USLXX		86.47	306.69	174.44	65.83	14.55				
4-Wire DS1 Digital Loop - Zone 2			2	USL	USLXX		114.10	306.69	174.44	65.83	14.55				
4-Wire DS1 Digital Loop - Zone 3			3	USL	USLXX		297.76	306.69	174.44	65.83	14.55				
Order Coordination for Specified Conversion Time (per LSR)															
SVC ORDER SUBMITTED ELECTRIC ADD'L	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN									
MANUALLY SUBMITTED ELECTRIC ADD'L															
INCREMENTAL CHARGE - MANUAL SVC ORDER VS ELECTRONIC ADD'L															
INCREMENTAL CHARGE - MANUAL SVC ORDER VS ELECTRONIC ADD'L															
DISC ADD'L															

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		Attachment 2 Ex B	
							Rec	First	Nonrecurring Add'l	Nonrecurring Disconnect First
						Svc Order Submitted Elec per LSR	Manually Submitted per LSR	SOMEC	SOMAN	OSS Rates (\$)
<b>UNBUNDLED NETWORK ELEMENTS - Kentucky</b>										
4-WIRE 19.2, 56 Or 64 Kbps DIGITAL GRADE LOOP				USL	UREWO					
CLEC to CLEC Conversion Charge without outside dispatch				UDL	UDL19	27.59	157.81	106.06	78.91	18.66
4-Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	32.37	157.81	106.06	78.91	18.66		
4-Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	36.37	157.81	106.06	78.91	18.66		
4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	3	UDL	UDL56	27.59	157.81	106.06	78.91	18.66		
4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	1	UDL	UDL56	32.48	157.81	106.06	78.91	18.66		
4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	2	UDL	UDL56	36.37	157.81	106.06	78.91	18.66		
Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL			23.01				
4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66		
4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66		
4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66		
Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL			23.01				
CLEC to CLEC Conversion Charge without outside dispatch		UDL	UREWO			102.13	49.75			
<b>2-WIRE Unbundled COPPER LOOP</b>										
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54		
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54		
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54		
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00				
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54		
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54		
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54		
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00				
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO			97.23	42.48			
<b>4-WIRE COPPER LOOP</b>										
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69		
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69		
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69		
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00				
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69		
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69		
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69		
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00				
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO			97.23	42.48			
<b>LOOP MODIFICATION</b>										
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop		UAL	UHL UCI, UEQ ULS UEA, UENAL UEPSR UEPBS							
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop		ULM2L			9.24	9.24				
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		ULM4L			9.24	9.24				
		ULMBT			10.47	10.47				

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Attachment 2 Ex A	Attachment 2 Ex B
					Rec	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
<b>SUB-LOOPS</b>									
Sub-Loop Distribution									
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up									
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSA	207.91				
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1		UEANL	USBSB	12.50				
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1		UEANL	USBSC	80.87				
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBSD	45.04				
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBIN2	6.34	85.03	39.05	59.81	7.90
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBIN2	9.06	85.03	39.05	59.81	7.90
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC					
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1		UEANL	USBIN4	8.14	14.82	85.03	39.05	59.81
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2		UEANL	USBIN4	8.63	102.31	56.32	65.24	10.88
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3		UEANL	USBIN4	25.60	102.31	56.32	65.24	10.88
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC					
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USER2	2.57	68.35	22.36	59.81	7.90
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC					
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC					
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USER2	2.57	68.35	22.36	59.81	7.90
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC					
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC					
Loop Testing - Basic 1st Half Hour			UEANL	URET1					
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEEF	UCS2X	5.45	85.03	39.05	59.81	7.90
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEEF	UCS2X	7.06	85.03	39.05	59.81	7.90
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEEF	UCS2X	9.67	85.03	39.05	59.81	7.90
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEEF	USBMC					
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEEF	UCS4X	7.09	102.31	56.32	65.24	10.88
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEEF	UCS4X	8.66	102.31	56.32	65.24	10.88
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEEF	UCS4X	19.40	102.31	56.32	65.24	10.88
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEEF	USBMC					
Loop Testing - Basic 1st Half Hour			UEEF	URET1					
Unbundled Network Terminating Wire (UNTW) Pair			UEFTW	UENPP	0.53	23.51	23.51		
Network Interface Device (NID)			UENTW	UND12					
Network Interface Device (NID) - 1-2 lines			UENTW	UND16					
Network Interface Device (NID) - 1-6 lines			UENTW	UNDCC2					
Network Interface Device Cross Connect - 2 W			UENTW	UNDCA					
UNE OTHER, PROVISIONING ONLY - NO RATE			UENTW	UNDBX					
NID - Dispatch and Service Order for NID installation			UENTW	LIENCE	0.00	0.00			
UNTW Circuit id establishment, Provisioning Only - No Rate			UEANL,UEF,UEQ,U	ENTW	0.00	0.00			
UNE OTHER, PROVISIONING ONLY - NO RATE			UNEON	ENTW	0.00	0.00			

CATEGORY	RATE ELEMENTS	Intern	Zone	BCS	USOC		RATES (\$)			Attachment 2 Ex A		
							Rec	First	Nonrecurring Add'l.	Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic - Disc Add'l
										SOMEC	SOMAN	SOMAN
UNBUNDLED NETWORK ELEMENTS - Kentucky												
HIGH CAPACITY UNBUNDLED LOCAL LOOP	High Capacity Unbundled Local Loop - DSS - Per Mile per month	UE3	1L5ND	9.25								
	High Capacity Unbundled Local Loop - DSS - Facility Termination per month	UE3	UE3PXB	308.31	634.087	388.792	198.95	138.483				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month	UDLSX	1L5ND	9.25								
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month	UDLSX	UDLS1	320.51	634.087	388.792	198.95	138.483				
LOOP MAKEUP	Loop Makeup - Preordering Without Reservation per working or spare facility queued (Manual)	UMK	UMKLW				23.40	23.40				
	Loop Makeup - Preordering With Reservation, per spare facility queued (Manual)	UMK	UMKLWP				24.85	24.85				
	Loop Makeup - With or Without Reservation per working or spare facility queued (Mechanized)	UMK	UMKMD				0.67	0.67				
LINE SPLITTING												
END USER ORDERING-CENTRAL OFFICE BASED												
Line Splitting - per line activation DLEC owned splitter	UEPSR UEPBSB	URECOS	0.61									
Line Splitting - per line activation BST owned physical	UEPSR UEPBSB	UREEP	0.61	37.02	21.20	21.10	9.87					
Line Splitting - per line activation BST owned virtual	UEPSR UEPBSB	UREBV	0.61	37.02	21.20	21.10	9.87					
Maintenance of Service												
NOTE	The expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 13.1 as applicable											
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00				
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00				
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00				
UNBUNDLED DEDICATED TRANSPORT												
INTEROFFICE CHANNEL - DEDICATED TRANSPORT												
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month	UITTX	1L5XX	0.01									
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination	UITTX	UITR2	29.11	47.34	31.78	22.77	8.75					
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month	UITTX	1L5XX	0.01									
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination	UITTX	UITV4	25.86	47.34	31.78	22.77	8.75					
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	UITDX	1L5XX	0.0115									
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination	UITDX	UITD5	20.97	47.35	31.78	22.77	8.75					
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month	UITDX	1L5XX	0.0115									
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination	UITDX	UITD6	20.97	47.35	31.78	22.77	8.75					

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)	Rec		Nonrecurring Add'l		Nonrecurring Disconnect		Attachment 2, Ex A	
						-	First	Add'l	First	Add'l	OSS Rates (\$)	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic - Disc Add'l
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		UITD1	11.5XX	0.23								
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination		UITD1	UITF1	96.04	105.52	98.46	23.09	20.49				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		UITD3	11.5XX	4.97								
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		UITD3	UITF3	1.175.15	335.40	219.24	89.57	87.75				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		UITS1	11.5XX	4.97								
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		UITS1	UITFS	1.149.51	335.40	219.24	89.57	87.75				
<b>DARK FIBER</b>													
	Dark Fiber Four Fiber Strands Per Route Mile or Fraction thereof per month - Local Channel		UDF_UDFCX	11.5DC	54.06								
	Dark Fiber - Four Fiber Strands, Per Route Mile or Fraction thereof per month - Interoffice Channel		UDF_UDFCX	11.5DF	30.74								
	NRC Dark Fiber - Interoffice Channel		UDF_UDFCX	UDF14		732.53		192.67		377.27		241.67	
	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction thereof per month - Local Loop		UDF_UDFCX	11.5DL	54.06								
<b>8XX ACCESS TEN DIGIT SCREENING</b>													
	8XX Access Ten Digit Screening, Per Call					0.0006478							
	8XX Access Ten Digit Screening w/ 8FL No Delivery					0.0006478							
	8XX Access Ten Digit Screening w/ POTS No Delivery,					0.0006478							
<b>LINE INFORMATION DATA BASE ACCESS (LIDB)</b>													
	LIDB Common Transport Per Query					0.000023							
	LIDB Validation Per Query					0.0137322							
	LIDB Originating Point Code Establishment or Change					0.00010348							
<b>CALLING NAME (CNAM) SERVICE</b>													
	CNAM for DB Owners, Per Query					0.00010348							
	CNAM for Non DB Owners, Per Query					0.00008695							
<b>LNP Query Service</b>													
	LNP Charge Per query					13.82		13.82		12.71		12.71	
	LNP Service Establishment Manual					953.27		487.00		431.95		317.61	
<b>SELECTIVE ROUTING</b>													
	Selective Routing Per Unique Line Class Code Per Request Per Switch					93.53		93.53		15.58		15.58	
<b>VIRTUAL COLLOCATION</b>													
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting					UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95	
<b>PHYSICAL COLLOCATION</b>													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting					UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95	
<b>AIN SELECTIVE CARRIER ROUTING</b>													
	Regional Service Establishment								193.401.00	193.401.00	9.483.34	9.483.34	
	End Office Establishment								194.09	194.09	0.85	0.85	
	LinePort NRC, per end user								2.06	2.06			
	Query NRC, per query								0.037352	0.037352			
<b>AIN - BELL SOUTH AIN SMS ACCESS SERVICE</b>													
	AIN SMS Access Service - Service Establishment, Per State Initial Setup								43.55	43.55	44.33	44.33	
	AIN SMS Access Service - Port Connection - Dial/Shared Access								8.64	8.64	10.03	10.03	
	AIN SMS Access Service - Port Connection - ISDN Access								8.64	8.64	10.03	10.03	
	AIN SMS Access Service - User Identification Codes - Per User ID Code								38.65	38.65	29.88	29.88	
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement								75.08	75.08	12.93	12.93	

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Rec		Nonrecurring		Nonrecurring Disconnect		Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	OSS Rates (\$)
							Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	First Add'l	First	Add'l	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service - Session, Per Minute					0.666										
	AIN SMS Access Service - Company Performed Session Per Minute															
SIGNALING (CCS7)	CCS7 Signaling Usage, Per TCAP Message					0.4608										
	CCS7 Signaling Usage, Per ISUP Message					0.0000656										
	ENHANCED EXTENDED LINK (EEL) s)					0.0000164										
<b>NOTE:</b> The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements																
<b>2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>																
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7	84						
	2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7	84						
	2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7	84						
	Voice Grade COC1 - Per Month		UNCVX	1DVG	0.62	6.71	4.84									
<b>4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION</b>																
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7	84						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7	84						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7	84						
	Voice Grade COC1 in combination - Per Month		UNCVX	1DVG	0.62	6.71	4.84									
<b>4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>																
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7	84						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7	84						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7	84						
	OCU-DP COC1 (data) per month (2.4-64kbs)		UNCDX	1DID0	1.32	6.71	4.84									
<b>4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION</b>																
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7	84						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7	84						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7	84						
	OCU-DP COC1 (data) in combination per month (2.4-64kbs)		UNCDX	1DID0	1.32	6.71	4.84									
<b>2-WIRE ISDN LOOP FOR USE IN A COMBINATION</b>																
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	UL12X	18.44	125.22	60.48	59.69	7	84						
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	UL12X	25.08	125.22	60.48	59.69	7	84						
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	UL12X	42.87	125.22	60.48	59.69	7	84						
	2-Wire ISDN COC1 (BRI) - in combination - per month		UNCNX	UC1CA	2.84	6.71	4.84									
<b>4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION</b>																
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17	97						
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	114.00	210.70	114.60	63.96	17	97						
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	287.76	210.70	114.60	63.96	17	97						
	DS1 COC1 in combination per month		UNC1X	UC1D1	11.80	6.71	4.84									
<b>2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>																
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.01											
	Termination per month		UNCVX	U1TV2	23.95	98.09	53.67	56.31	22	42						
<b>4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>																
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.01											
	Interoffice Transport - 4-wire VG - Dedicated - Facility		UNCVX	U11F1	79.02	181.24	123.53	56.72	22	32						
	Termination per month		UNCVX	M01	113.33	57.26	14.74	186	167							
<b>DS1 INTEROFFICE TRANSPORT FOR COMBINATION</b>																
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNCVX	1L5XX	0.19											
	Interoffice Transport - Dedicated - DS1 combination - Facility		UNCVX	U11F1	79.02	181.24	123.53	56.72	22	32						
	Termination per month		UNCVX	M01	113.33	57.26	14.74	186	167							
<b>DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION</b>																
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	4.09											

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A		Attachment 2 Ex B	
							Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39	
<b>STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION</b>										
Interoffice Transport - Dedicated - STS-1 combination - Per Mile per Month			UNCSX	1L5XX	4.09					
Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39	
<b>4-WIRE 56 Kbps DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT</b>										
4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL6	27.59	125.22	60.48	56.69	7.84		
4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL6	32.48	125.22	60.48	56.69	7.84		
4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL6	36.37	125.22	60.48	56.69	7.84		
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01					
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TDS	17.25	98.09	53.67	56.31	22.42	
<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT</b>										
4-wire 64 kbps Local Loop in Combination -Zone 1	1	UNCDX	UDL64	27.59	125.22	60.48	56.69	7.84		
4-wire 64 kbps Local Loop in Combination -Zone 2	2	UNCDX	UDL64	32.48	125.22	60.48	56.69	7.84		
4-wire 64 kbps Local Loop in Combination -Zone 3	3	UNCDX	UDL64	36.37	125.22	60.48	56.69	7.84		
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01					
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TDS	17.25	98.09	53.67	56.31	22.42	
<b>4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>										
4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL6	27.59	125.22	60.48	56.69	7.84		
4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL6	32.48	125.22	60.48	56.69	7.84		
4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL6	36.37	125.22	60.48	56.69	7.84		
4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01					
4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	U1TDS	17.25	98.09	53.67	56.31	22.42	
<b>4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT</b>										
4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL64	27.59	125.22	60.48	56.69	7.84		
4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL64	32.48	125.22	60.48	56.69	7.84		
4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL64	36.37	125.22	60.48	56.69	7.84		
14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01					
4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCDX	U1TDS	17.25	98.09	53.67	56.31	22.42	
<b>DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT</b>										
4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	86.47	210.70	114.60	65.96	17.97		
4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		
4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	297.76	210.70	114.60	65.96	17.97		
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.19					
Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	
<b>DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT</b>										
DS3 Local Loop in combination - Per mile per month			UNC3X	1L5ND	10.6375					
DS3 Local Loop in combination - Facility Termination per month			UNC3X	U1SPX	354.5565	634.087	388.792	198.95	138.483	
Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09					
Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39	
<b>STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT</b>										
STS-1 Local Loop in combination - Facility Termination per month			UNC3X	1L5ND	10.6375					
STS-1 Local Loop in combination - Per mile per month			UDLS1	368.5865	634.087	388.792	198.95	138.483		

CATEGORY	RATE ELEMENTS	Intern'l	Zone	BCS	USOC	RATES (\$)		Attachment 2 Ex A		OSS Rates (\$)
						Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	
	Interoffice Transport - Dedicated STS-1 combination - per mile per month			UNCSX	1L5XX	4.09				
	Interoffice Transport - Dedicated STS-1 combination - F Facility Termination per month			UNCSSX	UTFS	945.79	350.56	141.58	48.00	23.39
<b>ADDITIONAL NETWORK ELEMENTS</b>										
When used as a part of a currently combined facility, the non-recurring charges do not apply, but, a Switch As is charge does apply										
When used as a part of a currently combined facility, the non-recurring charges apply and the Switch As is Charge does not apply										
When used as a part of a currently combined facility, the non-recurring charges in All States, the non-recurring charges apply and the Switch As is Charge does not apply										
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)										
Optional Features & Functions										
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CC0EF	0.00	0.00	0.00	0.00	
	Clear Channel Capability Super Frame Option - Per DS1	1		ULDD1,UNC1X	CC0SF	0.00	0.00	0.00	0.00	
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1		ULDD1, U1TD1 UNC1X USL	NRCCC	184.91	23.82	1.99	0.78	
	C-bit Parity Option - Subsequent Activity - per DS3	1		UE3, UNC3X	NRCC3	205.70	7.20	0.6924	0.00	
<b>MULTIPL EXTRS</b>										
	DS1 to DS0 Channel System - per month			UNC1X	MD1	113.33	57.26	14.74	1.66	1.67
	OC1-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08		
	OC1-OP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a centralized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	10.07	7.08		
	2-wire ISDN COCI (BRI TE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	2.84	10.07	7.08		
	2-wire ISDN COCI (BRI TE) - DS1 to DS0 Channel System - per month used for connection to a centralized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.84	10.07	7.08		
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.6228	10.07	7.08		
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a centralized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.6228	10.07	7.08		
	DS3 to DS1 Channel System per month			UNC3X	MD3	156.20	115.48	56.53	15.12	5.30
	DS1 to DS1 Channel System per month			UNCSSX	MD3	—	156.20	—	36.53	—
	DS1 COCI used with Loop per month			USL	UC1D1	11.80	10.07	7.08		
	DS1 COCI (used for connection to a centralized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.80	10.07	7.08		
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	11.80	10.07	7.08		
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULD1	UC1D1	11.80	10.07	7.08		
<b>COMMINGLING</b>										
	UE3, UDLSX UNCDX, UNCSX, UNCVX, UNC1X, UNCYX, U1TD1, U1TD3, U1TDX, U1TS1, U1TUB, U1TX									
	Commungling Authorization									
<b>UNBUNDLED LOCAL EXCHANGE SWITCHING PORTS</b>										
	The Exchange Switching Port Rates Reflected Here Apply to Embedded Bass Switching Ports as of March 10, 2005									
	and consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO									
	Exchange Ports									
	NOTE: Although the Port Rates includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs									
	2-WIRE VOICE GRADE LINE PORT RATES (RES)									

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		SVC ORDER SUBMITTED ELEC PER LSR	INCREMENTAL CHARGE - MANUAL SVC ORDER VS ELECTRONIC DISC ADD!	INCREMENTAL CHARGE - MANUAL SVC ORDER VS ELECTRONIC DISC 1ST	INCREMENTAL CHARGE - MANUAL SVC ORDER VS ELECTRONIC DISC ADD!	INCREMENTAL CHARGE - MANUAL SVC ORDER VS ELECTRONIC DISC 1ST	
							Rec	Nonrecurring Add'l		First	Add'l			
	Exchange Ports - 2-Wire Analog Line Port- Res				UEPSR	UEPRL	2.48	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res				UEPSR	UEPRC	2.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res				UEPSR	UEPRO	2.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing party Port with Caller ID - Res				UEPSR	UEPRM	2.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire VG unbundled res. low usage line port with Caller ID (LUM) without Caller ID				UEPSR	UEPAP	2.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan				UEPSR	UEPW	2.49	3.74	3.63	2.23	2.13			
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability				UEPSR	UEPRT	2.49	3.74	3.63	2.23	2.13			
	Subsequent Activity				UEPSR	USASC	0.00	0.00	0.00					
<b>FEATURES</b>														
	All Available Vertical Features				UEPSR	UEPVF	0.00	0.00	0.00					
<b>2-WIRE VOICE GRADE LINE PORT RATES (BUS)</b>														
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus				UEPSB	UEPBL	2.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller ID +E484 ID - Bus				UEPSB	UEPBC	2.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus				UEPSB	UEPBO	2.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire VG unbundled KY extended local dialing party Port with Caller ID - Bus				UEPSB	UEPBM	2.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus				UEPSB	UEPB1	2.49	3.74	3.63	2.23	2.13			
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan without Caller ID				UEPSB	UEPWF	2.49	3.74	3.63	2.23	2.13			
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability				UEPSB	UEPBE	2.49	3.74	3.63	2.23	2.13			
	Subsequent Activity				UEPSB	USASC	0.00	0.00	0.00					
<b>FEATURES</b>														
	All Available Vertical Features				UEPSB	UEPVF	0.00	0.00	0.00					
<b>EXCHANGE PORT RATES (ID &amp; PBX)</b>														
	2-Wire VG Unbundled 2-Way PBX Trunk - Res				UEPSE	UEPRD	2.49	39.05	18.17	15.38	0.89			
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus				UEPSP	UEPPC	2.49	39.05	18.17	15.38	0.89			
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus				UEPSP	UEPRD	2.49	39.05	18.17	15.38	0.89			
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus				UEPSP	—UEPP1—	—2.49—	—39.05—	—18.17—	—15.38—	—0.89—			
	2-Wire Voice Unbundled PBX LD Terminal Ports				UEPSP	UEPLD	2.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 2-Way PBX Usage Port				UEPSP	UEPXA	2.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports				UEPSP	UEPXB	2.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled PBX LD Terminal Ports				UEPSP	UEPXC	2.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port Capable Port				UEPSP	UEPXD	2.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port Without LUD				UEPSP	UEPXE	2.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port				UEPSP	UEPXF	2.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Calling Port Without LUD				UEPSP	UEPXH	2.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port				UEPSP	UEPJ	2.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Discount Room Calling Port				UEPSP	UEPXM	2.49	39.05	18.17	15.38	0.89			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port				UEPSP	UEPXO	2.49	39.05	18.17	15.38	0.89			

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Ex A			
CATEGORY	RATE ELEMENTS			Intern Zone	BCS	USOC	RATE (\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic Add'l	OSS Rates (\$)
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	UEPSP	UEPXS				Rec	First Add'l	Nonrecurring				
FEATURES	All Available Vertical Features	UEPSP	USASC				2.49	39.05	18.17	15.38	0.89		
	Local Switching Features offered with Port	UEPSP	UEPSE				0.00	0.00	0.00				
	NOTE: Transmission usage charge associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.	UEPSP	UEPVF				0.00	0.00	0.00				
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BRI/New Business Request Process	UEPSP	UEPVF				0.00	0.00	0.00				
	2-WIRE VOICE GRADE LINE PORT RATES (ISDN-BRI)	UEPFX	UEPP2				11.51	92.18	15.82	52.16	5.30		
	Exchange Ports - 2-Wire DID Port	UEPFX	UEPSX				0.00	0.00	0.00				
	Exchange Ports - 2-Wire ISDN Port (See Notes below)	UEPFX	U1PMA				14.46	60.60	50.67	32.83	14.17		
	All Features Offered	UEPFX	UEPVF				0.00	0.00	0.00				
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles	UEPFX	U1UMA				0.00	0.00	0.00				
	NOTE: Transmission usage charge associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.	UEPFX	U1UMA				0.00	0.00	0.00				
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BRI/New Business Request Process	UEPFX	U1UMA				0.00	0.00	0.00				
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	UEPFX	UEPVR				0.00	0.00	0.00				
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	UEPFX	UERAC				2.49	3.74	3.74				
	Unbundled Remote Call Forwarding Service, Area Calling, Res	UEPFX	UERAC				2.49	3.74	3.74				
	Unbundled Remote Call Forwarding Service, InterLATA, Res	UEPFX	UERLC				2.49	3.74	3.74				
	Unbundled Remote Call Forwarding Service, IntraLATA, Res	UEPFX	UERTR				2.49	3.74	3.74				
	Non-Recurring	UEPFX	UEPVR				0.00	0.00	0.00				
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is	UEPFX	USAC2				0.10	0.10	0.10				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)	UEPFX	USACC				0.10	0.10	0.10				
	UNBUNDLED REMOTE CALL FORWARDING - Bus	UEPFX	UEPVB				0.00	0.00	0.00				
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	UEPFX	UEPVC				0.00	0.00	0.00				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	UEPFX	UEPVB				0.00	0.00	0.00				
	Unbundled Remote Call Forwarding Service, InterLATA, Bus	UEPFX	UEPVB				0.00	0.00	0.00				
	Unbundled Remote Call Forwarding Service, IntraLATA, Bus	UEPFX	UEPVB				0.00	0.00	0.00				
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling	UEPFX	UEPVB				0.00	0.00	0.00				
	Non-Recurring	UEPFX	UEPVB				0.00	0.00	0.00				
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is	UEPFX	USAC2				0.10	0.10	0.10				
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)	UEPFX	USACC				0.10	0.10	0.10				
	UNBUNDLED LOCAL SWITCHING, PORT USAGE	UEPFX	UEPVB				0.00	0.00	0.00				
	End Office Switching Function, Per MOU	UEPFX	UEPVB				0.00	0.00	0.00				
	Tandem Switching (Port Usage) (Local or Access Tandem)	UEPFX	UEPVB				0.00	0.00	0.00				
	Tandem Switching Function, Per MOU	UEPFX	UEPVB				0.00	0.00	0.00				
	Tandem Trunk Port - Shared, Per MOU	UEPFX	UEPVB				0.00	0.00	0.00				
	Tandem Switching Function (Per MOU) (Mated)	UEPFX	UEPVB				0.00	0.00	0.00				
	Tandem Trunk Port - Shared, Per MOU (Mated)	UEPFX	UEPVB				0.00	0.00	0.00				
	Melded Factor 48.65% of the Tandem Rate	UEPFX	UEPVB				0.00	0.00	0.00				
	Common Transport - Per Mile, Per MOU	UEPFX	UEPVB				0.00	0.00	0.00				
	Common Transport - Facilities Termination, Per MOU	UEPFX	UEPVB				0.00	0.00	0.00				
	UNBUNDLED PORTLOOP COMBINATIONS COST BASED RATES	UEPFX	UEPVB				0.00	0.00	0.00				
	>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.	UEPFX	UEPVB				0.00	0.00	0.00				
	>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNEPs as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO	UEPFX	UEPVB				0.00	0.00	0.00				

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	SOMAN	SOMAN	SOMAN										
							Rec	Nonrecurring														
>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit																						
>End Office and tandem switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/Port network elements except for UNE Coin Port/Loop Combinations																						
>The first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																						
<b>UNE Port/Loop Combination Rates</b>																						
2-Wire VG Loop/Port Combo - Zone 1																						
2-Wire VG Loop/Port Combo - Zone 2																						
2-Wire VG Loop/Port Combo - Zone 3																						
<b>UNE Loop Rates</b>																						
2-Wire Voice Grade Loop (SL1) - Zone 1																						
2-Wire Voice Grade Loop (SL1) - Zone 2																						
2-Wire Voice Grade Loop (SL1) - Zone 3																						
2-Wire Voice Grade Line Port Rates (Res)																						
2-Wire voice unbundled port - residence																						
2-Wire voice unbundled port with Caller ID - res																						
2-Wire voice unbundled port outgoing only res																						
2-Wire voice unbundled Kentucky extended local dialing party port with Caller ID - res																						
2-Wire voice unbundled Kentucky Residence Dialing Plan (LUM) res, low usage line port with Caller ID																						
2-Wire Voice Unbundled Kentucky Residence Dialing Plan without Caller ID																						
2-Wire voice unbundled low usage line port without Caller ID Capability																						
<b>FEATURES</b>																						
All Features Offered																						
<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>																						
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch Pass																						
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change																						
2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service																						
<b>ADDITIONAL NRCS</b>																						
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity																						
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise																						
<b>OFFICE PREMISES EXTENSION CHANNELS</b>																						
2-Wire Analog Voice Grade Extension Loop - Non-Design																						
2-Wire Analog Voice Grade Extension Loop - Non-Design																						
2-Wire Analog Voice Grade Extension Loop - Non-Design																						
2-Wire Analog Voice Grade Extension Loop - Design																						
2-Wire Analog Voice Grade Extension Loop - Design																						
2-Wire Analog Voice Grade Extension Loop - Design																						
<b>INTEROFFICE TRANSPORT</b>																						
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination																						
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile																						
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)</b>																						
UNE Port/Loop Combination Rates																						
2-Wire VG Loop/Port Combo - Zone 1																						
2-Wire VG Loop/Port Combo - Zone 2																						
2-Wire VG Loop/Port Combo - Zone 3																						

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A		OESS Rates (\$)	SOMAN	SOMAN	SOMAN	SOMAN
							Rec	Nonrecurring Add'l					
<b>UNE Loop Rates</b>													
2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPIX	964								
2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPIX	14 37								
2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPIX	30 59								
<b>2-Wire Voice Grade Line Port (Bus)</b>													
2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2 15	21 29	15 49	2 85		2 67			
2-Wire voice unbundled port with Caller + E164 ID - bus			UEPBX	UEPRC	2 15	21 29	15 49	2 85		2 67			
2-Wire voice unbundled port quelling Q only - bus			UEPBX	UEPRD	2 15	21 29	15 49	2 85		2 67			
2-Wire voice Grade unbundled Kentucky extended local dialing party port with Caller ID - bus			UEPBX	UEPBM	2 15	21 29	15 49	2 85		2 67			
2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPBL	2 15	21 29	15 49	2 85		2 67			
2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID			UEPBX	UEPWF	2 15	21 29	15 49	2 85		2 67			
2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPWE	2 15	21 29	15 49	2 85		2 67			
<b>FEATURES</b>													
All Features Offered			UEPBX	UEPVF	0 00	0 00	0 00	0 00					
<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>													
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAQ2					0 10	0 10			
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USAQC					0 10	0 10			
<b>ADDITIONAL NRCS</b>													
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAQ2					0 00	0 00			
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL	8 33	8 33	0 83						
<b>OFF/ON PREMISES EXTENSION CHANNELS</b>													
2-Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPBX	UEAEN	10 56	46 66	22 57	26 65	7 65					
2-Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPBX	UEAEN	15 34	46 66	22 57	26 65	7 65					
2-Wire Analog Voice Grade Extension Loop - Non-Design	3	UEPBX	UEAEN	31 11	46 66	22 57	26 65	7 65					
2-Wire Analog Voice Grade Extension Loop - Design	1	UEPBX	UEAED	12 67	134 89	81 87	73 65	14 98					
2-Wire Analog Voice Grade Extension Loop - Design	2	UEPBX	UEAED	17 45	134 89	81 87	73 65	14 98					
2-Wire Analog Voice Grade Extension Loop - Design	3	UEPBX	UEAED	33 22	134 89	81 87	73 65	14 98					
<b>INTEROFFICE TRANSPORT</b>													
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	23 95	98 09	53 67	56 31	22 42				
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	—U1TVM—	—0 0095—	—0 00—	—0 00—	—0 00—					
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)</b>													
<b>UNE Port/Loop Combination Rates</b>													
2-Wire VG Loop/Port Combo - Zone 1									11 79				
2-Wire VG Loop/Port Combo - Zone 2									16 32				
2-Wire VG Loop/Port Combo - Zone 3									32 74				
<b>UNE Loop Rates</b>													
2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRG	UEPIX	9 64									
2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRG	UEPIX	14 37									
2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRG	UEPIX	30 59									
<b>2-Wire Voice Grade Line Port Rates (RES - PBX)</b>													
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2 15	21 29	15 49	2 85	2 67				
<b>FEATURES</b>													
All Features Offered			UEPRG	UEPVF	0 00	0 00	0 00	0 00					
<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>													
2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch-as-is			UEPRG	USAQ2	8 45	19 1							
2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USAQC	8 45	19 1							
<b>ADDITIONAL NRCS</b>													

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A		Attachment 2 Ex B		OSS Rates (\$)
							Rec	Nonrecurring First Add'l	Nonrecurring First Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPRG	USA\$2		0.00	0.00	0.00			
PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group							7.86	7.86			
Unbundled Miscellaneous Rate Element Tag Loop at End User Premise			UEPRG	URETL			8.33	8.33			
<b>OFF-ON PREMISES EXTENSION CHANNELS</b>											
Local Channel Voice Grade, per termination	1	UEPRG	P2HXX	P2HXX		12.67	131.89	81.87	73.65	14.88	
Local Channel Voice Grade, per termination	2	UEPRG	P2HXX	P2HXX		17.45	134.89	81.87	73.65	14.88	
Local Channel Voice Grade, per termination	3	UEPRG	SDDDX	SDDDX		33.22	134.89	81.87	73.65	14.88	
Non-Wire Direct Serve Channel Voice Grade	1	UEPRG	SDDDX	SDDDX		12.68	12.68	170.06	170.06	15.80	
Non-Wire Direct Serve Channel Voice Grade	2	UEPRG	SDDDX	SDDDX		18.12	18.12	170.06	170.06	15.80	
Non-Wire Direct Serve Channel Voice Grade	3	UEPRG	SDDDX	SDDDX		29.64	29.64	170.06	170.06	15.00	
<b>INTEROFFICE TRANSPORT</b>											
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPRG	U1TV2	U1TV2		23.95	98.09	53.67	56.31	22.42	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPRG	U1TVM	U1TVM		0.0056	0.00	0.00			
<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)</b>											
UNE Port/Loop Combination Rates							11.79				
2-Wire VS Loop/Port Combo - Zone 1							16.52				
2-Wire VS Loop/Port Combo - Zone 2							32.74				
2-Wire VS Loop/Port Combo - Zone 3											
<b>UNE Loop Rates</b>											
2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPLX	UEPLX		9.64					
2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	UEPLX		14.37					
2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	UEPLX		30.59					
<b>2-Wire Voice Grade Line Port Rates (BUS - PBX)</b>											
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	UEPPC		2.15	21.29	15.49	2.85	2.67	
Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPO	UEPO		2.15	21.29	15.49	2.85	2.67	
Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPPI	UEPPI		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled PBX ID Terminal Ports		UEPPX	UEPLD	UEPLD		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPA	UEPA		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPBX	UEPBX		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled PBX ID DDD Terminals Port		UEPPX	UEPC	UEPC		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled PBX ID Terminal Switchboard Port		UEPPX	UEPD	UEPD		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled PBX ID Terminal Switchboard DO Capable Port		UEPPX	UEPE	UEPE		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD		UEPPX	UEPF	UEPF		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port		UEPPX	UEPK	UEPK		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled PBX Kentucky Premium Calling Port		UEPPX	UEPL	UEPL		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD		UEPPX	UEPM	UEPM		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling Port		UEPPX	UEPO	UEPO		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPS	UEPS		2.15	21.29	15.49	2.85	2.67	
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPVF	UEPVF		0.00	0.00	0.00			
<b>FEATURES</b>											
All Features Offered											
<b>NON RECURRING CHARGES (NRCs) - CURRENTLY COMBINED</b>											
2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPPX	USAC2	USAC2		8.45	1.91				

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)
							Rec	First Audit	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		8.45	1.91	
<b>ADDITIONAL NRCS</b>									
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00		
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise						7.86	7.86	
<b>OFFICE PREMISES EXTENSION CHANNELS</b>				UEPPX	URETL		8.33	0.83	
	Local Channel Voice Grade, per termination	1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88
	Local Channel Voice Grade, per termination	2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88
	Local Channel Voice Grade, per termination	3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88
	Non-Wire Direct Serve Channel Voice Grade	1	UEPPX	SD2JX	12.68	170.05	78.10	119.62	15.80
	Non-Wire Direct Serve Channel Voice Grade	2	UEPPX	SD2DX	18.12	170.05	78.10	119.62	15.80
	Non-Wire Direct Serve Channel Voice Grade	3	UEPPX	SD2DX	29.64	170.05	78.10	119.62	15.80
<b>INTEROFFICE TRANSPORT</b>				UEPPX	U1TV2	23.95	98.09	53.67	36.31
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Facility or Fraction Mile			UEPPX	U1TVM	0.0955	0.00	0.00	0.00
	<b>2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT</b>								
	<b>UNE Port/Loop Combination Rates</b>								
	2-Wire VG Coin Port/Loop Combo - Zone 1						11.79		
	2-Wire VG Coin Port/Loop Combo - Zone 2						16.52		
	2-Wire VG Coin Port/Loop Combo - Zone 3						32.74		
	<b>UNE Loop Rates</b>								
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPCO	UEPLX	9.64				
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPCO	UEPLX	14.37				
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPCO	UEPLX	30.59				
	<b>2-Wire Grade Line Ports (COIN)</b>								
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)		UEPCO	UEPRF	2.15	21.29	15.49	2.85	2.67
	2-Wire Coin 2-Way with Operator Screening (AL, KY)		UEPCO	UEPRE	2.15	21.29	15.49	2.85	2.67
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 90/0976, 1-DDD (AL, KY, LA, MS)		UEPCO	UEPRA	2.15	21.29	15.49	2.85	2.67
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)		UEPCO	UEPKA	2.15	21.29	15.49	2.85	2.67
	2-Wire Coin 2-Way with Operator Screening & Blocking 90/0976, 1-DDD, 011+, & Local (AL, KY, LA, MS)		UEPCO	UEPCD	2.15	21.29	15.49	2.85	2.67
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)		UEPCO	UEPRN	2.15	21.29	15.49	2.85	2.67
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)		UEPCO	UEPRJ	2.15	21.29	15.49	2.85	2.67
	2-Wire Coin Outward with Operator Screening and Blocking 90/0976, 1+DDD (AL, KY, LA, MS)		UEPCO	UEPRH	2.15	21.29	15.49	2.85	2.67
	2-Wire Coin Outward Operator Screening & Blocking 90/0976, 1+DDD, 011+, and Local (AL, KY, LA, MS)		UEPCO	UEPCN	2.15	21.29	15.49	2.85	2.67
	2-Wire Coin Outward with 90/0976 (all states except LA)		UEPCO	UEPCK	2.15	21.29	15.49	2.85	2.67
	2-Wire Coin Outward Smartline with 90/0976 (all states except LA)		UEPCO	UEPCR	2.15	21.29	15.49	2.85	2.67
	<b>ADDITIONAL UNE COIN PORT/LOOP (RC)</b>								
	<b>UNE Port/Loop Combo Usages (Flat Rate)</b>								
	<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	URECU	2.57	0.00	0.00	0.00
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USAQ2		0.10	0.10	
	<b>ADDITIONAL NRCS</b>			UEPCO	USACC		0.10	0.10	

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2 Ex A		OSS Rates (\$)	SOMAN	SOMAN	SOMAN	SOMAN
								Rec	First					
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity Premise				UEPCO	USAS2		0.00	0.00					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Port/Loop Combination Rates				UEPCO	URETL		8.33	0.83					
	2-WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES) UNE Loop Rates													
	2-Wire VG Loop/I/O Transport/Port Combo - Zone 1								14.90					
	2-Wire VG Loop/I/O Transport/Port Combo - Zone 2								19.68					
	2-Wire VG Loop/I/O Transport/Port Combo - Zone 3								35.45					
	2-Wire Voice Grade Loop (SL2) - Zone 1				UEPFR	UECF2		12.67						
	2-Wire Voice Grade Loop (SL2) - Zone 2				UEPFR	UECF2		17.45						
	2-Wire Voice Grade Loop (SL2) - Zone 3				UEPFR	UECF2		33.22						
	2-Wire Voice Grade Line Port Rates (Res)				UEPFR	UEPRL		2.23	128.96	64.11	61.92	9.97		
	2-Wire voice unbundled port - residence				UEPFR	UEPRC		2.23	128.96	64.11	61.92	9.97		
	2-Wire voice unbundled port with Caller ID - res				UEPFR	UEPRO		2.23	128.96	64.11	61.92	9.97		
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res				UEPFR	UEPRM		2.23	128.96	64.11	61.92	9.97		
	2-Wire voice unbundled port - low usage line port with Caller ID (LUM)				UEPFR	UEPAP		2.23	128.96	64.11	61.92	9.97		
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan without Caller ID				UEPFR	UEPWE		2.23	128.96	64.11	61.92	9.97		
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination				UEPFR	U1TV2		23.95	98.09	53.67	56.31	22.42		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile				UEPFR	15XX		0.0085						
	FEATURES				UEPFR	UEPVF		0.00	0.00					
	All Features Offered				UEPFR	UEPVF		0.00	0.00					
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED				UEPFR	USAC2		9.03	1.87					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is				UEPFR	USACC		9.03	1.87					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change				UEPFR	URETN		11.21	1.10					
	Unbundled Miscellaneous Rate Element, Tag Designated Loop at End User Premise				UEPFR	U1TV2		23.95	98.09	53.67	56.31	22.42		
	2-WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)													
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/I/O Transport/Port Combo - Zone 1								14.90					
	2-Wire VG Loop/I/O Transport/Port Combo - Zone 2								19.68					
	2-Wire VG Loop/I/O Transport/Port Combo - Zone 3								35.45					
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL2) - Zone 1				UEFB	UECF2		12.67						
	2-Wire Voice Grade Loop (SL2) - Zone 2				UEFB	UECF2		17.45						
	2-Wire Voice Grade Loop (SL2) - Zone 3				UEFB	UECF2		33.22						
	2-Wire voice unbundled port without Caller ID - bus				UEPFB	UEPBL		2.23	128.96	64.11	61.92	9.97		
	2-Wire voice unbundled port with Caller ID + E4b4 ID - bus				UEPFB	UEPBL		2.23	128.96	64.11	61.92	9.97		
	2-Wire voice unbundled port outgoing only - bus				UEPFB	UEPBM		2.23	128.96	64.11	61.92	9.97		
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus				UEPFB	UEPBM		2.23	128.96	64.11	61.92	9.97		
	2-Wire voice unbundled incoming only port with Caller ID - bus without Caller ID				UEPFB	UEPWF		2.23	128.96	64.11	61.92	9.97		
	INTEROFFICE TRANSPORT				UEPFB	U1TV2		23.95	98.09	53.67	56.31	22.42		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination				UEPFB	U1TV2		23.95	98.09	53.67	56.31	22.42		

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Rec	Nonrecurring Disconnection		Attachment 2 Ex A	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st
					First	Add'l		First	Add'l			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1LSXX	0.0095				SOMECA	SOMAN	SOMAN
<b>FEATURES</b>	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00	0.00			
	<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>			UEPFB	USAC2		9.03	1.87				
	2-Wire Loop Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USACC		9.03	1.87				
	2-Wire Loop Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	URETN		11.21	1.10				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB								
	<b>2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (PBX)</b>											
	<b>UNE Port/Loop Combination Rates</b>											
	2-Wire VG Loop/I/O Transport/I/O Transport/I/O Transport - Zone 1					14.90						
	2-Wire VG Loop/I/O Transport/I/O Transport - Zone 2					19.68						
	2-Wire VG Loop/I/O Transport/I/O Transport - Zone 3					35.45						
<b>UNE Loop Rates</b>												
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFP	UECF2		12.67					
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2		17.45					
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2		33.22					
	<b>2-Wire Voice Grade Line Port Rates (BUS-PBX)</b>											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC		2.23	164.27	78.65	76.05	8.73	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO		2.23	164.27	78.65	75.05	8.73	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPKA		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPKB		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled PBX LD DDD Terminals Ports			UEPFP	UEPKC		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPKD		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPKE		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Ceiling Port without LUD			UEPFP	UEPKF		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPKG		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled 2-Way Premium Calling Port			UEPFP	UEPKH		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD			UEPFP	UEPKJ		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Adminstrative Calling Port			UEPFP	UEPKL		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPKM		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPKO		2.23	164.27	78.65	75.05	8.73	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPKS		2.23	164.27	78.65	75.05	8.73	
	<b>INTEROFFICE TRANSPORT</b>											
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2		23.95	98.09	53.67	56.31	2.42	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1LSXX		0.0095					
<b>FEATURES</b>	All Features Offered			UEPFP	UEPVF		0.00	0.00	0.00			
	<b>NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED</b>			UEPFP	USAC2		9.03	1.87				
	2-Wire Loop Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USACC		9.03	1.87				
	2-Wire Loop Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFP	URETN		11.21	1.10				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP								

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A							
							Rec	Nonrecurring First Add'l						
<b>UNBUNDLED NETWORK ELEMENTS - Kentucky</b>														
<b>2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT</b>														
<b>UNE Port/Loop Combination Rates</b>														
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1						22.30								
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2						27.08								
2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3						42.85								
<b>UNE Loop Rates</b>														
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1					UEPPX	UECD1	12.67							
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2					UEPPX	UECD1	17.45							
2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3					UEPPX	UECD1	33.22							
<b>UNE Port Rate</b>														
Exchange Ports - 2-Wire DID Port					UEPPX	UEPD1	9.63	336.11						
<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>														
2-Wire Voice Grade Loop /2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes					UEPPX	USAIC	7.85	1.87						
<b>ADDITIONAL NRCS</b>														
2-Wire DID Subsequent Activity -Add Trunks, Per Trunk					UEPPX	USAIS1	32.25	32.25						
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise					UEPPX	URETN	11.21	1.10						
<b>Telephone Number/Trunk Group Establishment Charges</b>														
DID Trunk Termination (One Per Port)					UEPPX	NDT	0.00	0.00						
Additional DID Numbers for each Group of 20 DID Numbers					UEPPX	ND4	0.00	0.00						
DID Numbers, Non-consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers					UEPPX	ND5	0.00	0.00						
Reserve DID Numbers					UEPPX	ND6	0.00	0.00						
UEPPX					UEPPX	NDV	0.00	0.00						
<b>2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT</b>														
<b>UNE Port/Loop Combination Rates</b>														
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1							26.69							
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2							32.92							
2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3							51.21							
<b>UNE Loop Rates</b>														
2-Wire ISDN Digital Grade Loop - UNE Zone 1					UEPPB	UEPR	USSLX	16.10						
2-Wire ISDN Digital Grade Loop - UNE Zone 2					UEPPB	UEPR	USSLX	22.33						
2-Wire ISDN Digital Grade Loop - UNE Zone 3					UEPPB	UEPR	USSLX	40.63						
<b>UNE Port Rate</b>														
— Exchange Port -2-Wire ISDN Line Side Port					UEPR	—UEPR	—10.59	—320.53						
Exchange Port -2-Wire ISDN Line Side Port					UEPPB	UEPR	10.59	320.53						
<b>NONRECURRING CHARGES - CURRENTLY COMBINED</b>														
2-Wire ISDN Digital Grade Loop /2-Wire ISDN Line Side Port Combination - Conversion					UEPPB	UEPR	USAQB	0.00						
<b>ADDITIONAL NRCS</b>														
Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise					UEPPB	UEPR	URETN	11.21						
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise					UEPPB	UEPR	URETL	8.33						
<b>B-CHANNEL USER PROFILE ACCESS</b>														
CVS/CSD (DMS/SESS)					UEPPB	UEPR	U1UCA	0.00						
CSD					UEPPB	UEPR	U1UCB	0.00						
<b>B-CHANNEL AREA PLUS USER PROFILE ACCESS (ALKY, LA, MS SC MS &amp; TN)</b>														
CVS/CSD (DMS/SESS)					UEPPB	UEPR	U1UCD	0.00						
CSD (EVNSD)					UEPPB	UEPR	U1UCE	0.00						
UEPPB					UEPPB	UEPR	U1UCA	0.00						
UEPPB					UEPPB	UEPR	U1UCA	0.00						
<b>USER TERMINAL PROFILE</b>														
User Terminal Profile (EWSD only)					UEPPB	UEPR	U1UJA	0.00						
<b>VERTICAL FEATURES</b>														

CATEGORY	RATE ELEMENTS	Interim Zone	BGS	USOC		RATES (\$)	Attachment 2 Ex. A		OSS Rates (\$)	SVC Order Submitted Manually per LSR	SVC Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
							Rec	Nonrecurring Disconnect First Add'l															
All Vertical Features - One per Channel B User Profile						UEPPB	UEPPR	UEPVF	0.00	0.00	0.00	0.00	0.00	0.00	0.00	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
INTEROFFICE CHANNEL MILEAGE						UEPPB	UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75										
Interoffice Channel mileage each, including first mile and facilities termination						UEPPB	UEPPR	M1GNM	0.01	0.00	0.00												
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																							
UNE-P CENTREX - 1AES - Valid in AL, FL, GA, KY, LA, MS, TN only																							
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design																							
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design																							
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design																							
UNE-Port/Loop Combination Rates (Non-Design)																							
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design																							
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design																							
UNE-Port/Loop Combination Rates (Design)																							
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design																							
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design																							
UNE Loop Rate																							
2-Wire Voice Grade Loop (SL 1) - Zone 1						1		UEP91			UEC51	9.64											
2-Wire Voice Grade Loop (SL 1) - Zone 2						2		UEP91			UEC51	14.37											
2-Wire Voice Grade Loop (SL 1) - zone 3						3		UEP91			UEC51	30.59											
2-Wire Voice Grade Loop (SL 2) - zone 1						1		UEP91			UEC52	12.67											
2-Wire Voice Grade Loop (SL 2) - zone 2						2		UEP91			UEC52	17.45											
2-Wire Voice Grade Loop (SL 2) - zone 3						3		UEP91			UEC52	33.22											
UNE Ports																							
All States (Except North Carolina and South Carolina)																							
2-Wire Voice Grade Port (Centrex) Basic Local Area																							
2-Wire Voice Grade Port (Centrex) 800 termination Basic Local Area																							
2-Wire Voice Grade Port (Centrex with Caller ID) Note Basic Local Area																							
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area																							
2-Wire Voice Grade Port-Diff Serving Wire Center -800 Service Term - Basic Local Area																							
- Basic Local Area																							
2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area																							
AL, KY, LA, MS, & TN Only																							
2-Wire Voice Grade Port (Centrex)																							
2-Wire Voice Grade Port (Centrex 800 termination)																							
2-Wire Voice Grade Port (Centrex with Caller ID)																							
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center 2,3 - 800 Service Term)																							
2-Wire Voice Grade Port terminated in on Megalink or equivalent																							
2-Wire Voice Grade Port Terminated on 800 Service Term																							
Local Switching																							
Centrex Intercom Functionality per port																							
Features																							
All Standard Features Offered, per port																							

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A			OSS Rates (\$)
							Rec	Nonrecurring First	Nonrecurring Add'l	
	All Select Features Offered, per port			UEP91	UEPVIS	0.00	405.66			
	All Centrex Control Features Offered, per port			UEP91	UEPVIC	0.00				
NARS	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	
	Unbundled Network Access Register - India			UEP91	UARIX	0.00	0.00	0.00	0.00	
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	
	Miscellaneous Terminations									
	2-Wire Trunk Side			UEP91	CEN46	10.51	92.18	15.82	52.16	
	Trunk Side Terminations, each			UEP91	M1GBC	29.11				
	Interoffice Channel Mileage - 2-Wire			UEP91	M1GBM	0.01				
	Interoffice Channel Facilities Termination - Voice Grade			UEP91						
	Interoffice Channel mileage, per mile or fraction of mile			UEP91						
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP91	1PQW6	0.62				
DA	Channel Bank Feature Activations			UEP91	1PQW7	0.62				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWP	0.62				
	Feature Activation on D-4 Channel Bank FX Line Side/Loop Slot			UEP91	1PQW6	0.62				
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.62				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWQ	0.62				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62				
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP91	1PQWQ	0.62				
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62				
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2	0.102	0.102			
	Conversion of Existing Centrex Common Block			UEP91	USACN	18.95	8.32			
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27
	New Centrex Customized Common Block			UEP91	M2CC1	0.00	669.80	78.32	111.05	13.27
	Secondary Block, per Block			UEP91	URECA	0.00	72.75		13.27	
	NAR Establishment Charge, Per Occasion									
	Additional Non-Recurring Charges (NRC)									
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL	8.33	0.83			
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP91	—ORETN—		—1121-		—110-	
UNE-P	CENTREX - 5ESS (Valid in All States)									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo									
	UNE Port/Loop Combination Rates (Non-Design)									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design									
	UNE Port/Loop Combination Rates (Design)									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design									
	UNE Loop Rate									
	2-Wire Voice Grade Loop (SL 1) - Zone 1			1	UEP95					
	2-Wire Voice Grade Loop (SL 1) - Zone 2			2	UEP96					
	2-Wire Voice Grade Loop (SL 1) - Zone 3			3	UEP95					

CATEGORY	RATE ELEMENTS	Internn	Zone	BCS	USOC	RATES (\$)	Attachment 2 Ex A		Attachment 2 Ex B	
							Rec	First	Nonrecurring Add'l	Disconnect First
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEP95	UEC52	12.67	Svc Order Submitted Elec per LSR	SOMEC	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEP95	UEC52	17.45				
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEP95	UEC52	33.22				
<b>UNE Port Rate</b>										
<b>All States</b>										
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area			UEP95	UEPYH	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port Diff Serving Wire Center 2,3 - 800 Service Term. Basic Local Area			UEP95	UEPYZ	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	2.15	21 29	15.49	2.85	2.67
<b>AL, KY, LA, MS, SC, &amp; TN Only</b>										
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPOA	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPOB	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP95	UEPOH	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPQM	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port Diff Serving Wire Center - 800 Service Term 2,3			UEP95	UEPOZ	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	2.15	21 29	15.49	2.85	2.67
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	2.15	21 29	15.49	2.85	2.67
<b>Local Switching</b>										
	Centrex Interroom Functionality, per port			UEP95	URECS	0.8873				
<b>Features</b>										
	All Standard Features Offered per port			UEP95	UEPVF	0.00				
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00				
<b>NARS</b>										
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	
	Unbundled Network Access Register - Individual			UEP95	UARIX	0.00	0.00	0.00	0.00	
	Unbundled Network Access Register - Dialdial			UEP95	UAROX	0.00	0.00	0.00	0.00	
	Miscellaneous Terminations									
	2-Wire Trunk Side			UEP95	CEND6	10.51	92 18	15.82	52.16	5.30
	Trunk Side Terminations, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86
	4-Wire Digital (1.544 Megabits)			UEP95	M1HDO	0.00	15.09			
	DST Circuit Terminations, each			UEP95	M1GBC	29.11				
	DS0 Channels Activated, each			UEP95	M1GBM	0.01				
	Interoffice Channel Mileage - 2-Wire									
	Interoffice Channel Facilities Termination									
	Feature Activations (DS0) Centrex Loops on Channeledized DS1 Service									
	D4 Channel Bank Feature Activations									
	Feature Activation on D-4 Channel Bank: Centrex Loop Slot			UEP95	1PQWS	0.62				
	Feature Activation on D-4 Channel Bank: FX line Side Loop Slot			UEP95	1PQW6	0.62				
	Feature Activation on D-4 Channel Bank: FX Trunk Side Loop Slot			UEP95	1PQW7	0.62				
	Feature Activation on D-4 Channel Bank: Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.62				
	Feature Activation on D-4 Channel Bank: Private Line Loop Slot			UEP95	1PQWV	0.62				

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Ex A			
CATEGORY	RATE ELEMENTS			Internm	Zone	BCS	USOC	RATES (\$)		SVC ORDER SUBMITTED MANUALLY PER LSR	SVC ORDER CHARGE - MANUAL SVC ORDER VS ELECTRONIC-DISC ADD'L	INCREMENTAL CHARGE - MANUAL SVC ORDER VS ELECTRONIC-DISC ADD'L	
	First	Add'l	Nonrecurring					First	Add'l				
Feature Activation on D-4 Channel Bank [jba Line]Trunk Loop Slot	UEP95	UEP95	IPOWO	0.62									
Feature Activation on D-4 Channel Bank WATS Loop Slot	UEP95	UEP95	IPOWA	0.62									
Non-Recurring Charges (NRC) Associated with UNE-P Centrex													
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port													
Conversion of Existing Centrex Common Block, each	UEP95	UEP95	USAC2					0.102	0.102				
New Centrex Standard Common Block	UEP95	UEP95	USACN	18.95									
New Centrex Customized Common Block	UEP95	UEP95	UMIACS	669.30				78.32	111.05				
NAR Establishment Charge, Per Occasion	UEP95	UEP95	UMTACC	0.00				72.75	111.05				
Additional Non-Recurring Charges (NRC)													
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	UEP95	UEP95	URETL					8.33	0.83				
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise	UEP95	UEP95	URETN					11.21	1.10				
UNE-P CENTREX - DMS100 (Valid in All States)													
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo													
UNE Port/Loop Combination Rates (Non-Design)													
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design								11.79					
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design								16.52					
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design								32.74					
UNE Port/Loop Combination Rates (Design)													
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design								14.82					
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design								19.60					
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design								35.37					
UNE Loop Rate													
2-Wire Voice Grade Loop (SL 1), Zone 1	UEP90	UEP90	UECS1	9.64									
2-Wire Voice Grade Loop (SL 1), Zone 2	UEP90	UEP90	UECS1	14.37									
2-Wire Voice Grade Loop (SL 1), Zone 3	UEP90	UEP90	UECS1	30.59									
2-Wire Voice Grade Loop (SL 2), Zone 1	UEP90	UEP90	UECS2	12.67									
2-Wire Voice Grade Loop (SL 2), Zone 2	UEP90	UEP90	UECS2	17.45									
2-Wire Voice Grade Loop (SL 2), Zone 3	UEP90	UEP90	UECS2	33.22									
UNE Port Rate													
ALL STATES													
2-Wire Voice Grade Port (Centrex) Basic Local Area	UEP90	UEPYA	2.15	21.29				15.49	28.85				
2-Wire Voice Grade Port (Centrex) 800 Termination)Basic Local Area	UEP90	UEPYB	2.15	21.29				15.49	28.85				
2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area	UEP90	UEPYC	2.15	21.29				15.49	28.85				
2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area	UEP90	UEPYD	2.15	21.29				15.49	28.85				
2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area	UEP90	UEPYE	2.15	21.29				15.49	28.85				
2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area	UEP90	UEPYF	2.15	21.29				15.49	28.85				
2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area	UEP90	UEPYG	2.15	21.29				15.49	28.85				
2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area	UEP90	UEPYH	2.15	21.29				15.49	28.85				
2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area	UEP90	UEPYU	2.15	21.29				15.49	28.85				
2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area	UEP90	UEPYV	2.15	21.29				15.49	28.85				